2020 | Product Data

UNILOCK®
PAVERS & WALLS

Unilock Quality Products

Unilock makes your landscape dreams come true with the highest quality pavers and walls in the industry. We offer five categories of products that are designed to offer you beauty, longevity and low maintenance. Whatever Unilock product you choose, we stand behind it 100%.

Unilock Technologies

Reala™

Utilizing REALA technology, a multitude of natural stone surfaces, brick and historic cobblestones are cast to create a wide variety of authentic textures with consistent dimensions that are more cost efficient to install.

Ultima™

Only Unilock has the technology in North America to manufacture Ultima Concrete resulting in pavers up to four times the stronger than poured concrete. With Ultima, the look you purchase is the look that will last.

ColorFusion™

The look of natural granite is achieved when color and granite particles are randomly dispersed using proprietary ColorFusion technology to achieve a unique mottled surface.

EasyClean™
Integral Stain Protection

Nothing protects pavers from stains like EasyClean.

- ✓ Pavers are pre-sealed at the factory
- ✓ Enhanced resistance to weathering
- ✓ Reduced dirt absorption
- ✓ Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove



CLASSIC

- > Budget-friendly shapes and styles
- > Unaffected by frost, resistant to de-icing salts and slip resistant
- > Traditional product mix of large and small aggregates consistent from top to bottom



ENDURACOLOR™

- > Two-step manufacturing process: Coarser base aggregates combined with color and wear-resistant surface aggregates
- > Unaffected by frost, resistant to de-icing salts, slip resistant and chlorine pool water resistant



ELEGANCE™

- > Deep, rich colors unique Reala™ textures
- > Ultima™ Concrete provides up to 4x the strenght of poured-in-place concrete
- > Unaffected by frost, resistant to de-icing salts, slip resistant and chlorine pool water resistant

STONEMARK™

- > Highly detailed surface texture created with Reala Technology
- > Surface texture and color resembling natural stone but with the durability of a manufactured paver or wall product

PERMEABLE

- > Installed on an aggregate base with extra wide joints to reduce rainwater flow
- > Extensive collection to choose from, just look for the permeable symbol

Table of Contents

PAVERS

Arcana 6
Artline™ 7
Artline™ Umbriano® 7
Artline™ Il Campo® 7
Beacon Hill™ Flagstone 8
Beacon Hill Smooth 9
Boulevard™ 10
Bristol Valley® 11
Brussels Block® 12
Copthorne® 13
Courtstone® 14
Eco-Optiloc™ 15
Eco-Priora™ 16
Eco-Promenade® 17
Granito™ 18
Hollandstone™/Double Holland™ 19
Holland Premier™ 20
Il Campo® 21
Mattoni™ 22
Natural Stone 23
Natural Stone Coping & Steps 24
Olde Greenwich Cobble™ 25
Porcelain 26-27
Promenade™ Plank Paver 28-29
Richcliff® 30
Series™ 70mm 32
Series 60mm 31
Thornbury™ 33
Town Hall® 34
Tribeca Cobble™ 35
Turfstone™ 36
Umbriano® 37
Umbriano® Slabs 38
Westport™ 39

RETAINING WALLS

Brussels Dimensional Stone® 40
DuraHold® 41
DuraHold® Coping 42
DuraHold2 43
Estate Wall™ 44
Lineo™ Dimensional Stone 45
Mackinaw™ 46
Pisa2® 47
Rivercrest® Wall 48
Roman® Wall 50
SienaStone® 51
SienaStone® Smooth 52
U-Cara® 53-55
U-Cara Modular System 56
U-Cara Rail System 57

COPING, STEPS, PILLAR CAPS

Universal Coping™ 58
Brussels Fullnose™ 59
Ledgestone™ 60

FIRE FEATURES

Sunset Firepit™ 62
Rivercrest Firepit 63

ACCESSORIES

Paver Cleaners 70
Natural Stone Cleaners 71
Paver Sealers 71
Natural Stone Sealers 72
Adhesive 72
Sands 73

PRODUCT & INSTALLATION INFORMATION

Base Thickness Chart 66
Edge Restraints 74
Finishes and Color Blends 79
Gator Base and Fabric 76
Harmony Elements 67-69
Important Information 78
Laying Patterns 64-65
Large Equipment 66
Material Charts 77
Product Directory 80
Unilock Elements 127
Unilock DriveGrid™ 76

Our Quality Commitment

Unilock was the first concrete paver manufacturer in North America to offer a Lifetime Guarantee, and since then we have continued to stand behind it to ensure customers are completely satisfied with our products. With almost 2 billion stones in the ground, that's quite the commitment!

Our products are better and stronger than other brands. In fact, our internal standards of manufacturing in the USA and Canada far exceed industry standards set by ASTM (American Society for Testing and Materials) and CSA (Canadian Standards Association) and other European organizations.

TRANSFERABLE LIFETIME GUARANTEE

LIFETIME GUARANTEE - RESIDENTIAL

Our Transferable Lifetime Guarantee warranties the structural integrity of Unilock concrete paving stones and retaining wall units when used in residential applications. It covers any structural failure or deterioration of the concrete unit resulting from normal use or from the reasonable application of sodium chloride (common rock salt used for deicing). StoneMark™ products have the same warranties as Unilock paving stones and retaining walls, but cannot be warrantied against damage resulting from de-icing products. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Proof of purchase is required. Customers are encouraged to submit receipts to us as soon as their project is complete, using the Unilock Warranty Registration Form on our website (Unilock.com).

Purchasers need to ensure that the product they purchase is appropriate for their intended application; for example, only certain thicknesses of products are appropriate for driveways. Color matching of the replacement product and/or lost time cannot be guaranteed and labor costs related to installing replacement product is not included. Unilock reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within our warranty parameters, Unilock will replace the defective product.

EXCLUSIONS – Unfortunately, some things are beyond the control of Unilock, and are therefore not covered by this warranty. These include: naturally occurring efflorescence, hazing from polymeric jointing sand, scratching and chipping resulting from snow removal or construction equipment, damage caused by natural or un-natural disasters, or negligence by anyone other than Unilock. The Unilock warranty also does not cover deterioration or damage as a result of poor design or poor installation practices that are contrary to specifications as laid out by ICPI (Interlocking Concrete Pavement Institute) and the NCMA (National Concrete Masonry Association).
For more information please visit www.icpi.org and www.ncma.org. Additionally, please refer to the Maintenance, Color and Installation Advisories.

MAINTENANCE ADVISORY

1. Cleaning and Sealing

As with anything that is outdoors, Unilock products are subject to harsh weather, dust, acid rain, leaf stains, water stains and general wear from foot or vehicular traffic. Therefore, periodic cleaning using environmentally safe detergents designed for cleaning concrete is recommended to maintain a bright, fresh appearance.

To make subsequent cleaning easier and more effective, a concrete sealer can be applied to new or cleaned products to help prevent the penetration of substances that can cause stains.

There are many types of concrete cleaners and sealers on the market. Always read the instructions carefully before using the product to make sure that it will function as expected. Testing first, in a small unobtrusive area, is always a good idea to ensure the results are acceptable. Consult your local hardscape dealer to find the products best suited for your paver or wall installation.

2. Winter Maintenance

Snow removal by way of metal blades on plows or shovels will scratch and chip the surface of pavers, causing permanent damage. To mitigate this risk, metal snow clearing blades must always have a polyurethane or rubber cutting edge attached when plowing pavers.

De-icing Salts - The use of de-icing products on paver surfaces is important for safety and to help mitigate snow accumulation. Most de-icing products

will have some effect on concrete, even if the product label indicates that it is safe on concrete. If you must use a de-icing product, we recommend that you use Sodium Chloride (ordinary rock salt) or Calcium Chloride (for colder climates). Always apply sparingly. The use of de-icing products on StoneMark, wet-cast pavers, slabs or coping may damage the product and therefore is not recommended. Whenever possible use a coarse sand as an anti-slip measure instead of de-icing chemicals.

COLOR ADVISORY

1. Selection

Due to the inherently variable nature of printed materials and digital monitors, Unilock cannot guarantee that products will match the color of printed or online images. Therefore, when making final product selections, decisions should be made based on actual stones which are readily available from Unilock, Authorized Contractors or Authorized Dealers. Most Unilock products are not comprised of a single color, but rather contain blended colors for a more natural appearance. This means that there will be significant color variance from stone to stone, so purchasers should view multiple units together to get a more accurate impression of the overall color.
Note: Unilock Natural Stone variations are outside the control of Unilock. Purchasers of natural stone must be willing to accept this inherent variability.

2. Pre-installation checking

Always check the label to ensure that the Unilock product delivered to your project is the product and color ordered. If there is a discrepancy, or if the product inside the packaging doesn't appear to be correct, contact your hardscape dealer before installing any pavers or wall units. If the product is installed, it indicates your acceptance of the products as delivered.

3. Blending

If the project requires more than one bundle of product it's always a good idea to draw product from several bundles when installing, as this ensures that any variation between bundles will be seamlessly integrated in the project. When bundles are from different production runs, random selection from multiple bundles is even more important.

4. Efflorescence

Efflorescence is a naturally occurring process that
may appear as a white or light grey powder on the surface of concrete, clay or natural stone. It is temporary, and will disappear over time. However, if it is bothersome, an efflorescence cleaner can be used to remove it. There is no way to predict or prevent efflorescence. Because it does not compromise the structural integrity of the product, it is not covered by Unilock product warranties.

INSTALLATION ADVISORY

1. Construction Residue

While a certain amount of dirt on pavers and walls is inevitable during the construction phase, installers are strongly encouraged to clean as they go as construction residue can embed in the surface and become difficult to remove. The slurry produced during wet-saw cutting is particularly stubborn to clean if allowed to dry on the surface of pavers. Unilock warranties do not cover stains caused by a failure to remove construction residue.

2. Polymeric Haze

Surface hazing caused by polymeric jointing sand is not the responsibility of Unilock. Polymeric jointing sand should only be installed by an experienced and knowledgeable contractor. Any sand that is left on the surface prior to activation will result in a haze that is very difficult and time-consuming to remove. Only the highest quality, brand name polymeric sand that is guaranteed by the manufacturer should be used.

3. Compaction Damage

Both smooth and textured paver surfaces can be scratched by compaction equipment used to 'flatten' a new paver installation. Therefore, metal plate compactors must be fitted with a polyethylene mat to protect the paver surface from becoming scratched, or a superior option is to use a rubber-roller compactor instead. Damage to product surfaces caused by failure to follow these instructions is not covered by Unilock product warranties.



Visit Unilock.com to register for your Transferable Lifetime Guarantee.

Arcana™ New

SPECIAL ORDER PRODUCT

ENDURACOLOR™

CORVARA

LUGANO

MODENA

VIVANTO

X & T Slab Spacers
Bagged Separately

Bundle Type		SINGLE	SINGLE
		CHICAGO	CHICAGO
Thickness (mm)		50MM	50MM
Dimension mm		301mm x 606mm x 50mm	606mm x 606mm x 50mm
Dimension Imperial		11 7/8" x 23 7/8" x 2"	23 7/8" x 23 7/8" x 2"
SQFT PER	Bundle	36.00	72.00
	Layer	4.00	8.00
	Section	-	-
	Stone	2.00	4.00
PER BUNDLE	Layers	9.00	9.00
	Sections	-	-
SOLDIER LNFT PER	SqFt	0.49	0.50
	Section	-	-
	Layer	1.98	3.98
	Bundle	17.78	35.79
SAILOR LNFT PER	SqFt	0.99	0.50
	Section	-	-
	Layer	3.98	3.98
	Bundle	35.79	35.79
UNITS PER	SqFt	0.50	0.25
	Section	-	-
	Bundle	18.00	18.00
LBS PER	Layer	96	192
	Section	-	-
	Bundle	864	1,728

23⅞ x 23⅞ x 2"
606 x 606 x 50mm

11⅞ x 23⅞ x 2"
301 x 606 x 50mm

ADVANTAGES

EASYCLEAN™
Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

Notes: **Sold in full bundles only and is produced and sold on a required and refundable skid.** Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Product is not intended for vehicular applications. Please refer to to the Polymeric Sand Best Practices on page 73 and Important Notice on page 78. All measurements are nominal. Unilock recommends to install Arcana using T and X Slab spacers. Please contact your sales manager for more information.

Artline™

ENDURACOLOR™

BIRCH

GRANITE



SIERRA

MIDNIGHT SKY
UMBRIANO FINISH
SPECIAL ORDER

GRANITE BLEND
IL CAMPO FINISH
SPECIAL ORDER

Bundle Type		RANDOM	UMBRIANO	IL CAMPO
		MICHIGAN	MARENGO	CHICAGO
Thickness (mm)		70MM	70MM	70MM
Dimension mm				
Dimension Imperial				
SQFT PER	Bundle	93.25	93.25	93.25
	Layer	11.66000	11.66000	11.66000
	Section	-	-	-
	Stone	0.49	0.49	0.49
PER BUNDLE	Layers	8.00	8.00	8.00
	Sections	-	-	-
SOLDIER LNFT PER	SqFt	-	-	-
	Section	-	-	-
	Layer	-	-	-
	Bundle	-	-	-
SAILOR LNFT PER	SqFt	-	-	-
	Section	-	-	-
	Layer	-	-	-
	Bundle	-	-	-
UNITS PER	SqFt	2.06	2.06	2.06
	Section	-	-	-
	Bundle	192.00	192.00	192.00
LBS PER	Layer	373	373	370
	Section	-	-	-
	Bundle	2,986	2,985	2,963

7 UNIT RANDOM BUNDLE

6¾ x 4⅞ x 2¾"
169 x 125 x 70mm

10⅜ x 4⅞ x 2¾"
263 x 125 x 70mm

13⅜ x 4⅞ x 2¾"
338 x 125 x 70mm

8⅞" x 7½" x 2¾"
225 x 188 x 70mm

13⅜ x 7½ x 2¾"
338 x 188 x 70mm

17¾ x 7½ x 2¾"
45 x 188 x 70mm

17¾ x 4⅞ x 2¾"
45 x 125 x 70mm

ADVANTAGES

UMBRIANO FINISH - EASYCLEAN™
Factory sealed to provide integral surface protection from stains

UMBRIANO FINISH - COLORFUSION™
Subtly mottled color finish

IL CAMPO - BRUSHED FINISH
Graphically interesting etched lines

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

Notes: Product sold in full bundles only and is produced and sold on a required, refundable skid.
Important: **A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Beacon Hill™ Flagstone

ENDURACOLOR™

BAVARIAN

BIRCH

FOSSIL

SIERRA

Bundle Type	RANDOM
	MICHIGAN
Thickness (mm)	60MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	94.14
	Layer	10.46000
	Section	-
	Stone	1.31

PER BUNDLE	Layers	9.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	-
	Layer	8.86
	Bundle	79.72

UNITS PER	SqFt	0.76
	Section	-
	Bundle	72.00

LBS PER	Layer	287
	Section	-
	Bundle	2,583

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
21¼" x 14⅛ x 2⅜"
540 x 360 x 60mm

SQUARE
14⅛ x 14⅛ x 2⅜"
360 x 360 x 60mm

SMALL RECTANGLE
7 1/16 x 14⅛ x 2⅜"
180 x 360 x 60mm

ADVANTAGES

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. Important: **A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Beacon Hill™ Smooth

ENDURACOLOR™

BIRCH

FOSSIL

GRANITE ENDURA

OPAL BLEND

GRANITE ENUDRA
XL UNIT

OPAL BLEND
XL UNIT

Bundle Type		RANDOM	SINGLE
		MICHIGAN	MICHIGAN
Thickness (mm)		60MM	60MM
Dimension mm			540mm x 900mm x 60mm
Dimension Imperial			21 1/4" x 35 1/2" x 2 3/8"
SQFT PER	Bundle	94.14	94.14
	Layer	10.46000	10.46000
	Section	-	-
	Stone	1.31	5.23
PER BUNDLE	Layers	9.00	9.00
	Sections	-	-
SOLDIER LNFT PER	SqFt	-	0.34
	Section	-	-
	Layer	-	3.54
	Bundle	-	31.89
SAILOR LNFT PER	SqFt	0.85	0.56
	Section	-	-
	Layer	8.86	5.91
	Bundle	79.72	53.15
UNITS PER	SqFt	0.76	0.19
	Section	-	-
	Bundle	72.00	18.00
LBS PER	Layer	287	287
	Section	-	-
	Bundle	2,583	2,583

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
21¼" x 14⅛ x 2⅜"
540 x 360 x 60mm

SQUARE
14⅛ x 14⅛ x 2⅜"
360 x 360 x 60mm

SMALL RECTANGLE
7¹⁄₁₆ x 14⅛ x 2⅜"
180 x 360 x 60mm

XL UNIT SOLD SEPARATELY

XL UNIT
21¼ x 35 x 2⅜"
540 x 900 x 60mm

ADVANTAGES

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. Important: **A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Boulevard™ New

ENDURACOLOR™

RIVER

SIERRA

GRANITE

Bundle Type		RANDOM
		MICHIGAN
Thickness (mm)		70MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	93.00
	Layer	11.63000
	Section	-
	Stone	1.45

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	1.03
	Section	-
	Layer	12.00
	Bundle	96.04

UNITS PER	SqFt	0.69
	Section	-
	Bundle	64.00

LBS PER	Layer	372
	Section	-
	Bundle	2,978

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
12 x 24 x 2¾"
305 x 610 x 70mm

MEDIUM RECTANGLE
12 x 18 x 2¾"
305 x 457 x 70mm

SQUARE
12 x 12 x 2¾"
305 x 305 x 70mm

ADVANTAGES

DRIVE FRIENDLY
Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. Important: **A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Bristol Valley®

ENDURACOLOR™

NEW COLORS FOR 2020

BAVARIAN BLEND

COPPER RIDGE

STEEL MOUNTAIN

Bundle Type		RANDOM
		MARENGO
Thickness (mm)		60MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	104.60
	Layer	10.46000
	Section	-
	Stone	1.31

PER BUNDLE	Layers	10.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	-
	Layer	8.86
	Bundle	88.58

UNITS PER	SqFt	0.76
	Section	-
	Bundle	80.00

LBS PER	Layer	295
	Section	-
	Bundle	2,946

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
21¼" x 14⅛ x 2⅜"
540 x 360 x 60mm

SQUARE
14⅛ x 14⅛ x 2⅜"
360 x 360 x 60mm

SMALL RECTANGLE
7¹⁄₁₆ x 14⅛ x 2⅜"
180 x 360 x 60mm

ADVANTAGES

EASYCLEAN™
Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. Important: **A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Brussels Block®

CLASSIC

COFFEE CREEK

LIMESTONE

DESERT SAND

SANDSTONE

MAHOGANY ASH

DARK CHARCOAL
HALF STONE ONLY

Bundle Type		SINGLE	SINGLE	SINGLE
		MICHIGAN	MICHIGAN	MICHIGAN
Thickness (mm)		70MM	70MM	70MM
Dimension mm		104mm x 173mm x 70mm	173mm x 208mm x 70mm	208mm x 348mm x 70mm
Dimension Imperial		41/8" x 6 7/8" x 2 3/4"	6 7/8" x 8 1/4" x 2 3/4"	8 1/4" x 13 3/4" x 2 3/4"
SQFT PER	Bundle	99.79	94.91	95.70
	Layer	12.47000	11.86000	9.57000
	Section	-	-	-
	Stone	0.20	0.40	0.80
PER BUNDLE	Layers	8.00	8.00	10.00
	Sections	-	-	-
SOLDIER LNFT PER	SqFt	1.72	1.44	0.86
	Section	-	-	-
	Layer	21.50	17.03	8.19
	Bundle	172.00	136.22	81.89
SAILOR LNFT PER	SqFt	2.95	1.73	1.43
	Section	-	-	-
	Layer	36.79	20.47	13.70
	Bundle	294.30	163.78	137.01
UNITS PER	SqFt	5.05	2.53	1.25
	Section	-	-	-
	Bundle	504.00	240.00	120.00
LBS PER	Layer	399	380	306
	Section	-	-	-
	Bundle	3,195	3,039	3,065

HALF STONE
4⅛ x 6⅞ x 2¾"
104 x 173 x 70mm

STANDARD STONE
6⅞ x 8¼ x 2¾"
173 x 208 x 70mm

XL STONE
8¼ x 13¾" x 2¾"
208 x 348 x 70mm

ADVANTAGES

DRIVE FRIENDLY
Can handle vehicular loads

Notes: XL unit can also be used as a coping or step tread. All measurements are nominal. Contact Unilock for more information.

Copthorne®

ELEGANCE

BURGUNDY RED

BURNT CLAY

OLD OAK

BASALT

STEEL BLUE

BURGUNDY RED/
BURNT CLAY/OLD OAK
Sold Separately/
Blended on Site

Bundle Type		SINGLE
		AYR
	Thickness (mm)	60MM
	Dimension mm	65mm x 200mm x 60mm
	Dimension Imperial	2 5/8" x 7 7/8" x 2 3/8"

SQFT PER	Bundle	89.20
	Layer	11.15000
	Section	-
	Stone	0.15

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	1.43
	Section	-
	Layer	15.99
	Bundle	127.95

SAILOR LNFT PER	SqFt	4.41
	Section	-
	Layer	49.21
	Bundle	393.70

UNITS PER	SqFt	6.73
	Section	-
	Bundle	600.00

LBS PER	Layer	294
	Section	-
	Bundle	2,349

STANDARD
2⅝" x 7⅞" x 2⅜"
65 x 200 x 60mm

ADVANTAGES

REALA™
Cast from historic street pavers

ULTIMA™
Up to 4x stronger than
poured-in-place concrete

DRIVE FRIENDLY
Can handle vehicular loads

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Important: **A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polymeric Sand Best Practices on page 73. All measurements are nominal. Contact Unilock for more information.

Courtstone®

ELEGANCE

BASALT

BELGIAN BLUE
SPECIAL ORDER

DAWN MIST
SPECIAL ORDER

PEBBLE TAUPE
SPECIAL ORDER

BASALT/ BELGIAN BLUE
Sold Separately/
Blended on Site

DAWN MIST/ PEBBLE TAUPE
Sold Separately/
Blended on Site

Bundle Type		RANDOM
		AYR
Thickness (mm)		60MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	98.30
	Layer	12.29000
	Section	-
	Stone	0.26

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	2.25
	Section	-
	Layer	27.69
	Bundle	221.52

UNITS PER	SqFt	3.91
	Section	-
	Bundle	384.00

LBS PER	Layer	291
	Section	-
	Bundle	2,326

5 UNIT RANDOM BUNDLE

XL RECTANGLE
5⅛ x 8⅜ x 2⅜"
130 x 215 x 60mm

LARGE RECTANGLE
5⅛ x 7¼ x 2⅜"
130 x 185 x 60mm

RECTANGLE
5⅛ x 6½ x 2⅜"
130 x 165 x 60mm

SMALL RECTANGLE
5⅛ x 5¾ x 2⅜"
130 x 145 x 60mm

SQUARE
5⅛ x 5⅛ x 2⅜"
130 x 130 x 60mm

ADVANTAGES

REALA™
Cast from historic European cobblestones

ULTIMA™
Up to 4x stronger than
poured-in-place concrete

DRIVE FRIENDLY
Can handle vehicular loads

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Important: **A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polymeric Sand Best Practices on page 73. All measurements are nominal. Contact Unilock for more information.

Eco-Optiloc™

SPECIAL ORDER PRODUCT ENDURACOLOR™

NATURAL
SPECIAL ORDER

Bundle Type	SINGLE
	MICHIGAN
Thickness (mm)	80MM
Dimension mm	250mm x 250mm x 80mm
Dimension Imperial	9 7/8" x 9 7/8" x 3 1/8"

SQFT PER	Bundle	63.56
	Layer	9.08000
	Section	-
	Stone	0.50

PER BUNDLE	Layers	7.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	1.98
	Section	-
	Bundle	126.00

LBS PER	Layer	332
	Section	-
	Bundle	2,325

STANDARD
9⅞ x 9⅞ x 3⅛"
250 x 250 x 80mm

ADVANTAGES

PERMEABLE
Can be installed to allow water to flow through

DRIVE FRIENDLY
Can handle vehicular loads

Notes: Most standard colors are available by special order only and subject to minimum quantities. Contact your representative for details. This product is optimized for mechanical installation. Sold in full bundles only and is shipped on a refundable skid. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Contact Unilock for information.

Eco-Priora®

ENDURACOLOR™

BEECHWOOD
STANDARD FINISH



PREMIER FINISH
SPECIAL ORDER



IL CAMPO® FINISH
SPECIAL ORDER



SERIES™ FINISH
SPECIAL ORDER

UMBRIANO® FINISH
SPECIAL ORDER

STANDARD FINISH
SPECIAL ORDER

Bundle Type		SINGLE - SMOOTH
		MICHIGAN
Thickness (mm)		80MM
Dimension mm		120mm x 240mm x 80mm
Dimension Imperial		4 3/4" x 9 1/2" x 3 1/8"
SQFT PER	Bundle	75.95
	Layer	10.85000
	Section	-
	Stone	0.31
PER BUNDLE	Layers	7.00
	Sections	-
SOLDIER LNFT PER	SqFt	1.27
	Section	-
	Layer	13.78
	Bundle	96.46
SAILOR LNFT PER	SqFt	2.54
	Section	-
	Layer	27.56
	Bundle	192.91
UNITS PER	SqFt	3.23
	Section	-
	Bundle	245.00
LBS PER	Layer	397
	Section	-
	Bundle	2,778

RECTANGLE
4¾ x 9½ x 3⅛"
120 x 240 x 80mm

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: * Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Eco-Promenade®

SPECIAL ORDER PRODUCT ENDURACOLOR™

PREMIER FINISH



IL CAMPO® FINISH



SERIES™ FINISH

UMBRIANO® FINISH

STANDARD FINISH

Bundle Type		SINGLE
		MICHIGAN
Thickness (mm)		100MM
Dimension mm		75mm x 300mm x 100mm
Dimension Imperial		3" x 11 7/8" x 3 7/8"
SQFT PER	Bundle	63.94
	Layer	10.66000
	Section	-
	Stone	0.24
PER BUNDLE	Layers	6.00
	Sections	-
SOLDIER LNFT PER	SqFt	1.02
	Section	-
	Layer	10.83
	Bundle	64.96
SAILOR LNFT PER	SqFt	4.06
	Section	-
	Layer	43.31
	Bundle	259.84
UNITS PER	SqFt	4.13
	Section	-
	Bundle	264.00
LBS PER	Layer	482
	Section	-
	Bundle	2,893

2⅞ x 11⅞ x 3⅞"
76 x 300 x 100mm

ADVANTAGES

DRIVE FRIENDLY
Can handle vehicular loads

Notes: Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Weights and square feet may vary depending on plant of manufacture and finish. Custom finish and color options are available. All measurements are nominal. Important: **A urethane rubber paver mat must be used to prevent scuffing.** Contact Unilock for more information.

Granito™ New

ENDURACOLOR™

NOTTE

SABIA



NOTTE HEX
SPECIAL ORDER

SABIA HEX
SPECIAL ORDER

		SINGLE	RANDOM
	Bundle Type	PICKERING	PICKERING
	Thickness (mm)	70MM	60MM
	Dimension mm	200mm x 200mm x 70mm	
	Dimension Imperial	7 7/8" x 7 7/8" x 2 3/4"	
SQFT PER	Bundle	73.92	94.14
	Layer	9.24000	10.46000
	Section	-	-
	Stone	0.39	1.31
PER BUNDLE	Layers	8.00	9.00
	Sections	-	-
SOLDIER LNFT PER	SqFt	-	-
	Section	-	-
	Layer	-	-
	Bundle	-	-
SAILOR LNFT PER	SqFt	-	0.85
	Section	-	-
	Layer	-	8.86
	Bundle	-	79.72
UNITS PER	SqFt	2.60	0.76
	Section	-	-
	Bundle	192.00	72.00
LBS PER	Layer	306	287
	Section	-	-
	Bundle	2,450	2,583

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
21 x 14 x 2⅜"
540 x 360 x 60mm

SQUARE
14 x 14 x 2⅜"
360 x 360 x 60mm

SMALL RECTANGLE
7 x 14 x 2⅜"
180 x 360 x 60mm

HEX
8 x 8 x 2¾"
200 x 200 x 70mm
SPECIAL ORDER

ADVANTAGES

EASYCLEAN™
Factory sealed to provide integral surface protection from stains

ARTISTA™
Boldly mottled color finish

DRIVE FRIENDLY
Can handle vehicular loads - Hex only

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: **A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Hollandstone™ & Double Holland™

BEECHWOOD
HOLLANDSTONE ONLY

ST CLAIR
HOLLANDSTONE ONLY

SANDSTONE
HOLLANDSTONE ONLY

RUSTIC RED

TERRA COTTA

	Bundle Type	SINGLE	SINGLE
		MICHIGAN	MICHIGAN
	Thickness (mm)	60MM	60MM
	Dimension mm	100mm x 200mm x 60mm	200mm x 200mm x 60mm
	Dimension Imperial	3 7/8" x 7 7/8" x 2 3/8"	7 7/8" x 7 7/8" x 2 3/8"
SQFT PER	Bundle	106.20	94.30
	Layer	11.80000	10.48000
	Section	17.70	15.72
	Stone	0.22	0.44
PER BUNDLE	Layers	9.00	9.00
	Sections	6.00	6.00
SOLDIER LNFT PER	SqFt	1.50	1.52
	Section	26.57	23.81
	Layer	17.72	15.88
	Bundle	159.45	142.88
SAILOR LNFT PER	SqFt	3.00	-
	Section	53.15	-
	Layer	35.43	-
	Bundle	318.90	-
UNITS PER	SqFt	4.58	2.29
	Section	81.00	36.00
	Bundle	486.00	216.00
LBS PER	Layer	324	294
	Section	486	442
	Bundle	2,914	2,650

STANDARD
3⅞ x 7⅞ x 2⅜"
100 x 200 x 60mm

STANDARD
7⅞x7⅞x2⅜"
200x200x60mm

80 mm Standard also available by Special Order. Minimum quantities may apply.

ADVANTAGES

DRIVE FRIENDLY
Can handle vehicular loads

Notes: **Sold in full bundles only.** All measurements are nominal. Contact Unilock for more information.

Holland Premier™

ENDURACOLOR™

DARK CHARCOAL

FOSSIL

GRANITE ENDURA

CHARLESTON NEW

Bundle Type	SINGLE
	MICHIGAN
Thickness (mm)	60MM
Dimension mm	100mm x 200mm x 60mm
Dimension Imperial	3 7/8" x 7 7/8" x 2 3/8"

SQFT PER	Bundle	106.20
	Layer	11.80000
	Section	17.70
	Stone	0.22

PER BUNDLE	Layers	9.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	1.50
	Section	26.57
	Layer	17.72
	Bundle	159.45

SAILOR LNFT PER	SqFt	3.00
	Section	53.15
	Layer	35.43
	Bundle	318.90

UNITS PER	SqFt	4.58
	Section	81.00
	Bundle	486.00

LBS PER	Layer	324
	Section	486
	Bundle	2,914

STANDARD
3 7/8 x 7 7/8 x 2 3/8"
100 x 200 x 60mm

ADVANTAGES

DRIVE FRIENDLY
Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: **A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Il Campo®

ENDURACOLOR™

DARK CHARCOAL

Bundle Type	SINGLE
	PICKERING
Thickness (mm)	70MM
Dimension mm	100mm x 200mm x 70mm
Dimension Imperial	3 7/8" x 7 7/8" x 2 3/4"

SQFT PER	Bundle	94.40
	Layer	11.80000
	Section	15.73
	Stone	0.22

PER BUNDLE	Layers	8.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	1.50
	Section	23.62
	Layer	17.72
	Bundle	141.73

SAILOR LNFT PER	SqFt	3.00
	Section	47.24
	Layer	35.43
	Bundle	283.46

UNITS PER	SqFt	4.58
	Section	72.00
	Bundle	432.00

LBS PER	Layer	377
	Section	502
	Bundle	3,014

STANDARD
3⅞ x 8 x 2¾"
100 x 200 x 70mm

ADVANTAGES

BRUSHED FINISH
Graphically interesting etched lines

DRIVE FRIENDLY
Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: **A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Sealer Best Practices on page71 and Important Notice on page 78. All measurements are nominal. Contact Unilock for more information.

Mattoni™

ENDURACOLOR™

COCOA BROWN

DARK CHARCOAL

SABLE BLEND

Bundle Type		SINGLE
		MARENGO
Thickness (mm)		70MM
Dimension mm		60mm x 240mm x 70mm
Dimension Imperial		2 3/8" x 9 1/2" x 2 3/4"
SQFT PER	Bundle	89.28
	Layer	11.16000
	Section	-
	Stone	0.16
PER BUNDLE	Layers	8.00
	Sections	-
SOLDIER LNFT PER	SqFt	1.27
	Section	-
	Layer	14.17
	Bundle	113.39
SAILOR LNFT PER	SqFt	5.08
	Section	-
	Layer	56.69
	Bundle	453.54
UNITS PER	SqFt	6.45
	Section	-
	Bundle	576.00
LBS PER	Layer	357
	Section	-
	Bundle	2,859

STANDARD
2⅜ x 9½ x 2¾"
60 x 240 x 70mm

ADVANTAGES

DRIVE FRIENDLY
Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: **A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Natural Stone

INDIAN COAST SANDSTONE

STONE CLIFF GREY SANDSTONE

BLACK RIVER LIMESTONE

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

12 x 24 x 7/8"
300 x 600 x 22mm

18 x 24 x 7/8"
450 x 600 x 22mm

24 x 24 x 7/8"
600 x 600 x 22mm

24 x 36 x 7/8"
600 x 900 x 22mm

ADVANTAGES

PEDESTRIAN FRIENDLY
Not recommended for vehicular

Bundle Type		SINGLE	SINGLE	SINGLE	SINGLE
		12 x 24	18 x 24	24 x 24	24 x 36
Thickness (mm)		22MM	22MM	22MM	22MM
Dimension mm		300mm x 600mm x 22mm	450mm x 600mm x 22mm	600mm x 600mm x 22mm	600mm x 900mm x 22mm
Dimension Imperial		11 7/8" x 23 5/8" x 0 7/8"	17 3/4" x 23 5/8" x 0 7/8"	23 5/8" x 23 5/8" x 0 7/8"	23 5/8" x 35 1/2" x 0 7/8"
SQFT PER	Crate	180.00	186.00	160.00	180.00
	Unit	2.00	3.00	4.00	6.00
FCFT PER	Crate	-	-	-	-
	Layer	-	-	-	-
	Unit	-	-	-	-
LNFT PER	Crate	-	-	-	-
	Unit	-	-	-	-
UNITS PER	Crate	90.00	62.00	40.00	30.00
	SqFt	0.50	0.33	0.25	0.17
LBS PER	Unit	24	36	48	72
	Bundle	2,149	2,221	1,914	2,149

Notes: Sold in full crates only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Due to natural oxidation, the Black River Limestone will require sealing to maintain its deep rich color. Unilock recommends a solvent based sealer for natural stone. Important: Natural Stone is covered under Unilock's Transferable Lifetime Guarantee. All measurements are nominal. Product is not intended for vehicular applications.

Natural Stone Coping, Pillar Caps & Steps

INDIAN COAST SANDSTONE

STONE CLIFF GREY SANDSTONE

BLACK RIVER LIMESTONE

NATURAL EDGE
48 x 12 x 2"
1200 x 300 x 50mm

FULLNOSE EDGE
48 x 12 x 2"
1200 x 300 x 50mm

24" PILLAR CAP
24 x 24 x 2½"
600 x 600 x 64mm
SPECIAL ORDER

NATURAL EDGE STEP
16 x 48 x 6"
400 x 1200 x 150mm
SPECIAL ORDER

	Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE
		FULLNOSE EDGE	NATURAL EDGE	24" PILLAR CAP	ROCK FACE STEP
	Thickness (mm)	50MM	50MM	64MM	150MM
	Dimension mm	1,200mm x 50mm x 300mm	1,200mm x 50mm x 300mm	600mm x 600mm x 64mm	400mm x 1,200mm x 150mm
	Dimension Imperial	47 1/4" x 2" x 11 7/8"	47 1/4" x 2" x 11 7/8"	23 5/8" x 23 5/8" x 2 5/8"	15 3/4" x 47 1/4" x 5 7/8"
SQFT PER	Crate	-	-	-	-
	Unit	-	-	-	-
FCFT PER	Crate	-	-	-	32.00
	Layer	-	-	-	-
	Unit	-	-	-	-
LNFT PER	Crate	80.00	80.00	-	24.00
	Unit	-	-	-	-
UNITS PER	Crate	20.00	20.00	14.00	6.00
	SqFt	-	-	-	-
LBS PER	Unit	-	-	186	-
	Bundle	2,116	2,116	2,606	2,526

Notes: Sold in full crates only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Due to natural oxidation, the Black River Limestone will require sealing to maintain its deep rich color. Unilock recommends a solvent based sealer for natural stone. Important: Natural Stone is covered under Unilock's Transferable Lifetime Guarantee. All measurements are nominal. Product is not intended for vehicular applications.

Olde Greenwich Cobble®

CLASSIC

BEECHWOOD

TERRA COTTA

Bundle Type		2 UNIT SQUARE BUNDLE	MEDIUM RECTANGLE
		MICHIGAN	MICHIGAN
Thickness (mm)		60MM	60MM
Dimension mm			120mm x 180mm x 60mm
Dimension Imperial			4 3/4" x 7" x 2 3/8"
SQFT PER	Bundle	77.90	78.08
	Layer	9.74000	9.76000
	Section	-	-
	Stone	0.14	0.23
PER BUNDLE	Layers	8.00	8.00
	Sections	-	-
SOLDIER LNFT PER	SqFt	-	1.69
	Section	-	-
	Layer	-	16.54
	Bundle	-	132.28
SAILOR LNFT PER	SqFt	2.55	2.54
	Section	-	-
	Layer	24.80	24.80
	Bundle	198.43	198.43
UNITS PER	SqFt	7.39	4.30
	Section	-	-
	Bundle	576.00	336.00
LBS PER	Layer	273	273
	Section	-	-
	Bundle	2,183	2,186

2 UNIT SQUARE BUNDLE

SMALL SQUARE
4¾ x 4¾ x 2⅜"
120 x 120 x 60mm

SMALL RECTANGLE
2⅜ x 4¾ x 2⅜"
60 x 120 x 60mm

MEDIUM RECTANGLE
4¾ x 7 x 2⅜"
120 x 180 x 60mm

ADVANTAGES

DRIVE FRIENDLY
Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid.
Important: **A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Porcelain 16 x 32

SPECIAL ORDER PRODUCT

ARBOR GREY

ARBOR NATURAL

ARBOR BIANCO

LASCALA GREY

LASCALA BEIGE

LASCALA NOCE

15¾ x 31½ x ⅞"
400 x 800 x 20mm

Bundle Type	SINGLE
	Pressed Edge
Thickness (mm)	20MM
Dimension mm	400mm x 800mm x 20mm
Dimension Imperial	15 3/4" x 31 1/2" x 0 7/8"

SQFT PER	Pallet	268.71
	Box	6.89
	Unit	3.45

PER PALLET	Pallet	39.00

UNITS PER	Pallet	78.00
	Box	2.00

LBS PER	Unit	32
	SqFt	9
	Box	64
	Pallet	2,504

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES

PEDESTRIAN FRIENDLY
Not recommended for vehicular

Notes: Sold in full bundles only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Important: Porcelain products are not covered under Unilock's Lifetime Guarantee. Please contact Unilock/your Territory Manager for more information. All measurement are nominal.

Porcelain 24 x 24

SPECIAL ORDER PRODUCT

GOTHAM BEIGE

GOTHAM GREY

GOTHAM NERO

TRAVSTONE BEIGE

TRAVSTONE NOCE

Square
23⅝ x 23⅝ x ⅞"
600 x 600 x 20mm

Bundle Type	SINGLE
	Square Pressed Edge
Thickness (mm)	20MM
Dimension mm	600mm x 600mm x 20mm
Dimension Imperial	23 5/8" x 23 5/8" x 0 7/8"

SQFT PER	Pallet	255.75
	Box	7.75
	Unit	3.88

PER PALLET	Pallet	33.00

UNITS PER	Pallet	66.00
	Box	2.00

LBS PER	Unit	36
	SqFt	9
	Box	72
	Pallet	2,360

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES

PEDESTRIAN FRIENDLY
Not recommended for vehicular

Notes: Sold in full bundles only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Important: Porcelain products are not covered under Unilock's Lifetime Guarantee. Please contact Unilock/your Territory Manager for more information. All measurement are nominal.

Internal Use Only. OGC CH

Promenade™ Plank Paver

SPECIAL ORDER PRODUCT

ENDURACOLOR™

BLACK GRANITE
SERIES™ FINISH

8 x 24 x 4"
200 x 600 x 100mm
SPECIAL ORDER

4 x 16 x 4"
100 x 400 x 100mm
SPECIAL ORDER

4 x 12 x 4"
100 x 300 x 100mm
SPECIAL ORDER

		4 x 12 series exposed	4 x 16 Series exposed	8 x 24 Series exposed
	Bundle Type	SINGLE	SINGLE	SINGLE
		GEORGETOWN1	GEORGETOWN1	GEORGETOWN1
	Thickness (mm)	100MM	100MM	100MM
	Dimension mm	100mm x 300mm x 100mm	100mm x 400mm x 100mm	200mm x 600mm x 100mm
	Dimension Imperial	3 7/8" x 11 7/8" x 3 7/8"	3 7/8" x 15 3/4" x 3 7/8"	7 7/8" x 23 5/8" x 3 7/8"
SQFT PER	Bundle	58.13	51.67	51.67
	Layer	11.63000	10.33000	10.33000
	Section	-	-	-
	Stone	0.32	0.43	1.29
PER BUNDLE	Layers	5.00	5.00	5.00
	Sections	-	-	-
SOLDIER LNFT PER	SqFt	1.02	0.76	0.51
	Section	-	-	-
	Layer	11.81	7.87	5.25
	Bundle	59.06	39.37	26.25
SAILOR LNFT PER	SqFt	3.05	3.05	1.52
	Section	-	-	-
	Layer	35.43	31.50	15.75
	Bundle	177.17	157.48	78.74
UNITS PER	SqFt	3.10	2.32	0.77
	Section	-	-	-
	Bundle	180.00	120.00	40.00
LBS PER	Layer	532	468	478
	Section	-	-	-
	Bundle	2,659	2,338	2,391

ADVANTAGES

BRUSHED FINISH
Graphically interesting etched lines

BRUSHED FINISH
Granite, Quartz and Marble surface materials

DRIVE FRIENDLY
Can handle vehicular loads

ADVANTAGES

DRIVE FRIENDLY
Can handle vehicular loads

Notes: Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Weights and square feet may vary depending on plant of manufacture and finish. Custom finish and color options are available. All measurements are nominal. Important: **A urethane rubber paver mat must be used to prevent scuffing.** Contact Unilock for more information.

Internal Use Only. PMD ON

Promenade™ Plank Paver

SPECIAL ORDER PRODUCT ENDURACOLOR™

OPAL BLEND

STEEL GREY BLEND

GRANITE BLEND
IL CAMPO® FINISH

8 x 24 x 4"
200 x 600 x 100mm
SPECIAL ORDER

4 x 16 x 4"
100 x 400 x 100mm

4 x 12 x 4"
100 x 300 x 100mm
SPECIAL ORDER

		4 x 12 Smooth	4 x 16 Smooth	8 x 24 Smooth	4 x 12 Il Campo	4 x 16 Il Campo
	Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		GEORGETOWN1	GEORGETOWN1	GEORGETOWN1	GEORGETOWN1	GEORGETOWN1
	Thickness (mm)	100MM	100MM	100MM	100MM	100MM
	Dimension mm	100mm x 300mm x 100mm	100mm x 400mm x 100mm	200mm x 600mm x 100mm	100mm x 300mm x 100mm	100mm x 400mm x 100mm
	Dimension Imperial	3 7/8" x 11 7/8" x 3 7/8"	3 7/8" x 15 3/4" x 3 7/8"	7 7/8" x 23 5/8" x 3 7/8"	3 7/8" X 11 7/8" X 3 7/8"	3 7/8" X 15 3/4" X 3 7/8"
SQFT PER	Bundle	58.13	51.67	51.67	58.13	51.67
	Layer	11.63000	10.33000	10.33000	11.63000	10.33000
	Section	-	-	-	-	-
	Stone	0.32	0.43	1.29	0.32	0.43
PER BUNDLE	Layers	5.00	5.00	5.00	5.00	5.00
	Sections	-	-	-	-	-
SOLDIER LNFT PER	SqFt	1.02	0.76	0.51	1.02	0.76
	Section	-	-	-	-	-
	Layer	11.81	7.87	5.25	11.81	7.87
	Bundle	59.06	39.37	26.25	59.06	39.37
SAILOR LNFT PER	SqFt	3.05	3.05	1.52	3.05	3.05
	Section	-	-	-	-	-
	Layer	35.43	31.50	15.75	35.43	31.50
	Bundle	177.17	157.48	78.74	177.17	157.48
UNITS PER	SqFt	3.10	2.32	0.77	3.10	2.32
	Section	-	-	-	-	-
	Bundle	180.00	120.00	40.00	180.00	120.00
LBS PER	Layer	532	488	478	526	488
	Section	-	-	-	-	-
	Bundle	2,659	2,440	2,391	2,629	2,440

Richcliff®

ELEGANCE

DAWN MIST

PEBBLE TAUPE

SMOKE SHALE

DAWN MIST/ PEBBLE TAUPE
Sold Separately/ Blended on Site

Bundle Type		RANDOM	SINGLE
		AYR	AYR
Thickness (mm)		60MM	60MM
Dimension mm			302mm x 528mm x 60mm
Dimension Imperial			11 7/8" x 20 7/8" x 2 3/8"
SQFT PER	Bundle	90.30	82.39
	Layer	11.29000	10.30000
	Section	-	-
	Stone	0.56	1.72
PER BUNDLE	Layers	8.00	8.00
	Sections	-	-
SOLDIER LNFT PER	SqFt	-	0.58
	Section	-	-
	Layer	-	5.94
	Bundle	-	47.56
SAILOR LNFT PER	SqFt	1.31	1.01
	Section	-	-
	Layer	14.78	10.39
	Bundle	118.22	83.15
UNITS PER	SqFt	1.77	0.58
	Section	-	-
	Bundle	160.00	48.00
LBS PER	Layer	309	301
	Section	-	-
	Bundle	2,472	2,411

3 UNIT RANDOM BUNDLE

RECTANGLE
12 x 9 x 2⅜"
300 x 226 x 60mm

SQUARE
9 x 9 x 2⅜"
226 x 226 x 60mm

SMALL RECTANGLE
9 x 6 x 2⅜"
226 x 150 x 60mm

LARGE RECTANGLE
21 x 12 x 2⅜"
528 x 302 x 60mm
Sold Separately

ADVANTAGES

REALA™
Cast from natural stone

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY
Random Bundle can handle vehicular loads

Notes: **SOLD AS FULL BUNDLES ONLY** on a refundable skid. Important: **A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information. Please refer to the Polymeric Sand Best Practices on page 73 and Important Notice on page 78.

Series™ 60mm New

SPECIAL ORDER PRODUCT ENDURACOLOR™

COBALT GREY
SPECIAL ORDER

MINERAL ICE GREY
SPECIAL ORDER

Bundle Type		RANDOM
		CHICAGO
Thickness (mm)		60MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	104.60
	Layer	10.46000
	Section	17.43
	Stone	1.31

PER BUNDLE	Layers	10.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	14.76
	Layer	8.86
	Bundle	88.58

UNITS PER	SqFt	0.76
	Section	13.33
	Bundle	80.00

LBS PER	Layer	291
	Section	485
	Bundle	2,913

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
14¼ x 21¼ x 2⅜"
360 x 540 x 60mm

SQUARE
14¼ x 14¼ x 2⅜"
360 x 360 x 60mm

SMALL RECTANGLE
7⅛ x 14¼ x 2⅜"
180 x 360 x 60mm

ADVANTAGES

Granite, Quartz and Marble surface materials

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

Notes: Product sold in full bundles only. Important: A urethane rubber mat must be used to prevent scuffing. Please refer to the Sealer Best Practices on page 71 and Important Notice on page 78.

Series™ 70mm

ENDURACOLOR™

GOLDEN TAN
SPECIAL ORDER

ONYX BLACK

Bundle Type		SINGLE
		CHICAGO
	Thickness (mm)	70MM
	Dimension mm	100mm x 200mm x 70mm
	Dimension Imperial	3 7/8" x 7 7/8" x 2 3/4"
SQFT PER	Bundle	106.20
	Layer	11.80000
	Section	17.70
	Stone	0.22
PER BUNDLE	Layers	9.00
	Sections	6.00
SOLDIER LNFT PER	SqFt	1.50
	Section	26.57
	Layer	17.72
	Bundle	159.45
SAILOR LNFT PER	SqFt	3.00
	Section	53.15
	Layer	35.43
	Bundle	318.90
UNITS PER	SqFt	4.58
	Section	81.00
	Bundle	486.00
LBS PER	Layer	398
	Section	597
	Bundle	3,584

3⅞ x 7⅞ x 2¾"
100 x 200 x 70mm

ADVANTAGES

Granite, Quartz and Marble surface materials

DRIVE FRIENDLY
Can handle vehicular loads

Notes: Product sold in full bundles only. Important: A urethane rubber mat must be used to prevent scuffing. Please refer to the Sealer Best Practices on page 71 and Important Notice on page 78.

Thornbury™

ENDURACOLOR™

BAVARIAN

BIRCH

SIERRA

Bundle Type		RANDOM
		MICHIGAN
Thickness (mm)		70MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	88.61
	Layer	11.08000
	Section	-
	Stone	0.92

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	1.08
	Section	-
	Bundle	96.00

LBS PER	Layer	355
	Section	-
	Bundle	2,837

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
14¼ x 21¼ x 2¾"
350 x 420 x 70mm

MEDIUM RECTANGLE
14¼ x 14¼ x 2¾"
350 x 350 x 70mm

SMALL RECTANGLE
7⅛ x 14¼ x 2¾"
173 x 350 x 70mm

ADVANTAGES

PERMEABLE
Can be installed to allow water to flow through

DRIVE FRIENDLY
Can handle vehicular use

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.**
Important: A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Town Hall®

ELEGANCE®

BURGUNDY RED

BURNT CLAY

OLD OAK

BASALT

BURGUNDY RED/
BURNT CLAY/OLD OAK
Sold Separately/
Blended on Site

Bundle Type	SINGLE
	AYR
Thickness (mm)	70MM
Dimension mm	100mm x 250mm x 70mm
Dimension Imperial	3 7/8" x 9 7/8" x 2 3/4"

SQFT PER	Bundle	88.41
	Layer	11.05000
	Section	-
	Stone	0.28

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	1.19
	Section	-
	Layer	13.12
	Bundle	104.99

SAILOR LNFT PER	SqFt	2.97
	Section	-
	Layer	32.81
	Bundle	262.47

UNITS PER	SqFt	3.62
	Section	-
	Bundle	320.00

LBS PER	Layer	361
	Section	-
	Bundle	2,888

STANDARD
3⅞ x 9⅞ x 2¾"
100 x 250 x 70mm

ADVANTAGES

REALA™
Cast from historic brick

ULTIMA™
Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY
Can handle vehicular loads

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Important: A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 54 and Important Notice on page 57. All measurements are nominal. Contact Unilock for more information.

Tribeca Cobble™

ENDURACOLOR™

COBALT GREY

PEPPERED GRANITE

Bundle Type	**RANDOM**
	CHICAGO
Thickness (mm)	**70MM**
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	97.53
	Layer	12.19000
	Section	-
	Stone	0.32

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	2.34
	Section	-
	Layer	28.49
	Bundle	227.95

UNITS PER	SqFt	3.12
	Section	-
	Bundle	304.00

LBS PER	Layer	398
	Section	-
	Bundle	3,186

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
5⅛" x 12" x 2¾"
130 x 305 x 70mm

MEDIUM RECTANGLE
5⅛" x 9" x 2¾"
130 x 230 x 70mm

SMALL RECTANGLE
5⅛" x 7" x 2¾"
130 x 175 x 70mm

ADVANTAGES

Granite, Quartz and Marble surface materials

PERMEABLE
Can be installed to allow water to flow through

DRIVE FRIENDLY
Can handle vehicular loads

NNotes: **Sold in full bundles only and is produced and sold on a required, refundable skid**. Important: A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 54 and Important Notice on page 57. All measurements are nominal. Contact Unilock for more information.

Turfstone™

NATURAL

Bundle Type	SINGLE
	MICHIGAN
Thickness (mm)	80MM
Dimension mm	400mm x 600mm x 80mm
Dimension Imperial	15 3/4" x 23 5/8" x 3 1/8"

SQFT PER	Bundle	80.00
	Layer	10.00000
	Section	-
	Stone	2.50

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	0.40
	Section	-
	Bundle	32.00

LBS PER	Layer	247
	Section	-
	Bundle	1,975

STANDARD
15¾ x 23⅝ x 3⅛"
400 x 600 x 80mm

ADVANTAGES

PERMEABLE
Can be installed to allow water to flow through

DRIVE FRIENDLY
Can handle vehicular loads

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** All measurements are nominal. Contact Unilock for more information.

Umbriano® 60mm

FRENCH GREY

MIDNIGHT SKY

SUMMER WHEAT

WINTER MARVEL

Bundle Type	RANDOM
	GEORGETOWN1
Thickness (mm)	60MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	94.14
	Layer	10.46000
	Section	-
	Stone	1.31

PER BUNDLE	Layers	9.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	-
	Layer	8.86
	Bundle	79.72

UNITS PER	SqFt	0.76
	Section	-
	Bundle	72.00

LBS PER	Layer	287
	Section	-
	Bundle	2,583

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
14 x 21 x 2⅜"
360 x 540 x 60mm

SQUARE
14 x14 x 2⅜"
360 x 360 x 60mm

SMALL RECTANGLE
7 x 14 x 2⅜"
180 x 360 x 60mm

ADVANTAGES

EASYCLEAN™
Factory sealed to provide integral surface protection from stains

COLORFUSION™
Subtly mottled color finish

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. 6cm Random Bundle pavers are not suitable for vehicular applications. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Sealer and Polysand Best Practices on pages 4, and Important Notice on page 78. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Umbriano® 70mm Slabs

SPECIAL ORDER PRODUCT ENDURACOLOR™



FRENCH GREY



MIDNIGHT SKY

SUMMER WHEAT

WINTER MARVEL

ADVANTAGES

EASYCLEAN™
Factory sealed to provide integral surface protection from stains

COLORFUSION™
Subtly mottled color finish

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

	Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE
		GEORGETOWN1	GEORGETOWN1	GEORGETOWN1	GEORGETOWN1
	Thickness (mm)	70MM	70MM	70MM	70MM
	Dimension mm	200mm x 400mm x 70mm	300mm x 600mm x 70mm	400mm x 400mm x 70mm	600mm x 600mm x 70mm
	Dimension Imperial	7 7/8" x 15 3/4" x 2 3/4"	11 7/8" x 23 5/8" x 2 3/4"	15 3/4" x 15 3/4" x 2 3/4"	23 5/8" x 23 5/8" x 2 3/4"
SQFT PER	Bundle	82.67	93.00	82.67	62.00
	Layer	10.33000	11.63000	10.33000	7.75000
	Section	-	-	-	-
	Stone	0.86	1.94	1.72	3.88
PER BUNDLE	Layers	8.00	8.00	8.00	8.00
	Sections	-	-	-	-
SOLDIER LNFT PER	SqFt	0.76	0.51	0.76	0.51
	Section	-	-	-	-
	Layer	7.87	5.91	7.87	3.94
	Bundle	62.99	47.24	62.99	31.50
SAILOR LNFT PER	SqFt	1.52	1.02	0.76	0.51
	Section	-	-	-	-
	Layer	15.75	11.81	7.87	3.94
	Bundle	125.98	94.49	62.99	31.50
UNITS PER	SqFt	1.16	0.52	0.58	0.26
	Section	-	-	-	-
	Bundle	96.00	48.00	48.00	16.00
LBS PER	Layer	343	393	350	258
	Section	-	-	-	-
	Bundle	2,746	3,142	2,797	2,062

Westport™

BEECHWOOD

GRANITE

Bundle Type		RANDOM
		MICHIGAN
Thickness (mm)		70MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	94.19
	Layer	11.77000
	Section	-
	Stone	0.59

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	1.24
	Section	-
	Layer	14.57
	Bundle	116.56

UNITS PER	SqFt	1.70
	Section	-
	Bundle	160.00

LBS PER	Layer	367
	Section	-
	Bundle	2,937

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
15 x 10 x 2¾"
380 x 254 x 70mm

SQUARE
10 x 10 x 2¾"
254 x 254 x 70mm

RECTANGLE
5 x 10 x 2¾"
127 x 254 x 70mm

ADVANTAGES

DRIVE FRIENDLY
Can handle vehicular loads

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.**
Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Brussels Dimensional System™

CLASSIC

COFFEE CREEK

DESERT SAND

LIMESTONE

MAHOGANY ASH

SANDSTONE

3 UNIT RANDOM BUNDLE

15" UNIT
8 x 15 x 4"
200 x 381 x 100mm

12" UNIT
8 x 12 x 4"
200 x 300 x 100mm

9" UNIT
8 x 9 x 4"
200 x 229 x 100mm

STANDARD
8 x 12 x 4"
200 x 300 x 100mm

SMALL TAPERED
8 x 9 x 4"
200 x 229 x 100mm

COPING
12 x 12 x 3"
305 x 305x 76mm

Bundle Type		Random	Single - Standard	Single - Coping
		MICHIGAN	MICHIGAN	MICHIGAN
Thickness (mm)		100MM	100MM	76MM
Dimension mm			300mm x 100mm x 200mm	305mm x 76mm x 305mm
Dimension Imperial			11 7/8" x 3 7/8" x 7 7/8"	12" x 3" x 12"
FCFT PER	Bundle	30.00	32.00	24.00
	Layer	6.00000	5.33000	3.00000
	Stone	0.33	0.33	0.25
PER BUNDLE	Layers	5.00	6.00	8.00
	Sections	-	4.00	4.00
LNFT PER	Bundle	90.00	96.00	81.00
	Unit	1.00	1.00	0.84
UNITS PER	SqFt	3.00	3.00	4.00
	Section	-	24.00	24.00
	Bundle	90.00	96.00	96.00
LBS PER	Layer	493	503	363
	Section	-	755	726
	Bundle	2,463	3,020	2,902

COPING OPTIONS
We recommend using Ledgestone, Natural Stone, Universal Coping or Brussels Fullnose.

Notes: **Small tapered units are sold in full bundles only**. Maximum height is 24" (under optimum conditions). *Based on 12" deep wall coverage = 21.4 sqft per bundle. Based on an 8" deep wall coverage = 32 sqft per bundle. Ledgestone, Brussels XL or 6" x 12" Fullnose complement as a possible coping unit. All measurements are nominal. Contact Unilock for more information.

SQUARE

Square Fire Pit no longer sold in kit form. These can be constructed with Brussels Dimensional Standard Corner units + the available Square Fire Pit Insert (insert diameter 38").

ROUND

Round Fire Pit units can also be used to construct tree rings, small curved planters, etc.

DuraHold®

SPECIAL ORDER PRODUCT **CLASSIC**

NATURAL

STANDARD
72 x 12 x 24"
1830 x 300 x 600mm
SPECIAL ORDER

CORNER 45°
60" x 12" x 24"
1520 x 300 x 600mm
SPECIAL ORDER
(Right Corner Shown)

COPING
72 x 12 x 24"
1830 x 300 x 600mm
SPECIAL ORDER

CLOSED-END COPING
72 x 12 x 24"
1830 x 300 x 600mm
SPECIAL ORDER

		Standard	Corner 45º Right	Corner 45º Left	Coping	Closed-End Coping
Bundle Type		SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		GORMLEY	GORMLEY	GORMLEY	GORMLEY	GORMLEY
Thickness (mm)		300MM	300MM	300MM	300MM	300MM
Dimension mm		1,830mm x 300mm x 600mm	1,520mm x 300mm x 600mm	1,520mm x 300mm x 600mm	1,830mm x 300mm x 600mm	1,830mm x 300mm x 600mm
Dimension Imperial		72" x 11 7/8" x 23 5/8"	59 7/8" x 11 7/8" x 23 5/8"	59 7/8" x 11 7/8" x 23 5/8"	72" X 11 7/8" X 23 5/8"	72" X 11 7/8" X 23 5/8"
FCFT PER	Bundle	6.02	7.04	7.04	6.02	6.02
	Layer	6.02000	7.04000	7.04000	6.02000	6.02000
	Stone	6.02	7.04	7.04	6.02	6.02
PER BUNDLE	Layers	1.00	1.00	1.00	1.00	1.00
	Sections	-	-	-	-	-
LNFT PER	Bundle	6.02	-	-	6.00	6.02
	Unit	6.02	-	-	6.00	6.02
UNITS PER	SqFt	0.17	0.14	0.14	0.17	0.17
	Section	-	-	-	-	-
	Bundle	1.00	1.00	1.00	1.00	1.00
LBS PER	Layer	1,680	1,480	1,480	1,560	1,560
	Section	-	-	-	-	-
	Bundle	1,680	1,480	1,480	1,560	1,560

Notes: *Special Order - Lead time is required, minimum quantities apply. **Sold in full bundles only.** Closed–end coping units are closed on both ends so that they may be used as left or right units. Tie–back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. DH1 ON

DuraHold®

SPECIAL ORDER PRODUCT **CLASSIC**

NATURAL

1/2 COPING
36 x 12 x 24"
915 x 300 x 600mm
SPECIAL ORDER

CORNER 90˚
60 X 12 X 24"
1520 x 300 x 600mm
SPECIAL ORDER
(Right Corner Shown)

1/2 STANDARD
36 x 12 x 24"
915 x 300 x 600mm
SPECIAL ORDER

		1/2 Coping	Corner 90º Right	Corner 90º Left	1/2 Standard
Bundle Type		SINGLE	SINGLE	SINGLE	SINGLE
		GORMLEY	GORMLEY	GORMLEY	GORMLEY
Thickness (mm)		300MM	300MM	300MM	300MM
Dimension mm		915mm x 300mm x 600mm	1,520mm x 300mm x 600mm	1,520mm x 300mm x 600mm	915mm x 300mm x 600mm
Dimension Imperial		36" x 11 7/8" x 23 5/8"	59 7/8" x 11 7/8" x 23 5/8"	59 7/8" x 11 7/8" x 23 5/8"	36" X 11 7/8" X 23 5/8"
FCFT PER	Bundle	2.95	7.04	7.04	3.00
	Layer	2.95000	7.04000	7.04000	3.00000
	Stone	2.95	7.04	7.04	3.00
PER BUNDLE	Layers	1.00	1.00	1.00	1.00
	Sections	-	-	-	-
LNFT PER	Bundle	3.00	-	-	3.00
	Unit	3.00	-	-	3.00
UNITS PER	SqFt	0.34	0.14	0.14	0.33
	Section	-	-	-	-
	Bundle	1.00	1.00	1.00	1.00
LBS PER	Layer	780	1,320	1,320	800
	Section	-	-	-	-
	Bundle	780	1,320	1,320	800

Notes: *Special Order - Lead time is required, minimum quantities apply. **Sold in full bundles only.** Closed–end coping units are closed on both ends so that they may be used as left or right units. Tie–back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.

DuraHold 2®

SPECIAL ORDER PRODUCT **CLASSIC**

NATURAL

STANDARD
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER

COPING
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER

CLOSED END COPING
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER

TIE-BACK
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER

CORNER 90˚
36" x 12" x 14"
900 x 300 x 360mm
SPECIAL ORDER
(Right Corner Shown)

		Standard	Coping	Closed-End Coping	Tie-Back	Corner 90º Left & Right
Bundle Type		**SINGLE**	**SINGLE**	**SINGLE**	**SINGLE**	**SINGLE**
		GORMLEY	GORMLEY	GORMLEY	GORMLEY	GORMLEY
Thickness (mm)		**300MM**	**300MM**	**300MM**	**300MM**	**300MM**
Dimension mm		1,830mm x 300mm x 360mm	1,830mm x 300mm x 360mm	1,830mm x 300mm x 360mm	360mm x 300mm x 1,830mm	900mm x 300mm x 360mm
Dimension Imperial		72" x 11 7/8" x 14 1/4"	72" x 11 7/8" x 14 1/4"	72" x 11 7/8" x 14 1/4"	14 1/4" X 11 7/8" X 72"	35 1/2" x 11 7/8" x 14 1/4"
FCFT PER	Bundle	24.10	24.08	24.08	4.68	16.67
	Layer	6.02000	6.02000	6.02000	1.17000	4.17000
	Stone	6.02	6.02	6.02	1.17	4.17
PER BUNDLE	Layers	4.00	4.00	4.00	4.00	4.00
	Sections	-	-	-	-	-
LNFT PER	Bundle	24.10	24.10	24.10	-	-
	Unit	6.02	6.02	6.02	-	-
UNITS PER	SqFt	0.17	0.17	0.17	0.85	0.24
	Section	-	-	-	-	-
	Bundle	4.00	4.00	4.00	4.00	4.00
LBS PER	Layer	938	884	884	938	460
	Section	-	-	-	-	-
	Bundle	3,752	3,536	3,536	3,752	1,840

Notes: ***Special Order – Lead time is required, minimum quantities apply.** **Sold in full bundles only.** Closed–end coping units are closed on both ends so that they may be used as left or right units. Tie–back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.

Estate Wall™

CLASSIC

GRANITE BLEND NEW

SANDSTONE

SIERRA

		Randon Wall	Corner	Coping
Bundle Type		**RANDOM**	**SINGLE**	**SINGLE**
		CHICAGO	CHICAGO	CHICAGO
Thickness (mm)		**150MM**	**150MM**	**75MM**
Dimension mm			320mm x 150mm x 230mm	320mm x 75mm x 300mm
Dimension Imperial			12 5/8" x 5 7/8" x 9"	12 5/8" x 3" x 11 7/8"
FCFT PER	Bundle	31.25	20.83	18.74
	Layer	6.25000	4.17000	2.34000
	Stone	0.52	0.52	0.26
PER BUNDLE	Layers	5.00	5.00	8.00
	Sections	4.00	4.00	3.00
LNFT PER	Bundle	62.30	41.60	66.00
	Unit	1.04	1.04	0.92
UNITS PER	SqFt	1.92	1.92	3.84
	Section	15.00	10.00	24.00
	Bundle	60.00	40.00	72.00
LBS PER	Layer	585	436	299
	Section	732	545	797
	Bundle	2,926	2,179	2,392

3 UNIT RANDOM BUNDLE

LARGE
9 x 16 x 6"
230 x 380 x 150mm

MEDIUM
9 x 12 x 6"
230 x 320 x 150mm

SMALL
8 x 9 x 6"
200 x 230 x 150mm

CORNER
9 x 12½ x 6"
230 x 320 x 150mm

COPING
12 x 12½ (9½) x 3"
300 x 320 (240) x 75mm

Notes: 6" random wall bundles have convertible large units that can be used for corners or ending seat walls. End caps not sold separately. Ledgestone™, Brussels Block® XL or Brussels Fullnose™ complement as a possible coping. All measurements are nominal. Contact Unilock for more information.

Lineo™ Dimensional Stone

CLASSIC

MAHOGANY ASH

MIDNIGHT CHARCOAL

LIMESTONE

SANDSTONE

		Random Wall	Pillar / Corner
Bundle Type		RANDOM	SINGLE
		MICHIGAN	MICHIGAN
Thickness (mm)		100MM	100MM
Dimension mm			400mm x 100mm x 200mm
Dimension Imperial			15 3/4" x 3 7/8" x 7 7/8"
FCFT PER	Bundle	29.92	48.24
	Layer	9.97000	16.08000
	Stone	0.50	0.67
PER BUNDLE	Layers	3.00	3.00
	Sections	3.00	3.00
LNFT PER	Bundle	89.06	96.00
	Unit	1.48	1.33
UNITS PER	SqFt	2.01	1.49
	Section	20.00	24.00
	Bundle	60.00	72.00
LBS PER	Layer	881	936
	Section	881	936
	Bundle	2,643	2,808

4 UNIT RANDOM BUNDLE

8 x 24 x 4"
200 x 600 x 100mm

8 x 20 x 4"
200 x 500 x 100mm



8 x 16 x 4"
200 x 400 x 100mm

8 x 12 x 4"
200 x 300 x 100mm

CORNER / PILLAR
8 x 16 x 4"
200 x 400 x 100mm

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Spacing strips are shipped with random wall bundles to create even spacing between units. Ledgestone™ or Unilock Natural Stone complement as possible coping options. All measurements are nominal. Contact Unilock for more information.

Mackinaw™

STONEMARK™

COASTAL SLATE NEW

GRINDSTONE

		Random Wall	Corner Double Split
Bundle Type		**RANDOM**	**SINGLE**
		GEORGETOWN1	GEORGETOWN1
Thickness (mm)		**140MM**	**140MM**
Dimension mm			440mm x 140mm x 230mm
Dimension Imperial			17 3/8" x 5 5/8" x 9"
FCFT PER	Bundle	17.00	24.21
	Layer	5.67	8.07
	Stone	0.71	2.02
PER BUNDLE	Layers	3.00	3.00
	Sections	-	-
LNFT PER	Bundle	37.00	-
	Unit	1.54	-
UNITS PER	SqFt	1.41	0.50
	Section	-	-
	Bundle	24.00	12.00
LBS PER	Layer	663	610
	Section	-	-
	Bundle	1,990	1,831

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** While coping is optional with Mackinaw wall, if you are looking for coping, Ledgestone™ or Unilock Natural Stone complement it well. All measurements are nominal. Contact Unilock for more information..

3 UNIT RANDOM BUNDLE

LARGE WEDGE
5½ x 28½ (25½) x 9"
140 x 720 (650) x 230mm

MEDIUM WEDGE
5½ x 20 (17) x 9"
140 x 510 (430) x 230mm

SMALL WEDGE
5½ x 11½ (8½) x 9"
140 x 290 (220) x 230mm

CORNER/PILLAR UNIT
5½ X 17½ X 9"
140 X 440 X 230mm

(12 rights + 12 lefts per bundle)

ADVANTAGES

REALA
Cast from natural stone

COPING OPTIONS
Does not require coping
Natural Stone can be used

Pisa2™

BEECHWOOD

CHARCOAL

GRANITE

RUSTIC RED

SANDSTONE

ST. CLAIR

		Tapered Split	Corner Dbl Split	Coping
Bundle Type		**SINGLE**	**SINGLE**	**SINGLE**
		MICHIGAN	MICHIGAN	MICHIGAN
Thickness (mm)		**150MM**	**150MM**	**75MM**
Dimension mm		200mm x 150mm x 300mm	300mm x 150mm x 200mm	300mm x 75mm x 300mm
Dimension Imperial		7 7/8" x 5 7/8" x 11 7/8"	11 7/8" x 5 7/8" x 7 7/8"	11 7/8" x 3" x 11 7/8"
FCFT PER	Bundle	20.00	20.17	20.34
	Layer	6.67000	6.72000	2.91000
	Stone	0.67	1.68	0.48
PER BUNDLE	Layers	3.00	3.00	7.00
	Sections	2.00	4.00	2.00
LNFT PER	Bundle	40.00	-	82.95
	Unit	1.33	-	1.97
UNITS PER	SqFt	1.50	0.59	2.06
	Section	15.00	3.00	21.00
	Bundle	30.00	12.00	42.00
LBS PER	Layer	860	440	393
	Section	1,290	330	1,375
	Bundle	2,580	1,320	2,750

TAPERED
8 x 12 x 6"
200 x 300 x 150mm

CORNER
8 x 12 x 6"
200 x 300 x 150mm

(12 rights + 12 lefts per bundle)

PISA COPING
12 x 12 x 3"
300 x 300 x 75mm

Notes: Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Tapered units will allow for a minimum 5ft. outside radius. To achieve this radius, you must use stones of the same taper on one layer, and stones of the opposite taper on the next layer. Higher walls can be achieved using geogrid reinforcement. 12" Product sold at factory in full bundle quantities. Ask your dealer about purchasing lesser quantities as necessary.
Unilock through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you with this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.

Rivercrest Wall®

STONEMARK™

COASTAL SLATE

BUFF

ADVANTAGES

REALA™
Cast from natural stone

UNIVERSAL BASE UNIT
14 x 19 x 2"
355 x 482 x 55mm

JUMPER CORNER UNIT
12 x 9-10 x 4½"
300x 230-250 x 114mm

reddot 2013 WINNER

4 UNIT RANDOM BUNDLE

STANDARD UNIT 1
8 x 9-10 x 2¼"
200 x 230-250 x 57mm

STANDARD UNIT 2
12 x 9-10 x 2¼"
300 x 230-250 x 57mm

STANDARD UNIT 3
12 x 9-10 x 2¼"
300 x 230-250 x 57mm

STANDARD UNIT 4
17 x 9-10 x 2¼"
425 x 230-250 x 57mm

2 UNIT CORNER BUNDLE

LONG CORNER UNIT
17½ x 9-10 x 2¼"
450 x 230-250 x 57mm

SHORT CORNER UNIT
14½ x 9-10 x 2¼"
375 x 230-250 x 57mm

4 UNIT JUMPER BUNDLE

JUMPER UNIT 1
8 x 9-10 x 4½"
200 x 230-250 x 114mm

JUMPER UNIT 2
12 x 9-10 x 4½"
300 x 230-250 x 114mm

JUMPER UNIT 3
12 x 9-10 x 4½"
300 x 230-250 x 114mm

JUMPER UNIT 4
17 x 9-10 x 4½"
425 x 230-250 x 114mm

PILLAR UNIT
20 x 20 x 4½"
500 x 500 x 114mm

PILLAR UNIT
Pillar cap sold separately

		Random Bundle	2-Unit Corner	Random Jumper	Corner Jumper	Pillar Unit
	Bundle Type	RANDOM	RANDOM	RANDOM	SINGLE	SINGLE
		AYR	AYR	GEORGETOWN1	GEORGETOWN1	GEORGETOWN1
	Thickness (mm)	57MM	57MM	114MM	114MM	114MM
	Dimension mm				310mm x 114mm x 250mm	500mm x 114mm x 500mm
	Dimension Imperial				12 1/4" x 4 1/2" x 9 7/8"	19 3/4" x 4 1/2" x 19 3/4"
FCFT PER	Bundle	24.30	16.21	24.30	21.60	-
	Layer	3.04000	4.05000	6.08000	5.40000	-
	Stone	0.19	0.41	0.38	0.68	-
PER BUNDLE	Layers	8.00	4.00	4.00	4.00	4.00
	Sections	-	-	-	-	-
LNFT PER	Bundle	130.69	-	65.34	-	-
	Unit	1.02	-	1.02	-	-
UNITS PER	SqFt	5.27	2.47	2.63	1.48	-
	Section	-	-	-	-	-
	Bundle	128.00	40.00	64.00	32.00	8.00
LBS PER	Layer	252	293	680	320	234
	Section	-	-	-	-	-
	Bundle	2,015	1,173	2,720	1,280	934

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid**. Rivercrest is recommended for walls under 2ft. Ideal for straight or curved walls, seat walls, pillars, tree rings, planters, firepits and grill islands. Integrated connectors require no pins or clips. Minimum radius using equal amounts of each unit is 1.25m / 4.1ft. Using only unit 1 & 3 a 1.055m / 3.5ft radius can be achieved. For more information, please consult the Rivercrest installation booklet. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal. Contact Unilock for more information. Unilock recommends using Ledgestone™ or Natural Stone coping for a complete and refined look.

Rivercrest Wall®

STONEMARK™



Starting a Wall

Course 1



Long Corner

Unit 4

Straight Wall - Align A-A / B-B



Cluster Set 1 - 70%/30%

Course 2



Short Corner

Unit 2

Curved Wall - Align A-B / B-A



Cluster Set 1 - 70% / 30%

Utilizing the following Cluster Sets will create a wall with a 70% Standard to 30% Jumper ratio, and will use all Standard blocks equally throughout the wall. This will produce a wall with lots of jumpers, and short spans in between. Remember to match side A|A or B|B for straight walls and A/B or B/A for curved walls.

Cluster Set 2 - 60% / 40%

Utilizing the following Cluster Sets will create a wall with a 60% Standard to 40% Jumper ratio, and will use all Standard blocks equally throughout the wall. This will produce a wall with lots of jumpers, and short spans in between. Remember to match side A|A or B|B for straight walls and A/B or B/A for curved walls.

Constructing the Wall

Construct the wall by using a Cluster then Jumper, Cluster, Jumper, Etc., alternating the order of the Cluster Set. It is important make sure you utilize all the Clusters evenly throughout the wall to reduce waste. Add an extra Jumper block between clusters every so often to help randomize the wall.



For more information please consult the Rivercrest® installation manual.

RomanPisa™

BEECHWOOD

GRANITE

TAPERED
8 x 12 x 6"
200 x 300 x 150mm

CORNER
8 x 12 x 6"
200 x 300 x 150mm

(24 rights + 24 lefts per bundle)

ROMAN COPING
12 x 12 x 3"
300 x 300 x 75mm

		Corner Double Split	Tapered Split	Coping
Bundle Type		**SINGLE**	**SINGLE**	**SINGLE**
		MICHIGAN	MICHIGAN	MICHIGAN
Thickness (mm)		**150MM**	**150MM**	**75MM**
Dimension mm		200mm x 150mm x 300mm	200mm x 150mm x 300mm	300mm x 75mm x 300mm
Dimension Imperial		7 7/8" x 5 7/8" x 11 7/8"	7 7/8" x 5 7/8" x 11 7/8"	11 7/8" X 3" X 11 7/8"
FCFT PER	Bundle	40.13	20.00	20.34
	Layer	13.38000	6.67000	2.91000
	Stone	1.67	0.67	0.24
PER BUNDLE	Layers	3.00	3.00	7.00
	Sections	4.00	2.00	4.00
LNFT PER	Bundle	-	40.00	21.00
	Unit	-	1.33	0.25
UNITS PER	SqFt	0.60	1.50	4.13
	Section	6.00	15.00	21.00
	Bundle	24.00	30.00	84.00
LBS PER	Layer	880	860	393
	Section	660	1,290	688
	Bundle	2,640	2,580	2,750

Notes: *Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Tapered units will allow for a minimum 5ft. outside radius. Higher walls can be achieved using geogrid reinforcement. **Tumbled 12" coping bundles include closed-end tumbled coping not sold separately. Product sold at factory in full bundle quantities. Ask your dealer about purchasing lesser quantities as necessary. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.

SienaStone®

CLASSIC

BROWN**

NATURAL

STANDARD 925
36½ x 48 x 7¼"
925 x 1200 x 185mm
SPECIAL ORDER

STANDARD 500
20 x 48 x 7¼"
500 x 1200 x 185mm
SPECIAL ORDER

CORNER 45° (left & right)
20 x 43⅓ x 7¼"
500 x 1100 x 185mm
SPECIAL ORDER

CORNER 90° (left & right)
20 x 43⅓ x 7¼"
500 x 1100 x 185mm
SPECIAL ORDER

CLOSED-END COPING
20 x 48 x 7¼"
500 x 1200 x 185mm

STANDARD COPING
20 x 48 x 7¼"
500 x 1200 x 185mm

		Corner 90	Corner 45	Standard	Coping	Closed-End Coping
	Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		GORMLEY	GORMLEY	GORMLEY	GORMLEY	GORMLEY
	Thickness (mm)	185MM	185MM	185MM	185MM	185MM
	Dimension mm	1,100mm x 185mm x 500mm	1,100mm x 185mm x 500mm	1,200mm x 185mm x 500mm	1,200mm x 185mm x 500mm	1,200mm x 185mm x 500mm
	Dimension Imperial	43 3/8" x 7 3/8" x 19 3/4"	43 3/8" x 7 3/8" x 19 3/4"	47 1/4" x 7 3/8" x 19 3/4"	47 1/4" x 7 3/8" x 19 3/4"	47 1/4" x 7 3/8" x 19 3/4"
FCFT PER	Bundle	19.11	-	14.43	14.43	14.43
	Layer	6.37000	-	4.81000	4.81000	4.81000
	Stone	3.19	-	2.41	2.41	2.41
PER BUNDLE	Layers	3.00	3.00	3.00	3.00	3.00
	Sections	-	-	3.00	3.00	3.00
LNFT PER	Bundle	-	-	24.00	23.70	23.70
	Unit	-	-	4.00	3.95	3.95
UNITS PER	SqFt	0.31	-	0.42	0.42	0.42
	Section	-	-	2.00	2.00	2.00
	Bundle	6.00	6.00	6.00	6.00	6.00
LBS PER	Layer	1,140	1,050	1,140	1,140	1,140
	Section	-	-	1,140	1,140	1,140
	Bundle	3,420	3,150	3,420	3,420	3,420

Notes: * Special Order - Lead time is required, minimum quantities apply. **48" Closed-End Coping is available as a Stock Item in Brown and Natural Only. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Closed-End Coping units can be used to construct steps. Closed-End Coping Corner units available (special order, lead time required). Wall, Corner and Coping units are available in Natural color only (special order, lead time required). Custom Colors available (minimums apply). All measurements are nominal. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you with preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge from www.unilock.com.

SienaStone® Smooth

SPECIAL ORDER PRODUCT **CLASSIC**

LIGHT GREY

MIDNIGHT CHARCOAL

TAN

		48" Step
Bundle Type		**SINGLE**
		GORMLEY
Thickness (mm)		180MM
Dimension mm		1,200mm x 180mm x 500mm
Dimension Imperial		47 1/4" x 7" x 19 3/4"
FCFT PER	Bundle	13.95
	Layer	4.65000
	Stone	2.33
PER BUNDLE	Layers	3.00
	Sections	-
LNFT PER	Bundle	24.00
	Unit	4.00
UNITS PER	SqFt	0.43
	Section	-
	Bundle	6.00
LBS PER	Layer	1,081
	Section	-
	Bundle	3,242

Notes: All measurements are nominal. Contact Unilock for more information.

48" STEP
47¼ x 7 x 20"
1200 x 180 x 500mm

U-Cara® Multi-Face Wall System

ENDURACOLOR™

PITCHED FINISH

FOSSIL NEW

GRANITE ENDURA

NATURAL

SIERRA

SMOOTH FINISH

FOSSIL NEW 3" Panel Available Now

GRANITE ENDURA

NATURAL

SIERRA

UMBRIANO® FINISH

SPECIAL ORDER

FRENCH GREY

MIDNIGHT SKY

SUMMER WHEAT

WINTER MARVEL

SERIES™ FINISH

ONYX BLACK 3" Panel Only

1/2 Running Bond



1/2 Running Bond with Linear Accents



1/2 Running Bond with Random Accents



1/2 Running Bond with Paver Accents



Mixed Bond



1/3 Running Bond



Stacked Bond

Stacked Bond with Accents

U-Cara® Multi-Face Wall System

ENDURACOLOR™

U-Cara Fascia Panels can be placed anywhere along the patented SureTrack™ Backer Block, allowing for pattern, color and texture combinations that are impossible to achieve with other systems. The design possibilities are endless for single or double sided vertical landscape features and retaining walls.

reddot 2019 WINNER

SURE TRACK
STANDARD BACKER
6 x 8 x 6"
150 x 200 x 150mm

SURE TRACK
LARGE BACKER
6 x 7 x 12"
150 x 175 x 300mm

SURE TRACK
CORNER INSERT
L = 2"
50mm

RECOMMENDED BASE UNIT

UNIVERSAL BASE UNIT
14 x 19 x 2"
355 x 482 x 55mm

ADVANTAGES

UMBRIANO® FINISH
COLORFUSION™
Subtly mottled color finish

SERIES™ FINISH
Granite, Quartz and Marble surface materials

		Standard Backer	Large Backer	Sure Track Corner Insert	Universal Base Unit
	Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE
		MICHIGAN	MICHIGAN		MICHIGAN
	Thickness/Height (mm)	150MM	150MM	0MM	55MM
	Dimension mm	200mm x 150mm x 150mm	175mm x 150mm x 300mm		482mm x 55mm x 355mm
	Dimension Imperial	7 7/8" x 5 7/8" x 5 7/8"	6 7/8" x 5 7/8" x 11 7/8"		19" x 2 1/4" x 14"
FCFT PER	Bundle	33.91	15.82	-	-
	Layer	11.30000	3.96000	-	-
	Stone	0.32	0.28	-	-
PER BUNDLE	Layers	3.00	4.00	-	9.00
	Sections	-	-	-	-
LNFT PER	Bundle	69.99	-	-	85.50
	Unit	0.67	-	-	1.58
UNITS PER	SqFt	3.10	3.54	-	-
	Section	-	-	-	-
	Bundle	105.00	56.00	-	54.00
LBS PER	Layer	812	503	-	278
	Section	-	-	-	-
	Bundle	2,437	2,012	-	2,502

Notes: **Sold in full bundles. Produced and sold on a required refundable skids.** Sure Track Large Backer Units when used as corners in a pillar application, can achieve 42 FFT/bundle or .757 FFT/unit.

U-Cara® Multi-Face Wall System

ENDURACOLOR™

3" FASCIA PANEL
3 x 9¼ x 2⅜"
75 x 233 x 60mm
SERIES & SMOOTH
FOSSIL ONLY

STANDARD FASCIA PANEL
6 x 18½ x 2⅜"
150 x 466 x 60mm
PITCHED & SMOOTH

CORNER BUNDLE

STANDARD FASCIA HALF PANEL
6 x 9¼ x 2⅜"
150 x 233 x 60mm
PITCHED & SMOOTH

CLOSED-END FASCIA PANEL
6 x 21 x 2⅜"
150 x 540 x 60mm
PITCHED & SMOOTH

		3" Panel Smooth	3" Panel Series
Bundle Type		SINGLE	SINGLE
		MICHIGAN	CHICAGO
Thickness/Height (mm)		75MM	75MM
Dimension mm		233mm x 75mm x 60mm	233mm x 75mm x 60mm
Dimension Imperial		9 1/4" x 3" x 2 3/8"	9 1/4" x 3" x 2 3/8"
FCFT PER	Bundle	63.20	63.20
	Layer	10.53	10.53
	Stone	0.19	0.19
PER BUNDLE	Layers	6.00	6.00
	Sections	-	-
LNFT PER	Bundle	-	-
	Unit	-	-
UNITS PER	SqFt	5.32	5.32
	Section	-	-
	Bundle	336.00	336.00
LBS PER	Layer	242	250
	Section	-	-
	Bundle	1,453	1,501

		Standard Fascia Smooth	Standard Fascia Umbriano	Standard Fascia Pitched	Standard Closed-End Smooth	Standard Closed-End Umbriano	Standard Closed-End Pitched
Bundle Type		SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		MICHIGAN	GEORGETOWN1	MICHIGAN	MICHIGAN	GEORGETOWN1	MICHIGAN
Thickness/Height (mm)		150MM	150MM	150MM	150MM	150MM	150MM
Dimension mm		466mm x 150mm x 60mm	466mm x 150mm x 60mm	466mm x 150mm x 60mm			
Dimension Imperial		18 3/8" x 5 7/8" x 2 3/8"	18 3/8" x 5 7/8" x 2 3/8"	18 3/8" x 5 7/8" x 2 3/8"			
FCFT PER	Bundle	61.52	61.49	61.52	54.18	54.18	54.18
	Layer	10.25	10.25	10.25	9.03	9.03	9.03
	Stone	0.73	0.73	0.73	1.29	1.29	1.29
PER BUNDLE	Layers	6.00	6.00	6.00	6.00	6.00	6.00
	Sections	-	-	-	-	-	-
LNFT PER	Bundle	129.50	-	129.50	89.94	107.94	107.94
	Unit	1.54	-	1.54	2.14	2.57	2.57
UNITS PER	SqFt	1.37	1.37	1.37	0.78	0.78	0.78
	Section	-	-	-	-	-	-
	Bundle	84.00	84.00	84.00	42.00	42.00	42.00
LBS PER	Layer	252	252	291	207	213	236
	Section	-	-	-	-	-	-
	Bundle	1,513	1,513	1,745	1,240	1,275	1,415

Notes: **Sold in full bundles. Produced and sold on a required refundable skids.** Sure Track Large Backer Units when used as corners in a pillar application, can achieve 42 FFT/bundle or .757 FFT/unit.

U-Cara® Modular System New

The U-Cara Modular System offers a variety of aluminum frames that can be mixed and matched to construct vertical features like grill islands. Speak to your contractor to select a design and a U-Cara fascia panel finish to suit your project.



With the U-Cara Modular System you can build Grill Islands, Bars, Back splashes and Fire Tables.



NO.	MODEL	DESCRIPTION
RS-UCARA000001	URS	UCARA 8' RAIL 10/PACK
RS-UCARA000003	URS	ALIGNMENT BARS 39" (10/PACK)
RS-UCARA001000	UL-GC	UNIVERSAL GRILL CABINET
RS-UCARA002000	UL-BC	BASE CABINET
RS-UCARA003000	UL-CC	CORNER CABINET 27.5" x 27.5"
RS-UCARA003001	UL-CCOS	CORNER CABINET 27.5" x 36.5" OS
RS-UCARA003002	UL-CCBP	CORNER CABINET PANEL
RS-UCARA004000	UL-ECK	END CLAD KIT 27.5"
RS-UCARA004001	UL-ECKOS	END CLAD KIT 36.5" OS
RS-UCARA005000	UL-BS	BACKSPLASH-GRILL/BASE UNIT
RS-UCARA005001	UL-BSCC	BACKSPLASH CORNER CABINET
RS-UCARA005002	UL-BSCCOS	BACKSPLASH CORNER CABINET OS
RS-UCARA006000	UL-DD	STAINLESS DOUBLE ACCESS DOORS 27"

LOOKING FOR MORE INFORMATION?
Visit Unilock.com to download the U-Cara Modular System Brochure.

U-Cara® Rail System New

The U-Cara Wall Mount System allows you to put the finishing touches on your project by cladding existing structures like unsightly exposed foundation areas or concrete steps with U-Cara fascia panels.

U-CARA ALIGNMENT BAR:
39" LENGTH - SOLD IN PACKS OF 10 PIECES

U-CARA ALIGNMENT RAILS:
8' LENGTH - SOLD IN PACKS OF 10 PIECES

Brussels Fullnose™

COFFEE CREEK

LIMESTONE

SANDSTONE

MAHOGANY ASH

DESERT SAND

		Fullnose	Coping
	Bundle Type	SINGLE	SINGLE
		MICHIGAN	MICHIGAN
	Thickness (mm)	70MM	76MM
	Dimension mm	150mm x 300mm x 70mm	305mm x 76mm x 305mm
	Dimension Imperial	5 7/8" x 11 7/8" x 2 3/4"	12" x 3" x 12"
FCFT PER	Bundle	-	24.00
	Layer	-	3.00000
	Stone	-	0.25
PER BUNDLE	Layers	8.00	8.00
	Sections	4.00	4.00
LNFT PER	Bundle	96.00	81.00
	Unit	0.50	0.84
UNITS PER	SqFt	-	4.00
	Section	48.00	24.00
	Bundle	192.00	96.00
LBS PER	Layer	364	363
	Section	728	726
	Bundle	2,913	2,902

BRUSSELS FULLNOSE
6 x 12 x 2 3/4"
150 x 300 x 70mm

BRUSSELS DIMENSIONAL COPING
12 x 12 x 3"
305 x 305 x 76mm

Notes: Units can be adhered to pool edge using Unilock Concrete Adhesive, or with mortar. Always observe proper construction techniques when adhering pavers to a surface. Consult your local pool contractors for installation specifics.

Universal Coping

ENDURACOLOR™

TAN

CHARCOAL

NATURAL

	UNIVERSAL COPINGt
Bundle Type	**SINGLE**
	MICHIGAN
Thickness (mm)	**70MM**
Dimension mm	482mm x 70mm x 355mm
Dimension Imperial	19" x 2 3/4" x 14"

FCFT PER	Bundle	17.44
	Layer	2.18000
	Stone	0.36

PER BUNDLE	Layers	8.00
	Sections	-

LNFT PER	Bundle	75.90
	Unit	1.58

UNITS PER	SqFt	2.75
	Section	-
	Bundle	48.00

LBS PER	Layer	358
	Section	-
	Bundle	2,864

UNIVERSAL COPING
19 x 14 x 2¾"
482 x 355 x 70mm

Notes: All measurements are nominal. Contact Unilock for more information.

Ledgestone™ Pillar Caps, Steps & Coping

STONEMARK™

BUFF

GREY

		24" Pillar Cap	29" Pillar Cap
Bundle Type		SINGLE	SINGLE
		CHICAGO	GEORGETOWN1
Thickness (mm)		100MM	100MM
Dimension mm		610mm x 100mm x 610mm	740mm x 100mm x 740mm
Dimension Imperial		24" x 3 7/8" x 24"	29 1/8" x 3 7/8" x 29 1/8"
FCFT PER	Bundle	3.28	-
	Layer	0.66000	-
	Stone	0.66	-
PER BUNDLE	Layers	5.00	5.00
	Sections	-	-
LNFT PER	Bundle	10.04	-
	Unit	2.01	-
UNITS PER	SqFt	1.52	-
	Section	-	-
	Bundle	5.00	5.00
LBS PER	Layer	159	302
	Section	-	-
	Bundle	795	1,510

		Fullnose	Coping	Closed-end	Large Coping	Large Closed-end
Bundle Type		SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
		CHICAGO	CHICAGO	CHICAGO	CHICAGO	CHICAGO
Thickness (mm)		60MM	70MM	70MM	70MM	70MM
Dimension mm		610mm x 60mm x 305mm	610mm x 70mm x 305mm	610mm x 70mm x 305mm	762mm x 70mm x 343mm	762mm x 70mm x 343mm
Dimension Imperial		24" x 2 3/8" x 12"	24" x 2 3/4" x 12"	24" x 2 3/4" x 12"	30" X 2 3/4" X 13 1/2"	30" X 2 3/4" X 13 1/2"
FCFT PER	Bundle	5.12	5.52	5.52	6.87	6.87
	Layer	0.39000	1.38000	1.38000	1.72000	1.72000
	Stone	0.39	0.46	0.46	0.57	0.57
PER BUNDLE	Layers	13.00	4.00	4.00	4.00	4.00
	Sections	-	-	-	-	-
LNFT PER	Bundle	26.00	24.00	24.00	30.00	30.00
	Unit	2.00	2.00	2.00	2.50	2.50
UNITS PER	SqFt	2.54	2.18	2.18	1.75	1.75
	Section	-	-	-	-	-
	Bundle	13.00	12.00	12.00	12.00	12.00
LBS PER	Layer	56	193	199	282	279
	Section	-	-	-	-	-
	Bundle	723	772	796	1,128	1,116

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Coping is rock faced on the front and the back; Closed-end coping and steps are rock faced on three sides. All measurements are nominal. Contact Unilock for more information.

Ledgestone™ Pillar Caps, Steps & Coping

STONEMARK™

PILLAR CAPS

24" PILLAR CAP
24 x 24 x 4"
610 x 610 x 100mm

LINEO PILLAR CAP
29 x 29 x 4"
740 x 740 x 100mm

STANDARD COPING

COPING UNIT
12 x 24 x 2¾"
305 x 610 x 70mm

CLOSED-END COPING
12 x 24 x 2¾"
305 x 610 x 70mm

FULLNOSE COPING

FULLNOSE COPING
12 x 24 x 2⅜"
305 x 610 x 60mm

LARGE COPING

30" LARGE COPING UNIT
13½ x 30 x 2¾"
343 x 762 x 70mm

30" LARGE CLOSED-END COPING
13½ x 30 x 2¾"
343 x 762 x 70mm

STEPS

72" STEP
24 x 72 x 6"
610 x 1830 x 150mm

48" STEP
24 x 48 x 5⅞"
610 x 1220 x 150mm

36" STEP
18 x 36 x 5⅞"
475 x 914 x 150mm
WHILE QUANTITIES LAST

		48" Step	72" Step	36" Step
Bundle Type		SINGLE	SINGLE	SINGLE
		GEORGETOWN1	GEORGETOWN1	GEORGETOWN1
Thickness (mm)		150mm	150mm	150mm
Dimension mm		1,220mm x 150mm x 610mm	1,830mm x 150mm x 610mm	914mm x 150mm x 457mm
Dimension Imperial		48" x 5 7/8" x 24"	72" x 5 7/8" x 24"	36" x 5 7/8" x 18"
FCFT PER	Bundle	5.91	8.86	4.41
	Layer	1.97000	2.95000	1.47000
	Stone	1.97	2.95	1.47
PER BUNDLE	Layers	3.00	3.00	3.00
	Sections	-	-	-
LNFT PER	Bundle	12.00	18.00	9.00
	Unit	4.00	6.00	3.00
UNITS PER	SqFt	0.51	0.34	0.68
	Section	-	-	-
	Bundle	3.00	3.00	3.00
LBS PER	Layer	574	860	327
	Section	-	-	-
	Bundle	1,721	2,581	982

Sunset Fire Pit Kit

This fire pit kit uses Brussels Dimensional Stone® (small tapered units).

COFFEE CREEK

LIMESTONE

DESERT SAND

SANDSTONE

MAHOGANY ASH

SQUARE

Square Fire Pit no longer sold in kit form. These can be constructed with Brussels Dimensional Standard Corner units + the available Square Fire Pit Insert (insert diameter 38").

ROUND

Round Fire Pit units can also be used to construct tree rings, small curved planters, etc.

Bundle Type		ROUND
Height (mm)		300MM
Dimension mm		1,300mm x 1,300mm x 300mm
Dimension Imperial		51 1/4" x 51 1/4" x 11 7/8"
DIAMETER (INCH)	Outside	52.00
	Inside	36.00
	Insert	34.00
	Layer per Unit	3.00
	Unit per Layer	18.00
	Unit Per Pallet	60.00
	Lbs per Pallet	1,125

FIRE PIT INSERTS SOLD SEPARATELY

Notes: All measurements are nominal.

Rivercrest® Fire Pit Kit

STONEMARK™

This fire pit kit is built with the Rivercrest Wall.

COASTAL SLATE
RS-CON063

BUFF
RS-CON061

FIRE PIT GRILL

Fire pit grill is included and fits securely into the fire pit.

Bundle Type		ROUND W/GRILL & INSERT
Thickness (mm)		405MM
Dimension mm		0mm x 1,370mm x 405mm
Dimension Imperial		0" x 53 7/8" x 15 7/8"
DIAMETER (INCH)	Outside	54.00
	Inside	36.00
	Insert	34.50
	Layer per Unit	3.00
	Unit per Layer	4.00
	Unit Per Pallet	12.00
	Lbs per Pallet	1,512

Notes: All measurements are nominal.

Laying Patterns

ARTLINE™



ARTLINE™ RANDOM - 100% Random Bundle

BRUSSELS BLOCK®



BRUSSELS BLOCK® Y - 57% XL, 29% Standard, 14% Half



BRUSSELS BLOCK Z - 67% XL, 20% Standard, 13% Half

COURTSTONE®



Courtstone A - 100% Random Bundle

COPTHORNE®



Copthorne A - 100% Standard



Copthorne B - 100% Standard

HOLLANDSTONE™ & HOLLAND PREMIER™



HOLLANDSTONE/HOLLAND PREMIER D - 100% Standard

MATTONI™



MATTONI® A - 100% Standard



MATTONI B - 100% Standard

BEACON HILL™



BEACON HILL™ RANDOM A - 40% Large Rectangle, 40% Square, 20% Small Rectangle



BEACON HILL™ RANDOM B - 40% Large Rectangle, 40% Square, 20% Small Rectangle



BEACON HILL™ G - 50% Random Bundle, 50% XL Unit

BRISTOL VALLEY®



BRISTOL VALLEY™ RANDOM A - 40% Large Rectangle, 20% Small Rectangle, 40% Square



BRISTOL VALLEY™ RANDOM B - 40% Large Rectangle, 20% Small Rectangle, 40% Square

NATURAL STONE



NATURAL STONE E - 57% 24 x 36", 19% 24 x 24", 14% 18 x 24" 10 % 12 x 24



NATURAL STONE D - 43% 18 x 24", 57% 12 x 24"

GRANITO™



GRANITO RANDOM A - 40% Large Rectangle, 20% Small Rectangle, 40% Square



GRANITO RANDOM B - 40% Large Rectangle, 20% Small Rectangle, 40% Square

Patterns may not reflect bundle configurations. More patterns available at Unilock.com.

Laying Patterns

RICHCLIFF®



RICHCLIFF® A - 53% 12 x 9", 20% 9 x 9", 27% 6 x 9"



RICHCLIFF® B - 53% 12 x 9", 20% 9 x 9", 27% 6 x 9"



RICHCLIFF® E - 45% Random Bundle, 55% Large Rectangle



RICHCLIFF® F - 45% Random Bundle, 55% Large Rectangle

TOWN HALL®



TOWN HALL® A - 100% Standard



TOWN HALL B - 100% Standard

BOULEVARD™



BOULEVARD A - 50% Large Rectangle, 25% Medium Rectangle, 25% Square

PROMENADE™ PLANK



PROMENADE PLANK PAVER G - 20% 4 x 12", 40% 4 x 16", 8% 8 x 24"

THORNBURY™



THORNBURY™ A - 49% Large Rectangle, 34% Medium Rectangle, 17% Small Rectangle



THORNBURY C - 49% Large Rectangle, 34% Medium Rectangle, 17% Small Rectangle

UMBRIANO®



UMBRIANO® RANDOM A - 40% Large Rectangle, 40% Square, 20% Small Rectangle



UMBRIANO RANDOM B - 40% Large Rectangle, 40% Square, 20% Small Rectangle

TRIBECA COBBLE™



TRIBECA COBBLE™ - 100% Random Bundle

WESTPORT



WESTPORT Random - 34% Large Rectangle, 40% Square, 26% Rectangle

OLDE GREENWICH COBBLE®



Greenwich C - 30% Medium Rectangle, 60% Square, 10% Small Rectangle

Patterns may not reflect bundle configurations. More patterns available at Unilock.com.

Base Thickness Chart (General)

APPLICATION	GRAVEL BASE	BEDDING COURSE	BACKFILL WIDTH (WALLS ONLY)
PATIOS, WALKWAYS, POOL DECKS	4"- 6" (10cm – 15cm)	1" (2.5cm)	
DRIVEWAYS	8" - 12" (20cm – 30cm)	1" (2.5cm)	
STEPS, PLANTERS, RAISED PATIOS	6" (15cm)	0 – 1/8" (0cm-.3cm)	8"- 12" (20cm - 30cm)
RETAINING WALLS UNDER 18" (45cm)	6" (15cm)	0 – 1/8" (0cm-.3cm)	12" (30cm)
RETAINING WALLS OVER 18" (45cm)	6" (15cm)	0 – 1/8" (0cm -.3cm)	16" (50cm)

Soil condition - In areas with poor soil conditions, (e.g., heavy clay, disturbed soils) increase the depth of the base to provide more stability. Where poor soil conditions exist, it may be advisable to contract an engineer when constructing a retaining wall in excess of 24" in height.

Area = (Length) x (Width)
Area of a Circle = 3.14 x (Radius) x (Radius)
Area of a Half Circle = 1.57 x (Radius) x (Radius)
Area of a Quarter Circle = .78 x (Radius) x (Radius)
Area of a Triangle = (1/2 Base) x (Height)
Perimeter of a Circle = 6.28 x (Radius)
Perimeter of a Half Circle = 3.14 x (Radius)
Perimeter of a Quarter Circle = 1.57 x (Radius)

Metric Equivalents
1 inch = 2.5400 centimeters
1 foot = 0.3048 meter
1 yard = 0.9144 meter
1 sq. foot = 929.030 sq.centimeters
1 sq. meter = 1.196 sq. yards
27 cu feet = 1 cu. yard

1 centimeter = 0.3937 inch
1 meter = 39.3701 inches

Large Equipment

UniLyft

- Install up to 700 sq. ft. per hour!
- Access tight or narrow areas
- Eliminate the need for a forklift on site
- Reduce labor costs
- Reduce shoulder, hand & knee pain and injury
- Improve your bottom line

Contact your local rep for details.

VPR 700 Paver Roller

- Centrifugal Force: 3,147 lbs
- Machine Weight: 386 lbs
- Base Plate Width: 26"
- Engine: Honda GX160 Four-Stroke

VPR 450 Paver Roller

- Centrifugal Force: 1,798 lbs
- Machine Weight: 238 lbs
- Base Plate Width: 16.5"
- Engine: Honda GX160 Four-Stroke

U-LEVEL™

- Easy to use
- Accurate readings
- Low maintenance
- Works in difficult locations
- Large working area

A PRECISION TOOL NO HARDSCAPER SHOULD BE WITHOUT

Unilock Elements

SPECIAL ORDER PRODUCT

Tuscany Collection SPECIAL ORDER

TUSCANY FIREPLACE
Sandstone with Copthorne® (3 Color Blend)

TUSCANY FIREPLACE
Sierra with Copthorne® (3 Color Blend)

WEIGHTS

Tuscany Collection

Fireplace Top — 2925 lbs
Fireplace Bottom — 4225 lbs
Wood Boxes — 4005 lbs
Arched Hearth — 1170 lbs

Barcelona Collection SPECIAL ORDER

BARCELONA FIREPLACE
Sierra with Umbriano® (Summer Wheat)

WEIGHTS:

Barcelona Collection

Fireplace Top — 2725 lbs
Fireplace Bottom — 4170 lbs
Wood Boxes — 4200 lbs
Arched Hearth — 1200 lbs

TUSCANY / BARCELONA BRICK OVEN
SPECIAL ORDER
Two-piece set (wood box base & brick oven), comes with metal termination cap, pipe and cooking utensils.

TUSCANY / BARCELONA GRILL ISLAND
SPECIAL ORDER
Available with OCS Grill, protective cover and stainless steel double door insert.

Note: Items shown are Tuscany units. Please contact Unilock for more information on special order items.
Units and measurements may not be exactly as shown.

Unilock Elements

SPECIAL ORDER PRODUCT

Bella Fireplace

The Bella pre-built fireplace is constructed from Rivercrest® Wall (page 30).

Available in Coastal Slate color only.
Please call for availability.

WEIGHTS

Bella

Fireplace Top — 1,685 lbs
Fireplace Bottom - 3,155 lbs
Grill Island — 3,420 lbs

Bella Grill Island

The Bella pre-built grill island is constructed from Rivercrest® Wall (page 30).

Available in Coastal Slate color only.

NOTE: Bella products are sold as shown. There is no ability to customize.

Unilock Elements

SPECIAL ORDER PRODUCT

TYPICAL CROSS SECTION FOR CONCRETE PAD INSTALLATION



TUSCANY & BARCELONA FIREPLACE



(FRONT VIEW)



(TUSCANY TOP VIEW INCLUDING HEARTH)

GUARANTEE

The standard Unilock guarantee applies to the units used to construct Unilock Elements. (See Unilock literature for details.) Third party grills and fireboxes carry their respective manufacturer's warranty, and may change without notice.

Note: Unilock reserves the right to change model designs, accessories and colors without notice. Unilock will not be responsible for improper use or handling that results in property damage. Some models may not be exactly as shown. Fireplaces come complete with UL- approved stainless steel fireboxes. Check local building codes and regulations prior to ordering and installing Unilock Elements.

Paver Cleaners

POLYBIND™ SHAMPOO

CLN047 (1 Gallon)

Polybind Shampoo removes ground-in dirt from the surface of concrete pavers and natural stones. It will make pavers, patio slabs, walls and natural stones look clean and vibrant. Using Polybind Shampoo before sealer application will assure you of a deeper penetration into the cleaned surface. No muriatic acid in product – washes off with water.

Packaging • 1 & 5 gallon available • Box of 4 x 1 US gallon (24-1 gal boxes & 48-5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

POLYBIND OIL & GREASE CLEANER

CLN050

Polybind Oil & Grease Cleaner is effective in removing oil and grease from the surface of concrete pavers and natural stones. Easy to use - dissolves, dislodges and removes oil and grease. No hydrochloric acid in product - washes off with water.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

POLYBIND EFFLORESCENCE CLEANER

CLN045 (1 Gallon) & CLN046 (5 Gallon)

Polybind Efflorescence Remover will remove any efflorescence stains trapped in the concrete paver and natural stone pores. It will make the pavers look more clean and vibrant. This efflorescence cleaning is a necessary step before a sealer is applied. The sealer will be able to get a deeper penetration into the now-clean pores.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gal boxes & 48-5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

POLYBIND RUST CLEANER

CLN051

Polybind Rust Cleaner is effective in removing rust from the surface of concrete pavers. Contains no muriatic acid.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

POLYBIND RUBBER, PAINT & TAR REMOVER

CLN049

Polybind Rubber, Paint & Tar Remover is effective in removing rubber, paint and tar from the surface of concrete pavers and natural stone. Easily washes off with water and is easy to use.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

POLYBIND SEALER STRIPPER

CLN068 (1 gallon) & CLN069 (5 gallon)

Polybind Sealer Stripper is extremely effective for removing either water-based or solvent-based sealers from concrete pavers or stone. It is environmentally responsible (water-based), yet it removes multiple layers in a single application. It is a paste which is easily applied with a brush or roller.

Packaging • 1 & 5 gallon (Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

Natural Stone Cleaners

UNICARE NATURAL STONE ACID CLEAN

RS-CLN085 (1L) / RS-CLN086 (5L)

Removal of:

• Cement Staining • Efflorescence • Iron Oxide (Rust) • Cement mortar • Grout

Note: Never use hydrochloric or sulphuric acid based products. ONLY FOR ACID RESISTANT STONE.

Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

UNICARE NATURAL POWER CLEAN

RS-CLN090 (5L)

Removal of:

• Oil & Grease • Food Stains • General Dirt & Mud • Light cement contamination (on acid sensitive surfaces)
• Sap & certain plant stains

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

UNICARE BIOCLEAN

RS-CLN074 (1L) / RS-CLN089 (5L)

Removal of:

• Black spot algae • Green algae • Plant stains from leaves, wood, trees, berries & flowers
• Organic staining from bark & compost • Colored stains from food spillages, tea, coffee and wine

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

Sealers

POLYBIND™ WET LOOK SEALER SB

SEAL143 (1 gallon) & SEAL144 (5 gallon)

Polybind Wet Look Sealer is made from acrylic-based polymers. It penetrates deep into the concrete paver and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24-1 gal boxes & 48-5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

POLYBIND ECO SEAL ZERO GLOSS WB

SEAL149 (1 gallon) & SEAL150 (5 gallon)

Polybind Eco Seal Zero Gloss is 100% pure, high-grade acrylic used to seal concrete pavers, clay pavers and natural stone. It penetrates deep into the pavers and natural stone pores, thus reducing oil and dirt penetration as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

POLYBIND ECO SEAL HIGH GLOSS SEALER + COLOR ENHANCER WB

SEAL185 (1 gallon) & SEAL186 (5 gallon)

Polybind Eco Seal High Gloss is 100% pure, high-grade acrylic used to seal concrete pavers, clay pavers and natural stone. It penetrates deep into the pavers and natural stone pores, thus reducing oil and dirt penetration as well as protecting them from the corrosion of de-icing salt. It provides a high-gloss finish as well as vibrant color enhancement.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

POLYBIND ECO SEAL LOW GLOSS SEALER + COLOR ENHANCER WB

SEAL178 (1 gallon) & SEAL179 (5 gallon)

Polybind Eco Low Gloss Sealer + Color Enhancer is 100% pure high-grade acrylic for concrete pavers. It penetrates deep into the concrete paver pores, reducing oil and dirt penetration as well as corrosion from de-icing salt.

Packaging • 1 & 5 gallon available • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

POLYBIND RESEALER SB

SEAL155 (1 gallon) & SEAL156 (5 gallon)

Polybind Resealer penetrates the existing sealer and reactivates it to create rejuvenated protection of the paver surface, thus reducing oil and dirt penetration as well as protecting it from the corrosion of de-icing salt.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

Natural Stone Sealers

UNICARE NATURAL STONE NATMATTE SEALER

RS-SEAL217 (1L) / RS-SEAL218 (5L)

For Porous Stones

• No change of color • No surface coating, sheen or shine at all • Riven Sandstone & Smooth Sandstone

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

UNICARE NATURAL STONE NATCOLORENHANCE SEALER

RS-SEAL219 (1L) / RS-SEAL194 (5L)

Color Enhancement For Porous Stones

• No surface coating, sheen or shine • Breathable • Lasts several years • Easy to apply

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

Adhesive

POLYBIND XTRA PERFORMANCE (XP) POLYURETHANE ADHESIVE

ADH035 (10 oz) & ADH038 (28 oz)

10 oz. Tube = 20′ at ¼″ bead (12/case, 90 cases/pallet) & 28 oz. Tube = 52′ at ¼″ bead (12/case, 90 cases/pallet)

Polybind XP Adhesive is formulated for fast cure time, extra bond strength and durability. Applications include concrete pavers and walls, overlays, pool copings, steps and wall caps, wetcast and natural stones. It can be applied above 32° and on either dry or damp surfaces. Drying times vary depending on factors such as humidity, porosity, temperature and materials bonded together.

Sands

POLYBIND G2 COMPLETE SAND

SAND152 (Tan), SAND153 (Gray), SAND154 (Black), SAND155 (Ivory - Special Order in Full Skid Quantities Only)

Designed for paver joints up to a maximum of 4 inches. Drainage & Non-Drainage Applications (Overlays).
No Dust – No Haze – No Blower – One Watering. G2 Complete Sand is the cleanest, fastest and easiest polymeric sand installed in the industry. It can be used with concrete pavers, wetcast and natural stones, and is recommended for use in patios, pool decks, walkways, driveways, parking spaces, etc.
Packaging: • 50 lb bag • 56 bags per skid •65-85 sq.ft. coverage per bag for narrow joints; larger joints will require more sand

SUREBOND JOINTING SAND

SAND001-1 (Tan) & SAND140 (Gray)

This jointing sand will properly complete the interlocking of the segmental pavers because it is clean, angular and meets ASTM-C144 specifications. This type of sand is more stable in the paver joints and has the optimal gradation to ensure long term performance of the pavement system. Recommended for joints up to 3/4". Washed, screened & dried
Packaging: • 50 lb bag - 56 bags per skid

EUROSTONE BOND

RS-SAND097 - SLATE GREY

50lb. bag (56 bags/skid)
For Driveway Aprons Application & Cobblestone Joints up to 3.5cm / 1"
Eurostone Bond is the first polymeric sand specifically designed for drainage and non-drainage base systems. It can be used with natural stones and cobblestone.Recommended for a variety of uses, including streets, plazas (pedestrian and vehicular traffic) paths, sloping areas, around pools, etc. This complete multi-purpose sand is available in 3 colors: Beige, Slate Grey and Diamond Black. It sets above the freezing temperature (0°C / 32°F) and can be used for joints up to a maximum of 3.5 cm/ 1".

PERMA PAVER EDGING SAND

EDGE074

5 Gallon, 75 lb container

- Mix with water to use - 1 gallon water to 1 container product
- Ideal for patios, pool decks and walkways
- Better suited to open-graded aggregates, Perma Edge will outlast and out-perform traditional paver edging. It is quicker and easier to use, cutting installation time by 75%. Projects can be compacted and fine-graded immediately after installation.
- Coverage per container: about 20 lin ft on clear or permeable base/25 lin ft on crushed gravel base.

Sands	Polybind Complete G2 Sand
PAVERS \ FEATURES	For joints up to 4". May be sealed. Available in Tan, Gray or Black. Binding sand.
Copthorne®	✓
Courtstone®	✓
Il Campo®	N/R
Richcliff®	✓
Series™	N/R
Thornbury™	✓
Town Hall®	✓
Tribeca Cobble™	N/R
Umbriano®	✓
Unigranite®	N/R
Natural Stone	✓
Tumbled Pavers	✓
Standard Pavers	✓

N/R - Not Recommended ü- Recommended

✓* - These pavers have a very narrow or slightly angled edge (champfer) limiting sand penetration in the joint and causing possible weak bonding areas. The life cycle performance could be affected.

SUGGESTED POLYMERIC SAND COVERAGE BY PRODUCT

Product	Coverage per Bag
Artline	60-65 sf
Beacon Hill	50-60 sf
Boulevard	55-60 sf
Bristol Valley	55-60 sf
Brussels Block	80-85 sf
Copthorne	50-60 sf
Courtstone	30-40 sf
Hollandstone	70-75 sf
Mattoni	30 sf
Olde Greenwich Cobble	30-35 sf
Promenade	20 sf
Richcliff	45-50 sf
Series	60-65 sf
Thornbury	40-45 sf
Town Hall	40-45 sf
Tribeca Cobble	40-45 sf
Umbriano 6cm Random	55-60 sf
Umbriano 7cm	60-65 sf
Westport	40-45 sf

Installation practices may affect the amount of sand used per product. Review IMPORTANT NOTICE below.

Sands (continuted)

IMPORTANT NOTICE

1. DO NOT USE Polymeric Jointing Sand on the following products:

Series™ Il Campo® Tribeca Cobble™

If joint stabilization is required, use ordinary jointing sand and apply a stabilizing sealer. **Contact your local Unilock office for recommended sealants and application specifics.**

2. EXTRA CARE must be exercised when using Polymeric Sand on the following products:

Courtstone® Copthorne® Richcliff® Town Hall® Umbriano®

Polymeric Jointing Sand can be used on these products but the fine polymers and binders in Polymeric Jointing Sand have a natural tendency to adhere to the surface and therefore extra diligence must be taken to pre-clean the surface prior to "wetting the sand in" and squeegee off the surface post application. Failure to do so will result in a "whitish haze" on the surface that is difficult to remove.

3. IMPORTANT COMPACTION NOTICE: Always pre-compact the pavers WITHOUT SAND IN THE JOINTS. This will facilitate proper leveling. Polymeric Sand can then be swept into the joints. Always use a compactor with a protective membrane attached to the bottom of the plate.

Polymeric Jointing Sand, cleaners and sealers, must always be applied by a trained and experienced professional. Contact your local Unilock office for training and the most up-to-date best practices.

NOTICE: Unilock does not accept any responsibility for damage to the surface caused by the improper application and use of polymeric sand, sealers or cleaners. Unilock will not accept responsibility for alternate suppliers of polymeric sand, jointing sand, cleaners and sealers.

Edge Restraints

SnapEdge - One-Piece Edging That Does It All!

EDGE001

- Only one part required for straight runs or curved installations
- Built-in connector fastens one piece to the next – convenient 96" size, makes them easy to transport
- Unique 'Snip and Flex' feature speeds installations of curves and corners without pre-planning
- The open design allows a root system to grow through SnapEdge, further reinforcing the installation
- Engineered to provide a strong, easy-to-install edge restraint for concrete/clay pavers
- Nail hole bosses are full-length cylinders. Hammer blows will not fracture or force nail heads through edging



PRODUCT INFORMATION:

8' (96") length pcs.
Sidewall: 1⅞"
Pieces per Pallet: 672 (5,376 ln. ft.)
Pieces per Bundle: 24 (192 ln. ft.)
Bundles per Pallet: 28
Pallet Weight: 1395 lbs.
Pallet Size: 98" l x 48"w x 50" h

Edge Restraints (contiuned)

Polybind Edge Edging

EDGE056 - Rigid / EDGE061 - Tile Edge

- Rigid has Twist & Lock connection system
- Rigid can be changed to a partial Flex by cutting the bridge support
- Tile Edge provides stability and strong lateral support for all porcelain tile installations

RIGID EDGE

TILE EDGE

PRODUCT INFORMATION:

RIGID:
8′ (96") length pcs.
Sidewall: 1¾″
Pieces per Bundle: 24 (192 ln. ft.)
Pieces per Pallet: 672 (5376 ln. ft.)

TILE:
8′ (96") length pcs.
Sidewall: ⅝″
Pieces per Bundle: 24 (192 ln. ft.)
Pieces per Pallet: 384 (3072 ln. ft.)

TIPS FOR QUICK AND EASY INSTALLATION WITHOUT PRE-PLANNING



Sharp Inside Corner

Sharp Outside Corner



Proper Wall Installation



Gentle Outside Curves

Gentle Inside Curves

Pieces Snap Together

Drainage, Seperation and Reinforcement

UNILOCK DRIVEGRID™ SYSTEM
FAB075
- 120' x 13' Roll - 1,572 sq. ft./56 lbs per roll

GATOR GRID 30-30
Gator Grid 30-30, a biaxial geogrid, provides strength, longevity, excellent stress transfer and prevents failure to the internal structure of landing areas, retaining walls and steep slopes. It has a high molecular weight as well as high-tenacity polyester yards which are woven in tension and finished with a PVC coating.
Packaging & Unilock SKU • 4' x 50' – FAB070 / 6' x 150' – FAB072

GATOR FABRIC NON-WOVEN 3.5
Gator Fabric Non-Woven 3.5 geotextile is ideal for drainage, filtration and will allow water flow in a paver or retaining wall application. It is designed for soil separation for added stability, has high strength and is dimensionally stable.
Packaging & Unilock SKU • 4' x 100' – FAB038 / 6' x 100' – FAB040

GATOR FABRIC WOVEN 5
Gator Fabric Woven 5 is a woven geotextile made from polypropylene yarns and can achieve higher tensile strength at low elongation. It is an excellent heavy-loading geotextile, ideal for driveways, alleyways, pathways and retaining walls.
Packaging & Unilock SKU • 4' x 100' – FAB049 / 6.25' x 300' – FAB052

GATOR FABRIC POLYSPUN 20
Gator Fabric Polyspun 8 geotextile is specially formulated to resist deterioration in garden and landscape applications. It creates a barrier to reduce weed growth and allows water, fertilizer and air to pass through.
Packaging & Unilock SKU • 6' x 100' • FAB058

Gator Base

FEATURES: For Pedestrian use only. Replaces concrete foundations and is used to replace 6" of crushed stone. The interlocking panels distribute all dynamic and static loads to a very wide area, practically eliminating any pressure on the ground.
GATOR Base is a unique evolution in base technology. Evacuates water through channels along a 1 slope.
Manufactured using lightweight high-density polypropylene. Environmentally friendly and 100% recyclable.
Extremely durable, will not degrade in the ground. Designed with LOCK-N-GO tongue and groove system. Packaging: 10 units per pack, 12 packs per box, 120 units per pallet SAND109

Bedding Materials Chart (Approximate Imperial Tons)

	Bedding Course											
Square Feet	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"	12"
50	0.3	0.5	0.8	1.0	1.3	1.5	1.8	2.0	2.3	2.5	2..8	3.0
100	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0
150	0.8	1.5	2.3	3.0	3.8	4.5	5.3	6.0	6.8	7.5	8.3	9.0
200	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0
250	1.3	2.5	3.8	5.0	6.3	7.5	8.8	10.0	11.36	12.5	13.8	15.0
300	1.5	3.0	4.5	6.0	7.5	9.0	10.5	12.0	13.5	15.0	16.5	18.0
350	1.8	3.5	5.3	7.0	8.8	10.5	12.3	14.0	15.8	17.5	19.3	21.0
400	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.0	20.2	22.0	24.0
450	2.3	4.5	6.8	9.8	11.3	13.5	15.8	18.0	20.3	22.5	24.8	27.0
500	2.5	5.0	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0
550	2.8	5.5	8.3	11.0	13.8	16.5	19.3	22.0	24.8	27.5	30.3	33.0
600	3.0	6.0	9.0	12.0	15.0	18.0	21.0	24.0	27.0	30.0	33.0	36.0
650	3.3	6.5	9.8	13.0	16.3	19.5	22.8	26.0	29.3	32.5	35.8	39.0
700	3.5	7.0	10.5	14.0	17.5	21.0	24.5	28.0	31.5	35.0	38.5	42.0
750	3.8	7.5	11.36	15.0	18.8	22.5	26.3	30.0	33.8	37.5	41.3	45.0
800	4.0	8.0	12.0	16.0	20.0	24.0	28.0	32.0	36.0	40.0	44.0	48.0
850	4.3	8.5	12.8	17.0	21.3	25.5	29.8	34.0	38.3	42.5	46.8	51.0
900	4.5	9.0	13.5	18.0	22.5	27.0	31.5	36.0	40.5	45.0	49.5	54.0
950	4.8	9.5	14.3	19.0	23.8	28.5	33.3	38.0	42.8	47.5	52.3	57.0
1000	5.0	10.0	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0

Base Depth Charts (Cubic Yards)

	Bedding Course											
Square Feet	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"	12"
50	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	1.5	1.7	1.9
100	0.3	0.6	0.9	1.2	1.5	1.9	2.2	2.5	2.8	3.1	3.4	3.7
150	0.5	0.9	1.4	1.9	2.3	2.8	3.2	3.7	4.2	4.6	5.1	5.6
200	0.6	1.2	1.9	2.5	3.1	3.7	4.3	4.9	5.6	6.2	6.8	7.4
250	0.8	1.5	2.3	3.1	3.9	4.6	5.4	6.2	6.9	7.7	8.5	9.3
300	0.9	1.9	2.8	3.7	4.6	5.6	6.5	7.4	8.3	9.3	10.2	11.1
350	1.1	2.2	3.2	4.3	5.4	6.5	7.6	8.6	9.7	10.8	11.9	13.0
400	1.2	2.5	3.7	4.9	6.2	7.4	8.6	9.9	11.1	12.3	13.6	14.8
450	1.4	2.8	4.2	5.6	6.9	8.3	9.7	11.1	12.5	13.9	15.3	16.7
500	1.5	3.1	4.6	6.2	7.7	9.3	10.8	12.3	13.9	15.4	17.0	18.5
550	1.7	3.4	5.1	6.8	8.5	10.2	11.9	13.6	15.3	17.0	18.7	20.4
600	1.9	3.7	5.6	7.4	9.3	11.1	13.0	14.8	16.7	18.5	20.4	22.2
650	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.1	20.1	22.1	24.1
700	2.2	4.3	6.5	8.6	10.8	13.0	15.1	17.3	19.4	21.6	23.8	25.9
750	2.3	4.6	6.9	9.3	11.6	13.9	16.2	18.5	20.8	23.1	25.5	27.8
800	2.5	4.9	7.4	9.9	12.3	14.8	17.3	19.8	22.2	24.7	27.2	29.6
850	2.6	5.2	7.9	10.5	13.1	15.7	18.4	21.0	23.6	26.2	28.9	31.5
900	2.8	5.6	8.3	11.1	13.9	16.7	19.4	22.2	25.0	27.8	30.6	33.3
950	2.9	5.9	8.8	11.7	14.7	17.6	20.5	23.5	26.4	29.3	32.3	35.2
1000	3.1	6.2	9.3	12.3	15.4	18.5	21.6	24.7	27.8	30.9	34.0	37.0

Actual volume may vary due to type of materials, moisture content, and compaction. Calculation charts and formulas are provided as a service by Unilock for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.

Important Notes

UNILOCK PAVER PATTERNS

This Product Data Guide contains an extensive reference to patterns and designs. The purpose of these pattern swatches is to help the designer plan unique and exceptional designs. The percentages of products shown are based on the pattern and not on bundle configurations. In fact, there may be situations in which a pattern has been created with one particular size of stone, but that stone only comes packaged with two other sizes. This means that the designer will have to plan how the other components are used in the overall plan. This is usually accomplished by adding a border or an accent. As a result, overages or shortages may occur in certain patterns. The designer and/or installer of Unilock products accepts all responsibility for design and all associated costs incurred as a result of applying any of Unilock's suggested design patterns in a project. Please plan your project and review your order carefully prior to ordering.

TRANSFERABLE LIFETIME GUARANTEE

Unilock provides a Transferable Lifetime Guarantee* on the structural integrity of our paving stones, slabs and retaining wall units to the original purchaser of the product for residential use. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Color matching cannot be guaranteed and replacement labor is not included. Proof of purchase is required.

Excessive defective material (over the industry accepted normal of 2% for non-tumbled unit pavers) delivered to the purchaser will be replaced free of charge if a written claim is made within 5 days of delivery from the manufacturer. Such claims will not constitute reason for delaying payment. All goods shall be deemed accepted if completely installed. Inspect concrete products prior to opening bundle packaging to ensure that shape and color are as ordered. Unsatisfactory material must be available for inspection by Unilock to entitle the purchaser to any adjustment or credit. Inspect all concrete units during installation and set aside any which are chipped or cracked to use for any cut pieces required. The color of concrete products may vary significantly between production lots. Always install concrete units from several bundles simultaneously to ensure proper distribution of color. Prior to final compaction, inspect installed pavers for good color distribution. Relocate certain pavers, if necessary, to achieve desired color blend.

*Transferable Lifetime Guarantee: Register your project within 60 days of your dated proof of purchase to ensure your Unilock Guarantee is fully transferable! Simply go online at unilock.com and follow instructions. Once processed, you will receive an original Transferable Warranty Certificate for your records.

PRODUCT HANDLING WARNING

Bundle Straps Under Tension - Use extreme caution when removing or handling straps. Always wear gloves, goggles, safety footwear, and protective clothing when removing or handling straps. Failure to do so may result in serious bodily injury or loss of sight.

Cut all concrete products only in well ventilated areas. Inhalation of dust is a serious health risk. A "NIOSH" (US) or a "CSA" (CDN) approved respirator, safety goggles, hearing protectors, and gloves must be worn at all times. Always "wet-cut" or "wet grind" concrete products to minimize dust.

Do not stack bundled concrete products higher than 2 bundles high. Contents of the bundle may be unstable and subject to topple when stacked. Always use extreme caution and appropriate equipment when transporting or storing bundled concrete products. Failure to do so may result in serious bodily injury or death. Always obey gross vehicle weight (GVW) loading limitations and regulations.

Hazard Rating: Fire 0, Health 1, Reactivity 0. See MSDS Concrete Masonry (Pavers). Contact Unilock for complete sheet or view safety information at Unilock.com.

Unilock assumes no liability or responsibility for loss or damage, resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label, and on the MSDS sheet.

Trademark & Legal Information

Umbriano® is a trademark of Metten Stein + Design GmbH & Co KG used under license by Unilock.

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Measurements throughout this portfolio are nominal.

*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

Not all products shown are available at all Unilock locations. Log on to www.unilock.com for availability.

©2020 Hengestone Holdings, Inc. 1-800-UNILOCK www.unilock.com

Finishes

BRUSHED


COBBLESTONE

WEATHERED

DIMPLED AND WEATHERED


FLAGSTONE


SMOOTH


WASHED


SMOOTH - ZERO BEVEL

SPLIT

TIMEWORN

SPLIT AND WEATHERED

STANDARD

Color Blend Descriptions

COLOR NAME	DESCRIPTION
Almond Grove	Tan, Buff and Charcoal
Basalt	Blueish-Black
Bavarian	Brown, Cream and Charcoal
Beechwood	Tan and Charcoal
Belgian Blue	Blueish-Gray
Birch	Dark Brown, Light Brown & Cream
Black Granite	Black Granite and Charcoal
Burgundy Red	Plum with Red
Burnt Clay	Brown with Red
Cocoa Brown	Solid Dark Brown
Coastal Slate	Grey and Tan
Coffee Creek	Sandstone, Brown and Charcoal
Copper Ridge	Red, Natural, Brown
Corvara	Light Grey/Beige
Dawn Mist	Grey and Tan
Desert Sand	Salmon, Buff and Charcoal
Fossil	Light & Dark Grey, Chamois & White Accents
French Grey	Light Grey with White Flake
Granite	Natural and Charcoal
Grindstone	Buff and Grey
Limestone	Light Gray and Charcoal

COLOR NAME	DESCRIPTION
Lugano	Solid Beige/Tan
Mahogany Ash	Mid Brown and Light Charcoal
Midnight Sky	Charcoal and Black Flake
Modena	White Concrete with Black Flecks
Natural Blend	Light Grey and Medium Grey
Nevada	Chamois and Natural
Notte	Mid Charcoal, White and Light Natural
Old Oak	Rust with Red
Opal Blend	Light Grey & White
Pebble Taupe	Tan with Light Brown
Rustic Red	Red and Charcoal
Sabia	Brown, Black and Light Natural
Sable Blend	Cream Tan Brown
Sandstone	Buff and Tan
Sierra	Charcoal, Russet and Buff
St. Clair	Salmon and Brown
Steel Grey Blend	Dark Charcoal & Grey
Steel Blue	Pale Charcoal
Steel Mountain	Natural and Charcoal
Summer Wheat	Cream White with Pale Yellow & Beige Particles
Terra Cotta	Salmon and Charcoal
Vivanto	Dark Grey and Charcoal
Winter Marvel	White and Black Flake

Colors shown in this brochure should be used only as a guide. Colors should always be chosen from actual samples.

Product Directory

UNIT PAVERS

Product	Page	Finish	Pedestrian	Residential Vehicular	Commercial Vehicular	Environmental	For Borders & Accents
Arcana™	6	S	✔				
Artline™	7	S	✔				
Beacon Hill™ Flagstone	8	F	✔				
Beacon Hill™ Smooth	9	SM	✔				
Boulevard™	10	F	✔	✔			
Bristol Valley®	11	S	✔				
Brussels Block®	12	W	✔	✔			✔
Copthorne®	13	T	✔	✔			✔
Courtstone®	14	C	✔	✔			✔
Double Holland™	19	S	✔	✔	✔		✔
Eco-Optiloc™	15	S	✔	✔	✔	✔	
Eco-Priora™	16	B	✔	✔	✔	✔	
Eco-Promendade™	17	S	✔	✔	✔	✔	
Granito™	18	S	✔	✔			
Holland Premier ®	20	S	✔	✔			✔
Hollandstone™	19	S	✔	✔	✔		✔
Il Campo®	21	B	✔	✔	✔		✔
Mattoni™	22	T	✔	✔	✔		✔
Natural Stone	23-24	SM	✔				
Olde Greenwich Cobble®	25	S	✔	✔	✔		✔
Porcelain	26-27	SM	✔				
Promenade® Paver	28-29	S	✔	✔	✔		✔
Richcliff®	30	F	✔	✔			✔
Series™	31-32	WS	✔	✔	✔		✔
Thornbury™	33	F	✔	✔		✔	
Town Hall®	34	T	✔	✔	✔	✔	✔
Tribeca Cobble	35	C	✔	✔			✔
Turfstone™	36	S		✔		✔	
Umbriano®	37-38	SZ	✔	✔	✔		✔
Westport™	39	F	✔	✔			✔

RETAINING WALLS

Product	Page	Finish	Gardens	Retaining Walls	Steps	Seatwalls	Pillars
Brussels Dimensional System™	40	W	✔	✔	✔	✔	✔
DuraHold2®	41-42	S		✔			
DuraHold®	43	S		✔			
Estate Wall®	44	SP/W	✔	✔	✔	✔	✔
Lineo™ Dimensional Stone	45	SZ	✔	✔			
Mackinaw™	46						
Pisa2®	47	SP	✔	✔	✔	✔	✔
Rivercrest® Wall	48-49	F	✔		✔	✔	✔
RomanPisa®	50	SP/W	✔	✔	✔	✔	✔
SienaStone®	51	SP		✔	✔		
SienaStone® Smooth	52	SP		✔	✔		
U-Cara™	53-55		✔	✔		✔	✔

Finishes: B=Brushed; C=Cobblestone; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; SP=Split; SP/W=Split and Weathered; T=Timeworn; W=Weathered; WS=Washed

This application chart should only be used as a guide. Site conditions, base materials, pattern and frequency of use may vary the performance of various types and styles of products.

Notes

Notes

Notes

UNILOCK®
PAVERS & WALLS

BOSTON
(508) 278-4536

CHICAGO
(630) 892-9191

MILWAUKEE
(262) 742-3890

KANSAS
(913) 417-7985

MICHIGAN
(248) 437-7037

NEW YORK
(845) 278-6700

MID-ATLANTIC
(202) 798-2060

ONTARIO
(416) 646-9000

CINCINNATI / KY / TN
(513) 202-0219

OHIO / WESTERN PA / WNY&CNY
(330) 927-4000

UNILOCK.COM | 1-800-UNILOCK

©2020 Hengestone Holdings, Inc.