




2018 PRODUCT DATA




UNILOCK
DESIGNED TO CONNECT.

UNILOCK® QUALITY

GUARANTEED

GOOD CLASSIC

This is how the first pavers were manufactured. The product mix of large and small aggregates is consistent, from top to bottom, with color mixed throughout. The Unilock Classic pavers we manufacture exceed all ASTM standards for quality and strength.



BETTER ENDURACOLOR™

EnduraColor products are manufactured in a two-step process which combines a base of coarser aggregates for a stronger foundation, with concentrated color and wear-resistant finer aggregates on top. EnduraColor products are highly resistant to fading because the top layer prevents large, lighter color aggregates from showing through.

ENDURACOLOR™
PLUS ARCHITECTURAL FINISHES

THE BEST CHOICE.

ONLY UNILOCK OFFERS
ENDURACOLOR PLUS ARCHITECTURAL FINISHES.

These products set a new standard for everlasting beauty thanks to proprietary blends of some of nature's highest performing minerals such as granite and quartz, combined with manufacturing technologies that are exclusive to Unilock.



EXCLUSIVE UNILOCK TECHNOLOGIES

REALA™

Ultra realistic textures cast from Natural Stone, brick and historic cobblestones.

ULTIMA™

A proprietary manufacturing process creates pavers with up to four times the strength of poured concrete.

COLORFUSION™

A proprietary technology that disperses color randomly for a natural granite-like appearance.

EASYSOIL™

Factory sealed to provide integral surface protection from stains

There are two Clean Factors (CF®) to choose from:

CLEAN FACTORS (CF)	CF 90	CF 100
Pavers are pre-sealed at the factory	*	*
Enhanced resistance to weathering	*	*
Reduced dirt absorption	*	**
Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove	*	**

NEW FOR 2018



BOULEVARD

4



MATTONI

10



U-CARA™

32

PAVERS

- 2 Artline™ **NEW** Antique Finish
- 3 Beacon Hill™ Flagstone
- 3 Beacon Hill™ Smooth
- 4 Boulevard **NEW**
- 4 Bristol Valley®
- 5 Brussels Block®
- 5 Camelot™
- 6 Copthorne®
- 7 Courtstone®
- 7 Dura-Mat™
- 8 Eco-Optiloc™
- 8 Eco-Priora™ Standard
- 9 Eco-Priora™ Il Campo® Finish
- 9 Hollandstone™
- 9 Double Holland™
- 10 Il Campo®
- 10 Mattoni **NEW**
- 11 Natural Stone
- 12 Optiloc®
- 13 Porcelain
- 12 Promenade® Plank Paver
- 14 Richcliff®
- 14 Rivenstone™
- 15 Series™
- 15 Senzo™
- 16 Thornbury™
- 16 Town Hall®
- 17 Tribeca Cobble
- 17 Turfstone™
- 17 Unigranite®
- 18 Umbriano®
- 19 Windermere™
- 19 Yorkstone™

RETAINING WALLS


- 20 Brussels Dimensional Stone®
- 21 DuraHold®
- 22 DuraHold2®
- 23 Estate Wall®
- 24 Lineo™ Dimensional Stone
- 25 Pisa2® & Pisa2® XL
- 26 Rivercrest® Wall and Pillar Unit
- 28 RomanPisa®
- 29 RomanStack®
- 29 SonomaStone®
- 30 SienaStone®
- 31 StackStone®
- 32 U-Cara™ Multi-Face Wall System **NEW**
- 34 Brussels Fullnose™ & Double Fullnose™
- 35 Ledgestone™ Pillar Caps, Coping & Steps
- 35 Universal Coping

PRODUCT & INSTALLATION INFORMATION


- 36 Unilock Elements
- 39 Fire Pits
- 40 Cleaners & Sealers
- 41 Jointing Sand
- 44 Edge Restraint
- 45 DriveGrid™ & Base/Drainage Systems
- 46 Accessory Quick Reference
- 47 Charts & Calculations
- 48 Important Notes
- 49 Finishes & Color Blends
- 50 Product Directory
- 51 Deicing Chemicals




This symbol indicates that the product facilitates the flow of water from the surface into the joints and into the ground below.



BAVARIAN BLEND
ANTIQUED FINISH
NEW FOR 2018




STEEL MOUNTAIN
ANTIQUED FINISH
NEW FOR 2018




COPPER RIDGE
ANTIQUED FINISH
NEW FOR 2018










PLATINUM



PLATINUM
IL CAMPO® BRUSHED FINISH
NEW FOR 2018



				Random Bundle Individual units cannot be sold separately
6 $\frac{3}{4}$ " x 4 $\frac{7}{8}$ " x 2 $\frac{3}{4}$ " (16.9cm x 12.5cm x 7cm)	10 $\frac{3}{8}$ " x 4 $\frac{7}{8}$ " x 2 $\frac{3}{4}$ " (26.25cm x 12.5cm x 7cm)	13 $\frac{3}{8}$ " x 4 $\frac{7}{8}$ " x 2 $\frac{3}{4}$ " (33.75cm x 12.5cm x 7cm)	17 $\frac{3}{4}$ " x 4 $\frac{7}{8}$ " x 2 $\frac{3}{4}$ " (45cm x 12.5cm x 7cm)	
				
8 $\frac{7}{8}$ " x 7 $\frac{1}{2}$ " x 2 $\frac{3}{4}$ " (22.5cm x 18.75cm x 7cm)	13 $\frac{3}{8}$ " x 7 $\frac{1}{2}$ " x 2 $\frac{3}{4}$ " (33.75cm x 18.75cm x 7cm)	17 $\frac{3}{4}$ " x 7 $\frac{1}{2}$ " x 2 $\frac{3}{4}$ " (45cm x 18.75cm x 7cm)		

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ohio Manufacturing																			
Random Bundle		93.25				-	-	-	-	-	-	-	-	2.06	-	192	-	-	2,911
Unit A	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.227	-	-	-	-	-	-	-	-	4.40	-	32	-	-	-
Unit B	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.353	-	-	-	-	-	-	-	-	2.83	-	32	-	-	-
Unit C	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.454	-	-	-	-	-	-	-	-	2.20	-	32	-	-	-
Unit D	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.605	-	-	-	-	-	-	-	-	1.65	-	32	-	-	-
Unit E	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.454	-	-	-	-	-	-	-	-	2.20	-	32	-	-	-
Unit F	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.681	-	-	-	-	-	-	-	-	1.47	-	16	-	-	-
Unit G	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.908	-	-	-	-	-	-	-	-	1.10	-	16	-	-	-

Notes: Sold in full bundles only. Product is shipped on skids. All measurements are nominal.

Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.

Internal Use Only. ART OH

FLAGSTONE FINISH



BIRCH




PLATINUM




RIVER



SIERRA




SLATE BLUE



WALNUT



FLAGSTONE FINISH



Random Bundle applies to both Flagstone and Smooth Finishes



XL UNIT
NEW FOR 2018
21 x 35 x 2⅝"
53 x 88 x 6cm
SOLD SEPARATELY

	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
Stones & Bundling		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ohio Manufacturing																			
Random Bundle:		93.62				-	-	-	-	-	-	-	-	0.77	-	72		-	2,530
Large Rectangle	2⅝" (6cm)	-	-	-	2.093	-	-	-		-	-		-	0.48		18	-	-	-
Small Rectangle	2⅝" (6cm)	-	-	-	0.698	-	-	-		-	-		-	1.43		27	-	-	-
Square	2⅝" (6cm)	-	-	-	1.395	-	-	-		-	-		-	0.72		27	-	-	-
XL Unit	2⅝" (6cm)	94.16	-	-	-	9	-	-	-	-	-	-	-	-	-	18	-	-	2,584

Notes: Sold in full bundles only. Product is shipped on skids. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. **Product is not intended for vehicular applications.** All measurements are nominal.


Internal Use Only. BHF OH

BEACON HILL™ SMOOTH


SMOOTH FINISH



OPAL BLEND



DARK BROWN
While quantities last



MIDNIGHT CHARCOAL



SMALL RECTANGLE BUNDLE
SMOOTH FINISH ONLY
7⅞" x 14⅞" x 2⅝"
18cm x 36cm x 6cm



SMOOTH FINISH

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ontario Manufacturing																			
7"x14"	2½" (6cm)	94.20			0.70	-	-	-	-	-	-	-	-	1.433	-	66		-	2,584

Notes: Sold in full bundles only. Product is shipped on skids. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. **Product is not intended for vehicular applications.** All measurements are nominal.

Internal Use Only. BHS ON

BOULEVARD

NEW FOR 2018 ENDURACOLOR™



RIVER



SIERRA



STEEL GREY



LARGE RECTANGLE
24" x 12" x 2 3/4"
61cm x 30.5cm x 7cm



MEDIUM RECTANGLE
18" x 12" x 2 3/4"
45.7cm x 30.5cm x 7cm



SQUARE
12" x 12" x 2 3/4"
30.5cm x 30.5cm x 7cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle		93.00	-	-	-	8	-	-	-	-	-	-	-	-	-	64	373	-	2,978
Large Rectangle	2 3/4" (7cm)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-
Medium Rectangle	2 3/4" (7cm)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-
Square	2 3/4" (7cm)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-

Notes: Sold in full bundles only. Product is shipped on skids. **Read the Polymeric Sand advisory on page 43. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Product is not intended for vehicular applications.** All measurements are nominal.

Internal Use Only. BRV CH

BRISTOL VALLEY®

ENDURACOLOR™



BAVARIAN BLEND



STEEL MOUNTAIN




COPPER RIDGE

TECHNICAL ADVANTAGE

EasyClean™ Stain Resistance - CF 90

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



LARGE RECTANGLE
21 1/4" x 14 1/8" x 2 3/8"
54cm x 36cm x 6cm



SQUARE
14 1/8" x 14 1/8" x 2 3/8"
36cm x 36cm x 6cm



SMALL RECTANGLE
7 1/16" x 14 1/8" x 2 3/8"
18cm x 36cm x 6cm

Random Bundle
Individual units cannot be sold separately



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Marengo Manufacturing																			
Random Bundle		104.00	-	-	1.300	-	-	-	-	-	-	-	-	-	-	-	-	-	2,929
Large Rectangle	2 3/8" (6cm)	-	-	-	2.093	-	-	-	-	-	-	-	-	0.48	-	-	-	-	-
Small Rectangle	2 3/8" (6cm)	-	-	-	0.698	-	-	-	-	-	-	-	-	1.43	-	-	-	-	-
Square	2 3/8" (6cm)	-	-	-	1.395	-	-	-	-	-	-	-	-	0.72	-	-	-	-	-


Notes: Product sold at factory in full bundle quantities. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. **Product is not intended for vehicular applications. Read the Polymeric Sand advisory on page 43. Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.**

Internal Use Only. BRV CH


BRUSSELS BLOCK®



DESERT SAND



LIMESTONE



MAHOGANY



MIDNIGHT CHARCOAL

Midnight Charcoal is
only available in
XL & Standard Stone



SANDSTONE



SIERRA



XL STONE
8¼" x 13¾" x 2¾"
20.8cm x 34.8cm
x 7cm



STANDARD STONE
6⅞" x 8¼" x 2¾"
17.3cm x 20.8cm
x 7cm



HALF STONE
4¼" x 6⅞" x 2¾"
10.4cm x 17.3cm
x 7cm



Stones & Bundling	Unit Thickness	SqFt Per			Stone	Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section		Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
Half	2¾" (7cm)	95.94		15.99	0.198	-	6	0.580	27.6	165.3	0.347	-	276.6	5.05	81	485		512	3,073
Standard	2¾" (7cm)	94.94		18.98	0.395	-	5	0.693	27.4	137.1	0.579	-	163.8	2.53	48	240		608	3,041
XL	2¾" (7cm)	95.94		31.98	0.797	-	3	1.168	27.4	82.1	0.698	-	137.4	1.25	40	120		1,024	3,073

Notes: All measurements are nominal.

Internal Use Only. BBK ON

CAMELOT™



SIERRA **NEW FOR 2018**



COFFEE CREEK



RIVER



LARGE RECTANGLE
6" x 9" x 2⅝"
15cm x 22.5cm x 6cm



SQUARE
6" x 6" x 2⅝"
15cm x 15cm x 6cm



Stones & Bundling	Unit Thickness	SqFt Per			Stone	Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section		Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Rectangle	2⅝" (6cm)	98.91	-	-	0.412	8	-	0.837	23.6	118.1	0.558	-	177.2	2.43	-	240	-	-	2,673
Square	2⅝" (6cm)	91.10	-	-	0.271	8	-	0.551	23.6	165.4	0.551	-	165.4	3.69	-	336	-	-	2,454
Rectangle *	3⅞" (8cm)	74.40	-	-	0.402	-	-	0.816	-	91.2	0.544	-	136.8	2.49	-	185	-	-	2,610
Square *	3⅞" (8cm)	81.20	-	-	0.276	-	-	0.561	-	144.7	0.561	-	144.7	3.62	-	294	-	-	2,730

Notes: Sold in full bundles only. Product is shipped on refundable skids. *3⅞" (8cm) thick units available by special order only. 8cm only in Classic.
Minimum quantities apply. All measurements are nominal.

Internal Use Only. CAM OH



BURGUNDY RED



BURNT CLAY



OLD OAK

BURGUNDY RED/
BURNT CLAY/OLD OAK

Sold Separately/Blended on Site



BASALT

STEEL BLUE
NEW FOR 2018

STANDARD

2½" x 7⅞" x 2⅜"

6.5cm x 20cm x 6cm



TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
2.5" x 8"	2⅝" (6cm)	89.20			0.149	-	-	0.697	-	127.9	0.227	-	393.7	6.73	-	600		-	2,349

Notes: Sold in full bundles only on a refundable skid. All measurements are nominal. **Important:** A urethane rubber paver mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 43. Contact Unilock for information.

Internal Use Only. COP ON



BASALT





BELGIAN BLUE



DAWN MIST



PEBBLE TAUPE

BASALT/
BELGIAN BLUE
Sold Separately/
Blended on SiteDAWN MIST/
PEBBLE TAUPE
Sold Separately/
Blended on Site

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

XL RECTANGLE
5½" x 8⅝" x 2⅝"
13cm x 21.5cm x 6cmLARGE RECTANGLE
5⅞" x 7¼" x 2⅝"
13cm x 18.5cm x 6cmRECTANGLE
5⅞" x 6½" x 2⅝"
13cm x 16.5cm x 6cmSMALL RECTANGLE
5⅞" x 5¾" x 2⅝"
13cm x 14.5cm x 6cmSQUARE
5⅞" x 5⅞" x 2⅝"
13cm x 13cm x 6cm

Individual units cannot
be sold separately
Random Bundle

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Pickering Manufacturing																			
Random Bundle		98.30				-	-	0.600	-	163.8	0.444	-	221.5	3.91	-	384	-	-	2,326
XL Rectangle	2⅝" (6cm)	-	-	-	0.301	-	-	0.705		54.6	0.427		90.3	3.32		128	-	-	-
Large Rectangle	2⅝" (6cm)	-	-	-	0.259	-	-	0.607		27.3	0.427		38.8	3.86		64	-	-	-
Rectangle	2⅝" (6cm)	-	-	-	0.231	-	-	0.541		27.3	0.427		34.6	4.33		64	-	-	-
Small Rectangle	2⅝" (6cm)	-	-	-	0.203	-	-	0.476		27.3	0.427		30.4	4.93		64	-	-	-
Square	2⅝" (6cm)	-	-	-	0.182	-	-	0.427		27.3	0.427		27.3	5.50		64	-	-	-

Notes: Sold in full bundles only on a refundable skid. All measurements are nominal. **Important:** A urethane rubber paver mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 43. Contact Unilock for information.

Internal Use Only. CRT ON

DURA-MAT™

NATURAL
SPECIAL ORDERSTANDARD
19¾" x 19¾" x 4"
50cm x 50cm x 10cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Gormley Manufacturing																			
Standard	4" (10cm)	78.40			2.8	-	-	-	-		-	-	-	0.36	-	28	-	-	2,242

Notes: **Sold in full bundles only** and is shipped on a refundable skid. All measurements are nominal.

Internal Use Only. DMT ON



NATURAL



RIVER



STANDARD
10³/₄" x 10³/₄" x 3¹/₈"
26cm x 26cm x 8cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	3 ¹ / ₈ " (8cm)	73.90	9.24		0.503	8	-	-	-	-	-	-	-	1.99	-	147	320	-	2,564


Notes: Most standard colors are available but are special order only and subject to minimum quantities. Contact your representative for details. This product is optimized for mechanical installation. Product is available in full bundles only and is shipped on skids. All measurements are nominal. Contact Unilock for information.

Internal Use Only. EOP OH

ECO-PRIORA™ STANDARD




RIVER



LARGE SQUARE
10" x 10" x 3¹/₈"
24cm x 24cm x 8cm
SPECIAL ORDER



RECTANGLE
5" x 10" x 3¹/₈"
12cm x 24cm x 8cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Rectangle **	3 ¹ / ₈ " (8cm)	74.59			0.304	-	-	0.773	-	96.5	0.387	-	192.9	3.29	-	245		-	2,669
Large Square	3 ¹ / ₈ " (8cm)	86.6			0.618					110			-	1.61		140			3,098

Notes: River is available in 5x10 as a stock item. ** 5x10 bundles also contain 56 5x5 units (*217 5x10) for your convenience. Sold in full bundles only and is shipped on skids. Eco-Priora can be manufactured in a variety of custom colors and textures. Minimum quantities may apply. Specially graded aggregates must be used for the joints. Contact Unilock for information. All measurements are nominal.


Internal Use Only. EPA OH




HERITAGE BROWN



SANTA FE



LARGE SQUARE
10" x 10" x 3 1/8"
24cm x 24cm x 8cm



RECTANGLE
5" x 10" x 3 1/8"
12cm x 24cm x 8cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Pickering Manufacturing																			
Large Square	3 1/8" (8cm)	65.10	9.30	-	0.620	7	-	0.787	-	82.7	-	-	-	1.61	-	105	333	-	2,329
Rectangle	3 1/8" (8cm)	74.59	10.66	-	0.304	7	-	0.773	-	96.5	-	-	-	3.29	-	245	381	-	2,669

Notes: Sold in full bundles only on a refundable skid. Eco-Priora is available in Series™ and Umbriano® finishes. Minimum quantities apply on custom orders. Contact Unilock for details. All measurements are nominal. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Specially designed aggregates must be used for the joints. [Read the Polymeric Sand advisory on page 43.](#) Contact Unilock for information.

Internal Use Only. EPA ON

HOLLANDSTONE™/ DOUBLE HOLLAND®



DARK CHARCOAL**



GRANITE**



NATURAL**



RUSTIC RED



SIERRA




TERRA COTTA**



HOLLANDSTONE
4" x 8" x 2 3/8"
10cm x 20cm x 6cm

Double Holland
is
SPECIAL ORDER
only.



DOUBLE HOLLAND
8" x 8" x 2 3/8"
20cm x 20cm x 6cm




Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
Hollandstone	2 3/8" (6cm)	109.26		21.85	0.219	-	5	0.666	32.8	164.0	0.333	-	328.1	4.58	100	500		600	2,999
	3 1/8" (8cm)	87.41		17.48	0.219	-	5	0.666	26.2	131.2	0.333	-	262.5	4.58	80	400		640	3,199
Double Holland	2 3/8" (6cm)	108.72		21.74	0.435	-	5	0.663	32.8	164.0	0.663	-	164.0	2.30	50	250		597	2,984
	3 1/8" (8cm)	86.98		17.40	0.435	-	5	0.663	26.2	131.2	0.663	-	131.2	2.30	40	200		637	3,183

Notes: Hollandstone is available in all listed colors. Double Holland is available in marked colors (**) - SPECIAL ORDER only. Hollandstone and Double Holland are dimensionally compatible. All measurements are nominal. *8cm product is special order. Call ahead for available quantities.

Internal Use Only. HOL ON



HERITAGE BROWN
AVAILABLE ONLY
IN 6" X 8" (7CM)



DARK CHARCOAL
AVAILABLE ONLY IN 6"
X 8" (7CM) AND
4" X 8" (7CM & 8CM)



6" x 8" x 2 3/4"
15cm x 20cm x 7cm
ALSO AVAILABLE IN
DARK CHARCOAL

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Pickering Manufacturing																			
6"X8"	2 3/4" (7cm)	93.04			0.323	-	-	0.656	-	141.7	0.492	-	189.0	3.10	-	288		-	3,140

Notes: * Dark Charcoal is only available in 6" x 8" and 4" x 8". **Il Campo is sold in full bundles only.** Can be mechanically installed. All measurements are nominal.
Important: Sold on a refundable skid. **Important:** A urethane rubber mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 43.
Contact Unilock for information.

Internal Use Only. ILC ON

MATTONI

NEW FOR 2018

ENDURACOLOR™




COCOA BROWN



DARK CHARCOAL



SABLE BLEND



STANDARD
2 1/4 x 9 1/2 x 2 3/4"
6 x 24 x 7cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Marengo Manufacturing																			
Standard	2 3/4" (7cm)	89.28	11.16	-	0.155	8	-	-	-	108	-	-	-	6.45	-	576	357	-	2,859

Notes: **Sold in full bundles only and produced and sold on a required, refundable skid.** **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. MAT CH

NATURAL STONE

SANDSTONE




STONE CLIFF GREY





INDIAN COAST

LIMESTONE



BLACK RIVER



24" x 36" x 7/8"
600 x 900 x 22mm



Natural Edge Coping
12" x 48" x 2"
30cm x 120cm x 5cm
Available in all 3 colors

Stones & Bundling	Unit Thickness	SqFt Per		LnFt Per		Units Per		Lbs Per	
		Crate	Stone	Unit	Crate	SqFt	Crate	Unit	Crate
24" x 36"	.87" (2.2cm)	180	6			0.17	30	71.63	2,149
Random Pack		174	2-6				48	22.4 - 71.6	2,265
12" x 24"	.87" (2.2cm)	22.6	2			0.5	12		
18" x 24"	.87" (2.2cm)	34.7	3			0.3	12		
24" x 24"	.87" (2.2cm)	46.5	4			0.25	12		
24" x 36"	.87" (2.2cm)	70.2	6			0.17	12		
12" x 48" Coping	2" (5cm)			4	80		20	105.8	2,116

Notes: **Product is sold in full crates only.** **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.

OPTILOC®



NATURAL



STANDARD

10¼" x 10¼" x 3⅝"
26cm x 26cm x 8cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Gormley Manufacturing																			
Standard	3⅝" (8cm)	93.14			0.739	-	-	-	-		-	-	-	1.35	-	126		-	3,409

Notes: This product is optimized for mechanical installation. Sold in full bundles only on a refundable skid. 126 units per bundle is made up of 119 whole units, 7½ units and 7⅓ units. Minimum quantities may apply. All measurements are nominal.

Internal Use Only. OPT ON

PROMENADE® PLANK PAVER


ENDURACOLOR™



OPAL BLEND
SPECIAL ORDER



STEEL GREY BLEND
SPECIAL ORDER



GRANITE BLEND
IL CAMPO® FINISH
SPECIAL ORDER



BLACK GRANITE
SERIES™ FINISH
SPECIAL ORDER



4" x 12" x 4"
(10cm x 30cm x 10cm)
SPECIAL ORDER



4" x 16" x 4"
(10cm x 40cm x 10cm)
SPECIAL ORDER



8" x 24" x 4"
(20cm x 60cm x 10cm)
SPECIAL ORDER



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Series Finish - Georgetown Manufacturing/All other colors/finishes - Pickering Manufacturing																			
4" x 12"	4" (10cm)	58.13			0.363	-	-	-	-		-	-	-	2.75	-	160		-	2,659
4" x 16"	4" (10cm)	51.67			0.431	-	-	-	-		-	-	-	2.32	-	120		-	2,440
8" x 24"	4" (10cm)	51.67			1.292	-	-	-	-		-	-	-	0.77	-	40		-	2,391

Notes: Sold in full bundles only on a refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 43. See your Unilock Sales Representative for choices of colors and finishes to complement your design requirements. All measurements are nominal.

Internal Use Only. PMD ON


PORCELAIN



DAVINCI DRIFTWOOD
While quantities last



EPOKAL BEIGE SCURO



EPOKAL GREY
While quantities last



GOTHAM GREY




TRAVSTONE BEIGE



DAVINCI BIRCH
While quantities last



EPOKAL BEIGE



16" x 32" x 3/4"
60cm x 60cm x 2cm



24" x 24" x 3/4"
60cm x 60cm x 2cm

Stones & Bundling	Unit	SqFt Per			Boxes	Units Per		Lbs Per		
	Thickness	Unit	Box	Crate	/Crate	Box	Crate	SqFt	Box	Crate
STOCK:										
DaVinci Driftwood (60 x 60cm) 24" x 24	.75" (2cm)	3.875	7.75	248	32	2	64	9.04	70.1	2,293
Epokal Beige Scuro (40 x 80cm) 16" x 32	.75" (2cm)	3.445	6.89	165.36	24	2	48	9.04	62.3	1,541
Epokal Grey (40 x 80cm) 16" x 32	.75" (2cm)	3.445	6.89	165.36	24	2	48	9.04	62.3	1,541
Gotham Grey (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	-	255.76	-	-	66	9.23	-	2,360
Travestone Beige (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	-	255.76	-	-	66	9.23	-	2,360
Graustein (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	7.75	232.5	30	2	60	9	72.6	2,178
Golden Stone (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	7.75	232.5	30	2	60	9	72.6	2,178

Notes: **Product is sold in full crates only. For pedestal applications, please contact your Unilock Territory Manager.** Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.



DAWN MIST



PEBBLE TAUPE



DAWN MIST/PEBBLE
TAUPE
Sold Separately/
Blended on Site



SMOKE SHALE
NEW FOR 2018



LARGE RECTANGLE
12" x 9" x 2 3/8"
30cm x 22.6cm x 6cm



SQUARE
9" x 9" x 2 3/8"
22.6cm x 22.6cm x 6cm



SMALL RECTANGLE
6" x 9" x 2 3/8"
15cm x 22.6cm x 6cm

Random Bundle
Individual units cannot
be sold separately



LARGE RECTANGLE
21 x 12 x 2 3/8"
52.8 x 30.2 x 6cm
SOLD SEPARATELY
NEW FOR 2018

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
Random Bundle		90.30				-	-	-	-	-	-	-	-	1.77	-	160	-	-	2,472
Large Rectangle	2 3/8" (6cm)	-	-	-	0.730	-	-	-	-	-	-	-	-	1.37	-	64	-	-	-
Small Rectangle	2 3/8" (6cm)	-	-	-	0.365	-	-	-	-	-	-	-	-	2.74	-	64	-	-	-
Square	2 3/8" (6cm)	-	-	-	0.550	-	-	-	-	-	-	-	-	1.82	-	32	-	-	-
Large Rectangle	2 3/8" (6cm)	82.38	-	-	1.716	-	-	-	-	-	-	-	-	-	-	48	-	-	2410

Notes: Sold as full bundles only on a refundable skid. All measurements are nominal. **Important:** A urethane rubber paver mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 43. Contact Unilock for information.


Internal Use Only. RIC ON

RIVENSTONE™

STONEMARK™



BLUESTONE
SPECIAL ORDER




CANYON
SPECIAL ORDER


TECHNICAL ADVANTAGE

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



24 x 24 x 1 3/4"
60 x 60 x 4.5cm
SPECIAL ORDER



18 x 24 x 1 3/4"
45 x 60 x 4.5cm
SPECIAL ORDER



12 x 24 x 1 3/4"
30 x 60 x 4.5cm
SPECIAL ORDER



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
24"x24"	1 3/4" (4.5cm)	72.00	-	-	4.000	-	-	-	-	-	-	-	-	0.25	-	18	-	-	1,353
18"x24"	1 3/4" (4.5cm)	54.00	-	-	3.000	-	-	-	-	-	-	-	-	0.33	-	18	-	-	1,038
12"x24"	1 3/4" (4.5cm)	36.00	-	-	2.000	-	-	-	-	-	-	-	-	0.50	-	18	-	-	700

Notes: Rivenstone is produced and sold on a specially designed refundable wetcast skid. Sold in full pallets only. All measurements are nominal. **Important:** Do not use a vibratory plate compactor for the final surface compaction. Product is not intended for vehicular applications. Contact Unilock for information.

Internal Use Only. RIV CH



BLACK GRANITE



4" x 8" x 2 3/4" & 3 1/8"
10cm x 20cm x 7cm & 8cm




Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Georgetown Manufacturing																			
4"X8"	2 3/4" (7cm)	94.60		15.77	0.219	-	6	0.667	23.6	141.7	0.334	-	283.5	4.57	72	432		503	3,019

Notes: Custom colors and finishes available. Minimum quantities apply. See terms and conditions of sale. All measurements are nominal.

Important: A urethane rubber paver mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 43. Contact Unilock for information.


Internal Use Only. S3K ON



CASTANO



CREMA



NUVOLA

TECHNICAL ADVANTAGE

EasyClean™ Stain Resistance - CF 90

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



LARGE SQUARE
16" x 16" x 2 3/4"
41.6cm x 41.6cm x 7cm
While quantities last



RECTANGLE
8" x 16" x 2 3/4"
20.8cm x 41.6cm x 7cm



SQUARE
8" x 8" x 2 3/4"
20.8cm x 20.8cm x 7cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Georgetown Manufacturing																			
16"x16"	2 3/4" (7cm)	82.67	10.33		1.722	8	-	-	-		-	-	-	0.58	-	48	331	-	2,647
8"x16"	2 3/4" (7cm)	82.67	10.33		0.861	8	-	-	-		-	-	-	1.16	-	96	331	-	2,647
8"x8"	2 3/4" (7cm)	82.67	10.33		0.431	8	-	-	-		-	-	-	2.32	-	192	331	-	2,647

Notes: Product sold at factory in full bundle quantities. Product is shipped on refundable skids. Colors shown should be used only as a guide. All

measurements are nominal. **Important:** A urethane rubber paver mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 43.

Internal Use Only. SZO ON




BAVARIAN



SIERRA



LARGE RECTANGLE
13¾" x 16½" x 2¾"
35cm x 42cm x 7cm



MEDIUM RECTANGLE
13¾" x 8¼" x 2¾"
35cm x 21cm x 7cm



SMALL RECTANGLE
6⅞" x 8¼" x 2¾"
17.3cm x 21cm x 7cm

Random Bundle
Individual units cannot
be sold separately



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle		88.61				-	-	-	-	-	-	-	-	1.08	-	96		-	2,638
Large Rectangle	2¾" (7cm)	-	-	-	1.582	-	-	-	-	-	-	-	-	0.63	-	32	-	-	-
Medium Rectangle	2¾" (7cm)	-	-	-	0.791	-	-	-	-	-	-	-	-	1.26	-	32	-	-	-
Small Rectangle	2¾" (7cm)	-	-	-	0.391	-	-	-	-	-	-	-	-	2.56	-	32	-	-	-

Notes: Sold in full bundles only on a refundable skid. Contact Unilock for information. All measurements are nominal.

Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.

Internal Use Only. THB OH



BURGUNDY RED



BURNT CLAY



OLD OAK



3 COLOR BLEND
Blended on Site



BASALT



HERITAGE RED



HERITAGE CLAY



HERITAGE 2 COLOR
BLEND
Blended on Site



STANDARD
4" x 9¾" x 2¾"
10cm x 25cm x 7cm

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
Standard	2¾" (7cm)	88.41			0.276	-	-	0.842	-	105.0	0.337	-	262.5	3.62	-	320		-	2,888

Notes: Sold in full bundles only on a refundable skid. All measurements are nominal. **Important:** A urethane rubber paver mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 43. Contact Unilock for information.

Internal Use Only. TWH OH

TRIBECA COBBLE

ENDURACOLOR[®]
PLUS ARCHITECTURAL FINISHES



CRYSTALLINE BASALT



PEPPERED GRANITE



LARGE RECTANGLE
5½" x 12" x 2¾"
(13cm x 30.5cm x 7cm)



RECTANGLE
5½" x 9" x 2¾"
(13cm x 23cm x 7cm)



SMALL RECTANGLE
5½" x 7" x 2¾"
(13cm x 17.5cm x 7cm)

Random Bundle
Individual units cannot
be sold separately

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
New York Manufacturing																			
Random Bundle		97.53	12.19			8	-	-	-	129.7	-	-	-	-	-	304	398	-	3,186
Large Rectangle	2¾" (7cm)	-	-	-	0.427	-	-	1.001		37.5	-	-	-	2.34		88	-	-	-
Rectangle	2¾" (7cm)	-	-	-	0.322	-	-	0.755		37.5	-	-	-	3.11		88	-	-	-
Small Rectangle	2¾" (7cm)	-	-	-	0.245	-	-	0.574		54.6	-	-	-	4.08		128	-	-	-

Notes: **Sold in full bundles only.** All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. **Read the Polymeric Sand advisory on page 43.** Contact Unilock for information.

Internal Use Only. TRC NY

TURFSTONE[™]



NATURAL
SPECIAL ORDER



STANDARD
16" x 24" x 3⅞"
40cm x 60cm x 8cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Gormley Manufacturing																			
16"X24"	3⅞" (8cm)	80.00			2.500	-	-	-	-		-	-	-	0.40	-	32		-	1,998
16"X24"	3⅞" (8cm)	60.00			2.500	-	-	-	-		-	-	-	0.40	-	24		-	1,499

Notes: Not a stock item. Lead time required. Sold in full bundles only on a refundable skid. All measurements are nominal. Contact your territory manager for lead time.

Internal Use Only. TFS ON

UNIGRANITE[®]



DARK CHARCOAL




SMALL SQUARE
4" x 4" x 2¾"
10cm x 10cm x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Gormley Manufacturing																			
Small Square	2¾" (7cm)	110.70		13.84	0.110	-	8	0.335	41.3	330.7	0.335	-	330.7	9.11	126	1,008		443	3,545

Notes: *After splitting. Dimensions may vary up to ¼" due to the unique manufacturing method. Instead of a split finish, Unigranite can be cut and sealed to provide a Terrazzo-like finish. **Read the Polymeric Sand advisory on page 43.** All measurements are nominal.

Internal Use Only. UGT ON



FRENCH GREY
NEW FOR 2018



HARVEST BROWN
NEW FOR 2018



MIDNIGHT SKY



SUMMER WHEAT



WINTER MARVEL



24" x 24" x 2 3/4"
60cm x 60cm x 7cm



12" x 24" x 2 3/4"
30cm x 60cm x 7cm



SMALL RECTANGLE
7" x 14" x 2 3/8"
17.5cm x 35cm x 8cm



8" x 16" x 2 3/4"
20cm x 40cm x 7cm



8" x 8" x 2 3/4"
20cm x 20cm x 7cm



16" x 16" x 2 3/4"
40cm x 40cm x 7cm

While quantities last



LARGE RECTANGLE
21" x 14" x 2 3/8" & 3 1/8"
52.5cm x 35cm
x 6cm & 8cm



SQUARE
14" x 14" x 2 3/8" & 3 1/8"
35cm x 35cm
x 6cm & 8cm



SMALL RECTANGLE
7" x 14" x 2 3/8"
17.5cm x 35cm
x 6cm & 8cm

Random Bundle
Individual units cannot
be sold separately

TECHNICAL ADVANTAGES

EasyClean™ Stain Resistance - CF 90

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

ColorFusion™ Technology

A proprietary technology that disperses color randomly for a natural, granite-like appearance.

	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Georgetown Manufacturing																			
24" x 24"	2¾" (7cm)	62.00	7.75		3.875	8	-	1.969	-	31.5	1.969	-	31.5	0.26	-	16	258	-	2,062
12" x 24"	2¾" (7cm)	93.00	11.63		1.938	8	-	1.969	-	47.2	0.984	-	94.5	0.52	-	48	393	-	3,142
16 x 16"	While quantities last	2¾" (7cm)	82.67	10.33	1.722	8	-	1.312	-	63.0	1.312	-	63.0	0.58	-	48	350	-	2,797
8" x 16"		2¾" (7cm)	82.67	10.33	0.861	8	-	1.312	-	63.0	0.656	-	126.0	1.16	-	96	343	-	2,746
8" x 8"		2¾" (7cm)	82.67	10.33	0.431	8	-	0.656	-	126.0	0.656	-	126.0	2.32	-	192	331	-	2,647
7"x14"		3½" (8cm)	73.24	10.46	0.698	7	-	1.181	-	62.0	0.591	-	124.0	1.43	-	105	383	-	2,680
Random Bundle 6cm		94.20	10.47		1.308	9	-	1.364	-	69.1	0.985	-	95.7	0.76	-	72	287	-	2,584
Large Rectangle	2⅝" (6cm)	-	-	-	2.093	-	-	1.768		21.3	1.181		31.9	0.48		18	-	-	-
Square	2⅝" (6cm)	-	-	-	1.395	-	-	1.181		15.9	1.181		31.9	0.72		27	-	-	-
Small Rectangle	2⅝" (6cm)	-	-	-	0.698	-	-	1.179		31.8	0.591		31.9	1.43		27	-	-	-
Random Bundle 8cm		73.24	10.46			7	-	1.364	-	53.7	0.985	-	74.4	0.77	-	56	383	-	2,680
Large Rectangle	3⅛" (8cm)	-	-	-	2.089	-	-	1.768		16.5	1.181		24.8	0.48		14	-	-	-
Square	3⅛" (8cm)	-	-	-	1.395	-	-	1.179		24.8	1.181		24.8	0.72		21	-	-	-
Small Rectangle	3⅛" (8cm)	-	-	-	0.698	-	-	1.181		12.4	0.591		24.8	1.43		21	-	-	-

Notes: 24" x 24" and 12" x 24" product are not intended for vehicular applications. All measurements are nominal. Product is not sectionable. Sold on a refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 43.** Contact Unilock for information.

Internal Use Only. UMB ON

WINDERMERE™



CLIFFSIDE GREY



IRISH COAST






MAHOGANY



SANDY BEACH



			Random Bundle Individual units cannot be sold separately
LARGE RECTANGLE 21" x 14" x 2 3/4" 54cm x 36cm x 7cm	SQUARE 14" x 14" x 2 3/4" 36cm x 36cm x 7cm	SMALL RECTANGLE 7" x 14" x 2 3/4" 18cm x 36cm x 7cm	

	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
Random Bundle		96.90				-	-	-	-	-	-	-	-	0.74	-	72		-	3,103
Large Rectangle	2¾" (7cm)	-	-	-	2.093	-	-	-		-	-		-	0.48		24	-	-	-
Small Rectangle	2¾" (7cm)	-	-	-	0.698	-	-	-		-	-		-	1.43		24	-	-	-
Square	2¾" (7cm)	-	-	-	1.395	-	-	-		-	-		-	0.72		24	-	-	-

Notes: Product sold in full bundles only on a refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal.

Internal Use Only. WDM ON

YORKSTONE™

STONEMARK




IRON RIVER
SPECIAL ORDER

TECHNICAL ADVANTAGE

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



24" x 24" x 1 3/4"
60cm x 60cm x 4.5cm
SPECIAL ORDER



18" x 24" x 1 3/4"
45cm x 60cm x 4.5cm
SPECIAL ORDER



12" x 24" x 1 3/4"
30cm x 60cm x 4.5cm
SPECIAL ORDER



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
24" x 24"	1 3/4" (4.5cm)	72.00			4.000	-	-	2.032	-	35.4	2.032	-	35.4	0.25	-	18	-	-	1,353
18" x 24"	1 3/4" (4.5cm)	54.00			3.000	-	-	2.032	-	26.6	1.524	-	35.4	0.33	-	18	-	-	1,038
12" x 24"	1 3/4" (4.5cm)	36.00			2.000	-	-	2.032	-	17.7	1.016	-	35.4	0.50	-	18	-	-	700

Notes: Yorkstone is produced and sold on a specially designed refundable Premium wetcast skid. Sold in full bundles only. Do not use a vibratory plate compactor for the final surface compaction. All measurements are nominal. **Product is not intended for vehicular applications.**

Internal Use Only. YST CH

BRUSSELS DIMENSIONAL STONE®



DESERT SAND



LIMESTONE



MAHOGANY ASH



MIDNIGHT CHARCOAL



SANDSTONE




SIERRA



STANDARD
4" x 8" x 12"
10cm x 20cm x 30cm




UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Ayr Manufacturing										
Wall/Corner			96.00	1.000	96			4	30	2,881
Universal Base Unit	-	-	95	1.58	60	-	-	-	46.93	2,816

Notes: Product is installed using Unilock Concrete Adhesive to secure corners and all rows. Maximum height is 24" including the unit in the ground (under optimum conditions). All measurements are nominal. *Based on 12" deep wall coverage = 21.4 sqft per bundle. Based on an 8" deep wall coverage = 32 sqft per bundle. Brussels Dimensional Stone XL, Brussels Fullnose™ or Ledgestone™ complement as a possible coping unit.

Internal Use Only. BDS ON



Cross sections are examples and must not be used for construction.



All joints must be adhered with Unilock Concrete Adhesive. Base preparation may vary according to soil and climate conditions. Cross sections are examples, and must not be used for construction.



NATURAL
SPECIAL ORDER



STANDARD
72" x 12" x 24"
183cm x 30cm
x 60cm



COPING
72" x 12" x 24"
183cm x 30cm
x 60cm



CLOSED-END COPING
72" x 12" x 24"
183cm x 30cm
x 60cm



TIE-BACK
72" x 12" x 24"
183cm x 30cm
x 60cm



1/2 STANDARD
36" x 12" x 24"
91.5cm x 30cm
x 60cm



1/2 COPING
36" x 12" x 24"
91.5cm x 30cm
x 60cm



CORNER 90°
60" x 12" x 24"
152cm x 30cm
x 60cm
(RIGHT CORNER
SHOWN)



CORNER 45°
60" x 12" x 24"
152cm x 30cm
x 60cm
(RIGHT CORNER
SHOWN)




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Gormley Manufacturing										
Half Coping		3.003	-	3.000		0.33			780	
Corner 45° Right		7.042	-	-		0.14			1,480	
Corner 90° Right		7.042	-	-		0.14			1,320	
Coping 72"		6.024	-	6.024		0.17			1,560	
Wall Half		3.003	-	3.000		0.33			800	
Wall Standard		6.024	-	6.024		0.17			1,680	
Wall Tieback		5.988	-	6.000		0.17			1,660	

Notes: *Closed-end coping units are available and are closed on both ends so that they may be used as left or right. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 55-foot radius. Please note that 1/2 Coping units are not tapered. Refer to terms and conditions for placement rates. All measurements are nominal.


Automatic setback is 1½" per row. Vertical walls may also be constructed.

Engineering services are available; please contact your local Unilock representative to confirm charges and policies as they are currently under review. Retaining wall engineering software is also available free of charge at www.unilock.com.

Internal Use Only. DH1 ON



Cross sections are examples, and must not be used for construction.



Cross sections are examples, and must not be used for construction.

DURAHOLD2®



NATURAL
SPECIAL ORDER



STANDARD
72" x 12" x 14"
183cm x 30cm x 36cm



COPING
72" x 12" x 14"
183cm x 30cm x 36cm



CLOSED END-COPING
72" x 12" x 14"
183cm x 30cm x 36cm



TIE-BACK
72" x 12" x 14"
183cm x 30cm x 36cm




CORNER 90°
36" x 12" x 14"
90cm x 30cm x 36cm
(RIGHT CORNER SHOWN)




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Gormley Manufacturing										
Standard	24.10	6.024	24.10	6.024	4	0.17			938	3,752
Coping 72"	24.10	6.024	24.10	6.024	4	0.17			884	3,536
Coping Closed End 72"	24.10	6.024	24.10	6.024	4	0.17			884	3,536
Tie-back	4.68	1.170	-	-	4	0.86			938	3,752
Corner 90° Right	16.67	4.167	-	-	4	0.24			460	1,840

Notes: *Closed-end coping units are available and are closed on both ends so that they may be used as left or right. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 55-foot radius. Please note that 1/2 Coping units are not tapered. Refer to terms and conditions for placement rates. All measurements are nominal.
Automatic setback is 1½" per row.
Engineering services are available; please contact your local Unilock representative to confirm charges and policies as they are currently under review.
Retaining wall engineering software is also available free of charge at www.unilock.com.

Internal Use Only. DH2 ON



Cross sections are examples, and must not be used for construction.



Cross sections are examples, and must not be used for construction.

ESTATE WALL®



RIVER



SIERRA



WALNUT



LARGE WEDGE
14.75" x 6" x 9"
37.5cm x 15cm x 22.8cm



MEDIUM WEDGE
12" x 6" x 9"
30cm x 15cm x 22.8cm



SMALL WEDGE
9" x 6" x 9"
22.8cm x 15cm x 22.8cm

6" Random Bundle
Individual units cannot
be sold separately



LARGE WEDGE
14.75" x 3" x 9"
37.5cm x 7.5cm x 22.8cm



MEDIUM WEDGE
12" x 3" x 9"
30cm x 7.5cm x 22.8cm



SMALL WEDGE
9" x 3" x 9"
22.8cm x 7.5cm x 22.8cm

3" Random Bundle
Individual units cannot
be sold separately




6" CORNER
12.5" x 6" x 9"
31.7cm x 15cm x 22.8cm



3" CORNER
12.5" x 3" x 9"
31.7cm x 7.5cm x 22.8cm



COPING
12" x 3" x 12"
30cm x 7.5cm x 30cm
(Split, not tumbled)



LEDGESTONE COPING
24" x 12" x 3"
30.5cm x 61cm X 7.5cm





UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm

We recommend Unilock's Ledgestone™ (page 35), Brussels Fullnose™ (page 34) or Brussels Double Fullnose™ (page 34) as capping options for this product.

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Ledgestone Coping 24"	-	-	24.00	2.000	12	-	-	-	64	772
Universal Base Unit	-	-	95	1.58	60	-	-	-	46.93	2,816
Coping	18.75	0.26	62.64	0.870	72	3.84	-	-	33	2,410
Corner Unit 3"	28.22	0.44	-	-	64	2.27	-	-	33	2,110
Corner Unit 6"	28.22	0.88	-	-	32	1.13	-	-	56	1,776
Std 6"	24.00	-	42.56	-	48	-	-	-	48	2,297
Large Wedge	-	0.61	-	-	-	1.65	-	-	-	-
Medium Wedge	-	0.48	-	-	-	2.06	-	-	-	-
Small Wedge	-	0.37	-	-	-	2.72	-	-	-	-
Wall Multi Unit 3"	24.00	-	85.12	-	96	-	-	-	25	2,408
Large Wedge	-	0.30	-	-	-	3.30	-	-	-	-
Medium Wedge	-	0.24	-	-	-	4.13	-	-	-	-
Small Wedge	-	0.18	-	-	-	5.43	-	-	-	-

Notes: Maximum height for vertical installation - 21" including the stone in the ground (under optimum conditions). Inside radius 45" / outside radius 54". Approximately 16 units of each size are in the 6" bundle and 32 units of each size in the 3" bundle. Wall bundle has approximately 5 end units in each bundle. Ledgestone, Brussels XL, Brussels Fullnose, Brussels Double Fullnose or Stonehenge 12x12 complement as a possible coping. All measurements are nominal.

Internal Use Only. EWL OH



For setback application - Place device perpendicular to channel with round section facing the back of the unit



For vertical application - Place device parallel to channel



LINEO™ DIMENSIONAL STONE



GRANITE BLEND




MIDNIGHT CHARCOAL







SANDSTONE



SIERRA



				Individual units cannot be sold separately	Random Bundle
XL RECTANGLE 24" x 4" x 8" 60cm x 10cm x 20cm	LARGE RECTANGLE 20" x 4" x 8" 50cm x 10cm x 20cm	RECTANGLE 16" x 4" x 8" 40cm x 10cm x 20cm	SMALL RECTANGLE 12" x 4" x 8" 30cm x 10cm x 20cm		



PILLAR UNIT
16" X 4" X 8"
40CM X 10CM X 20CM



PILLAR CAP
29" X 29" X 4"
74CM X 74CM X 10CM



UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Gormley Manufacturing										
Random Wall Bundle:	29.06		88.56		63				43	2,737
Large Rectangle	6.46	0.538	19.68	1.640	12	1.86				
Rectangle	9.04	0.431	27.55	1.312	21	2.32				
Small Rectangle	5.81	0.323	17.71	0.984	18	3.10				
XL Rectangle	7.75	0.646	23.62	1.968	12	1.55				
Pillar Unit	39.79	0.663	79.20	1.320	60	1.51			41	2,435
Pillar Cap										
Universal Base Unit	-	-	95	1.58	60	-	-	-	46.93	2,816

Notes: Product sold in full bundles on a refundable skid. All measurements are nominal. Spacing strips are shipped with random wall bundles to create even spacing between units. Ask your Unilock representative for installation tips.

Internal Use Only. LDS MI



GRANITE



RIVER



SANDSTONE
NOW AVAILABLE IN XL



SIERRA



12" COPING
12" x 3" x 12"
30cm x 7.5cm x 30cm



UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm



STANDARD
8" x 6" x 12"
20cm x 15cm x 30cm




TAPERED
8" x 6" x 12"
20cm x 15cm x 30cm



XL TAPERED
16" x 6" x 12"
40cm x 15cm x 30cm



CORNER
12" x 6" x 8"
30cm x 15cm x 20cm




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Corner Unit	15.00	0.833	-	-	18	1.20	-	3	52.41	943
Wall Standard	20.00	0.333	40.00	0.667	60	3.00	-	2	42.83	2,570
Wall Xtra Tapered	20.00	0.333	40.00	0.667	60	3.00	-	2	38.42	2,305
Wall XL	21.33	0.667	42.67	1.333	32	1.50	-	-	77.09	2,467
Universal Base Unit	-	-	95	1.58	60	-	-	-	46.93	2,816
12" Coping	21.00	0.250	84.00	1.000	84	4.00	-	2	32.31	2,714


Notes: Maximum height – 48" (under optimum conditions). Higher walls can be achieved using geogrid reinforcement. Tapered units will allow for a minimum 5ft. outside radius. XL Tapered units allow for an 8ft. outside radius. **12" Coping bundle has 7 double units of Closed-End coping. All measurements are nominal.

Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.

Internal Use Only. PS2 OH



Cross sections are examples, and must not be used for construction.



Cross sections are examples, and must not be used for construction.

RIVERCREST® WALL



COASTAL SLATE



BUFF

TECHNICAL ADVANTAGE

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



STANDARD UNIT 1
8" x 9-10" x 2¼"
20cm x 23-25cm
x 5.7cm



STANDARD UNIT 2
12" x 9-10" x 2¼"
31cm x 23-25cm
x 5.7cm



STANDARD UNIT 3
12" x 9-10" x 2¼"
31cm x 23-25cm
x 5.7cm



STANDARD UNIT 4
17" x 9-10" x 2¼"
42.5cm x 23-25cm
x 5.7cm

Random Bundle
Individual units cannot
be sold separately



JUMPER UNIT 1
8" x 9-10" x 4½"
20cm x 23-25cm
x 11.4cm



JUMPER UNIT 2
12" x 9-10" x 4½"
31cm x 23-25cm
x 11.4cm



JUMPER UNIT 3
12" x 9-10" x 4½"
31cm x 23-25cm
x 11.4cm



JUMPER UNIT 4
17" x 9-10" x 4½"
42.5cm x 23-25cm
x 11.4cm

Jumper Bundle
Individual units cannot
be sold separately



LONG CORNER UNIT
12" x 9-10" x 2¼"
31cm x 23-25cm x 5.7cm



SHORT CORNER UNIT
10" x 9-10" x 2¼"
25cm x 23-25cm x 5.7cm

Random Bundle
Individual units cannot
be sold separately



JUMPER CORNER UNIT
12" x 9-10" x 4½"
31cm x 23-25cm x 11.4cm



PILLAR UNIT
20" x 20" x 4½"
50cm x 50cm x 11.4cm



PILLAR UNIT




UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Standard Units - Ayr Manufacturing - Jumpers, Pillar units Manufactured in Georgetown										
Wall Standard Bundle:	24.30		130.69		128		8		15	1,902
Standard Unit 1	3.93	0.123	20.99	0.656	32	8.15				
Standard Unit 2	6.09	0.190	32.54	1.017	32	5.26				
Standard Unit 3	6.09	0.190	32.54	1.017	32	5.26				
Standard Unit 4	8.20	0.256	44.61	1.394	32	3.90				
Wall Jumper Unit Bundle:	24.30		65.34		64		4		39	2,495
Jumper Unit 1	3.93	0.245	10.50	0.656	16	4.07				
Jumper Unit 2	6.09	0.380	16.27	1.017	16	2.63				
Jumper Unit 3	6.09	0.380	16.27	1.017	16	2.63				
Jumper Unit 4	8.20	0.513	22.30	1.394	16	1.95			29	1,173
Corner Unit Bundle:	16.21				40					
Long Corner Unit	8.52	0.426			20	2.35				
Short Corner Unit	7.69	0.385			20	2.60				
Corner Jumper Unit	12.20	0.381	32.54	1.017	32	2.62			37	1,172
Pillar 20" x 20"			-	-	8				117	934

Notes: Sold on refundable skid - full bundles only. Rivercrest™ is recommended for walls under 2ft. Ideal for straight or curved walls, seat walls, pillars, tree rings, planters, firepits and grill islands. Integrated connectors require no pins or clips. Minimum radius using equal amounts of each unit is 1.25m / 4.1ft. Using only unit 1 & 3 a 1.055m / 3.5ft radius can be achieved.


Engineering services are available; please contact your local Unilock representative to confirm charges and policies as they are currently under review. Retaining wall engineering software is also available free of charge at www.unilock.com.

Internal Use Only. RVC ON, Jumpers CH




Starting a Wall


Course 1




Course 2



Straight Wall - Align A-A / B-B





Curved Wall - Align A-B / B-A




Design Style

To accurately determine the number of standard and jumper units you will require, start by selecting an aesthetic option.



Jumper Units


In addition to being used to enhance sections of wall, jumper units can also be used in a variety of different ways within the Rivercrest® Wall system. The Jumper Unit #2 has faces on three sides making it perfect for incorporating into pillars and corners. The unit can also be used when starting and ending seat walls.



As a Corner

Coping units may also be integrated into the corner to enhance the appearance and add stability. When constructing a seat wall, center align the coping unit with the unit below, it will protrude slightly but add to the rustic appearance of the wall. In retaining wall the coping unit may be set back into the reinforcement zone so that the front & side are flush with the rest of the corner. Simply remove the alignment knob with a chisel if there is a conflict.

* All components should be secured with approved concrete adhesive.



For more information please consult the Rivercrest™ installation booklet.



GRANITE



RIVER



SIERRA




STANDARD
8" x 6" x 12"
20cm x 15cm x 30cm



TAPERED
8" x 6" x 12"
20cm x 15cm x 30cm



CORNER
12" x 6" x 8"
30cm x 15cm x 20cm



PISA2 12" COPING
12" x 3" x 12"
30cm x 7.5cm x 30cm



UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Ohio Manufacturing										
Standard	20.00	0.333	40.00	0.667	60	3.00		2	43	2,570
Xtra Tapered	20.00	0.333	40.00	0.667	60	3.00		2	38	2,251
Corner Unit	20.00	0.833	-	-	24	1.20		2	43	1,028
Pisa2 12" Coping	21.00	0.250	84.00	1.000	84	4.00		2	32	2,705
Universal Base Unit	-	-	95	1.58	60	-	-	-	46.93	2,816



Notes: Sold in full bundles or sections only. Maximum height - 36" (under optimum conditions). Higher walls can be achieved using geogrid reinforcement. Coping bundles may contain some closed-end units. Tapered units will allow for a minimum 5ft outside radius.

Automatic setback is 3/4" per row. All measurements are nominal.

Engineering services are available; please contact your local Unilock representative to confirm charges and policies as they are currently under review.

Retaining wall engineering software is also available free of charge at www.unilock.com.

Internal Use Only. RPA ON



ROMANSTACK®



GRANITE



RIVER



SIERRA



WEDGE UNIT
8" x 4" x 8"
20cm x 10cm x 20cm



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping	31.68	0.220	94.49	0.656	144	4.55			16	2,357

Notes: Maximum height – 20" (under optimum conditions) including materials below grade. Radius - minimum outside radius 29.5".
All measurements are nominal.

Internal Use Only. RST OH

SONOMASTONE®



NATURAL



STANDARD
48" x 7¼" x 14¾"
120 x 18.5 x 37.5cm



COPING
48" x 7¼" x 14¾"
120 x 18.5 x 37.5cm



TAPERED STANDARD
23¼" x 7¼" x 14¾"
59 x 18.5 x 37.5cm



TAPERED COPING
23¼" x 7¼" x 14¾"
59 x 18.5 x 37.5cm



CORNER
38¾" x 7¼" x 14¾"
97.5 x 18.5 x 37.5cm



DOUBLE*
48" x 7¼" x 29½"
120 x 18.5 x 75cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Gormley Manufacturing										
Standard	21.58	2.398	36.00	4.000	9	0.42			392	3,470
Coping	21.58	2.398	36.00	4.000	9	0.42			383	3,450
Tapered Standard	21.15	1.175	34.80	1.933	18	0.85			196	3,470
Tapered Coping	10.50	1.167	17.40	1.933	9	0.86			180	1,620
Corner Unit	15.63	5.208	-	-	3	0.19			716	2,148
Double Unit	14.42	4.808	-	-	3	0.21			1,140	3,420

Notes: Sonoma Clamp required for installation. Units can be installed three at a time for increased production. **Sonoma Stone corners are sold as double units, one left and one right. The Coping Unit has a smooth finish with a cornice detail. Tapered units will achieve a 14' radius. *Sonoma DBL Unit is sold together with a single unit.
Automatic setback is 1½" per row.

Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you with preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.

Internal Use Only. SON ON

SIENASTONE®



NATURAL




MAHOGANY ASH **



BROWN **



GRANITE **



NEVADA **


**Available only in 48" closed-end coping



STANDARD 333
48" x 7¼" x 13½"
120cm x 18.5cm
x 33cm



STANDARD 500
48" x 7¼" x 20"
120cm x 18.5cm
x 50cm




STANDARD 925
48" x 7¼" x 36½"
120cm x 18.5cm
x 92.5cm



COPING
48" x 7¼" x 20"
120cm x 18.5cm
x 50cm



CLOSED-END COPING **
48" x 7¼" x 20"
120cm x 18.5cm
x 50cm



CORNER 90° (left & right)
43½" x 7¼" x 20"
110cm x 18.5cm
x 50cm



CORNER 45° (left & right)
43½" x 7¼" x 20"
110cm x 18.5cm
x 50cm




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Gormley Manufacturing										
Standard 333	21.58	2.398	36.00	4.000	9	0.42			380	3,420
Standard 500	14.39	2.398	24.00	4.000	6	0.42			570	3,420
Standard Wall 925	7.19	2.398	12.00	4.000	3	0.42			1,140	3,420
Coping 48"	14.39	2.398	24.00	4.000	6	0.42			570	3,420
Coping Closed End 48"	14.39	2.398	24.00	4.000	6	0.42			570	3,420
Corner 90°	18.99	6.329	-	-	3	0.16			1,050	3,150
Corner 45°	7.19	2.398	-	-	3	0.42			1,050	3,150


Notes: **Closed-End Coping Only: Brown, Granite, Mahogany, Natural, Nevada. Only Closed-end Coping units are available in color. Closed-end coping is available rock faced on the end upon request. Colored closed-end coping units can be used to construct steps. *Siena Stone corners are sold as double units. One left and one right. Wall units are only stocked in Natural. Vertical units are also available. Automatic setback is 1" per row.

Engineering services are available; please contact your local Unilock representative to confirm charges and policies as they are currently under review. Retaining wall engineering software is also available free of charge at www.unilock.com.


Internal Use Only. SST ON



Cross sections are examples, and must not be used for construction.



Note:
Extra care must be taken when constructing vertical walls. Please contact Risi Stone Inc. for information on proper construction techniques.



Cross sections are examples, and must not be used for construction.

STACKSTONE®



GRANITE



MAHOGANY



NEVADA




COPING
8" x 4" x 8"
20cm x 10cm x 20cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Pickering Manufacturing										
Coping	25-33	0.17-0.22	75-100	0.5-.066	150			6	17	2,588


Notes: Sold in full bundles or sections only. Maximum height – 20" (under optimum conditions) including material below grade. Radius - minimum outside radius 29.5". All measurements are nominal.

Internal Use Only. STK ON



Cross sections are examples, and must not be used for construction.

TYPICAL RADIUS
Minimum outside radius 29"



Length of Wall Measured in Feet

Height	Courses	5'	10'	15'	20'	25'	30'
4"	1	9	18	27	36	45	54
8"	2	18	36	54	72	90	108
12"	3	27	54	81	108	135	162
16"	4	36	72	108	144	180	216
20"	5	45	90	135	180	225	270

CIRCLE CHART

	FT	Full Circle # of Units	Half Circle # of Units	Quarter Circle # of Units
	2.5	23	12	7
	3	28	15	8
	4	38	20	10
OUTSIDE	5	47	24	13
RADIUS	6	56	29	15
	7	66	34	17
	8	75	38	20
	9	84	43	22
	10	94	48	24





LOOK INSIDE!

U-Cara fascia panels hang easily on the patented Sure Track™ backer block.



U-Cara™ Fascia panels can be placed anywhere along the Sure Track Backer Block, allowing for a variety of patterns, color and texture combinations not possible with other systems.



The U-Cara Multi-Face Wall System represents a revolution in wall design.

This patented system, exclusive to Unilock®, is comprised of two basic components:


- | Sure Track™ backer blocks provide dimensionally accurate structure
- | U-Cara fascia panels provide unlimited design options




FRENCH GREY
UMBRIANO® FINISH




WINTER MARVEL
UMBRIANO FINISH




MIDNIGHT SKY
UMBRIANO FINISH




SUMMER WHEAT
UMBRIANO FINISH



HARVEST BROWN
UMBRIANO FINISH




RIVER
PITCHED FACE




SIERRA
PITCHED FACE



STEEL GREY
PITCHED FACE



CREAM
SMOOTH FACE



GRAPHITE
SMOOTH FACE



OPAL
SMOOTH FACE



SURE TRACK
STANDARD BACKER
6" x 8" x 6"
15cm x 20cm x 15cm



SURE TRACK
LARGE BACKER
6" x 7" x 12"
15cm x 17.5cm x 30cm



UNIVERSAL
BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm



SURE TRACK
CORNER INSERT
L = 2" / 5cm



STANDARD FASCIA
HALF PANEL
6" x 9 1/4" x 2 3/8"
15cm x 23.3cm x 6cm
UMBRIANO, PITCHED & SMOOTH



CLOSED-END FASCIA
PANEL
6" x 21" x 2 3/8"
15cm x 53cm x 6cm
UMBRIANO, PITCHED & SMOOTH



STANDARD FASCIA
PANEL
6" x 18 1/2" x 2 3/8"
15cm x 46.6cm x 6cm
UMBRIANO, PITCHED & SMOOTH



UNIVERSAL
COPING
19" x 14" x 2 3/4"
48.2cm x 35.5cm x 7cm

CORNER BUNDLE

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Sure Track Standard Backer	33.91	0.323	-	-	105	3	-	-	23.208	2,320
Sure Track Large Backer	15.82	0.283	-	-	56	3.45	-	-	35.924	1,992
Standard Fascia Panel (Smooth)	61.52	0.732	-	-	84	1.366	-	-	18.015	1,598
Standard Fascia Panel (Pitched)	61.52	0.732	-	-	84	1.366	-	-	20.779	1,809
Corner Bundle (Smooth)	54.20	-	-	-	84	-	-	-	-	1,648
Closed-End Fascia Panel	38.94	0.833	-	-	42	1.2	-	-	20.595	1,297.5
Half Fascia Panel	15.25	0.363	-	-	42	2.76	-	-	8.932	562.7
Corner Bundle (Pitched)	54.2	-	-	-	84	-	-	-	-	1,415.1
Closed-End Fascia Panel	38.94	0.833	-	-	42	1.2	-	-	23.621	992.1
Half Fascia Panel	15.25	0.363	-	-	42	2.76	-	-	10.073	423.1
Universal Coping Bundle	-	-	56.93	1.58	36	-	-	-	58.83	2,118
Universal Base Unit	-	-	95	1.58	60	-	-	-	46.93	2,816

Notes: Sold in full bundles only. Product is shipped on skids. All measurements are nominal.

BRUSSELS FULLNOSE™ & BRUSSELS DOUBLE FULLNOSE™ Tumbled & Classic

ONLY SINGLE FULLNOSE AND TUMBLED ARE AVAILABLE
IN ONTARIO - SHOWN BELOW:



SANDSTONE




SIERRA



LIMESTONE



MIDNIGHT CHARCOAL



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
Standard	2¾" (7cm)	96.00		24.00	0.500	-	4	-	-		-	-	-	2.00	48	192		710	2,841

Notes: All measurements are nominal.

Internal Use Only. BFN ON

TUMBLED FINISH




STANDARD
6" x 12" x 2¾"
15cm x 30cm x 7cm




DOUBLE
6" x 12" x 2¾"
15cm x 30cm x 7cm

FULLNOSE CLASSIC



STANDARD
6" x 12" x 2¾"
15cm x 30cm x 7cm



DOUBLE
6" x 12" x 2¾"
15cm x 30cm x 7cm

ONLY DOUBLE FULLNOSE AND NON-TUMBLED ARE AVAILABLE IN OHIO - SHOWN BELOW:



SANDSTONE



SIERRA




LIMESTONE

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	2¾" (7cm)	78.28		19.57	0.489	-	4	0.978	20.0	80.0	-	-	-	2.04	40	160		594	2,376
Double	2¾" (7cm)	78.28		19.57	0.489	-	4	0.978	20.0	80.0	-	-	-	2.04	40	160		594	2,376


Notes: * Brussels Fullnose and Double Fullnose are available in the same sizes and colors in both tumbled and untumbled finish, except Mocha, which is only available in Standard Fullnose. All measurements are nominal.

Internal Use Only. BFN OH

LEDGESTONE™ PILLAR CAP, COPING & FULLNOSE



BUFF



GREY


TECHNICAL ADVANTAGE

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.




PILLAR CAP
24" x 24" x 4"
61cm x 61cm x 10cm



COPING UNIT
12" x 24" x 3"
30.5cm x 61cm x 7.5cm




CLOSED-END COPING
12" x 24" x 3"
30.5cm x 61cm x 7.5cm



FULLNOSE UNIT
12" x 24" x 1 3/4"
30.5cm x 61cm x 4.5cm



36" LEDGESTONE STEP
36" x 18" x 6"
91.5cm x 46cm x 15cm



48" LEDGESTONE STEP
48" x 24" x 6"
122cm x 61cm x 15cm



72" LEDGESTONE STEP
72" x 24" x 6"
183cm x 61cm x 15cm




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Pillar Cap 24" x 24"			-	-	5				159	795
Coping Closed End 24"			24.00	2.000	12				66	796
Coping 24"			24.00	2.000	12				64	772
Fullnose Coping 24"			32.00	2.000	16				42	667
Step - 36" x 18"			9.00	3.000	3				340	1,021
Step - 48" x 24"			12.00	4.000	3				609	1,828
Step - 72" x 24"			18.00	6.000	3				909	2,728

Notes: 4 Ledgestone end coping units can be used to cap pillars larger than 20". That leaves a small opening for lighting. All caps require a skid that is refundable upon return in good condition. Steps are rock faced on three sides and both step units and pillar caps are able to be sold by the unit. All measurements are nominal.


Internal Use Only. LDG CH

UNIVERSAL COPING


NEW FOR 2018



CREAM



OPAL



GRAPHITE



UNIVERSAL COPING
19" x 14" x 2 3/4"
48.2cm x 35.5cm x 7cm



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Universal Coping	-	-	56.93	1.58	36	-	6	-	58.83	2118

Notes: Sold in full bundles only.

UNILOCK ELEMENTS

VENTANA SPECIAL ORDER



The Ventana pre-built fireplace is constructed with Lineo™ Dimensional Stone.

MODA SPECIAL ORDER



The Moda pre-built fireplace is constructed from Lineo Dimensional Stone and Series™ accent.

BELLA SPECIAL ORDER



The Bella pre-built fireplace is constructed from Rivercrest® Wall.

CUSTOM ACCENTS



Cophorne®



Courtstone®



Richcliff®



Umbriano®

BARCELONA SPECIAL ORDER

Wide elegant archways and accents over the fireplace and wood boxes constructed. Mantles and ledges in the Barcelona series are made of Ledgestone™.



Barcelona River with Richcliff® **
SPECIAL ORDER

TUSCANY

Large decorative accents adorn the top of the Tuscany fireplace. Brussels Block® Fullnose is used to construct the ledges and mantle of the fireplace. elegant archways and accents over the fireplace and wood boxes constructed. Mantles and ledges in the Barcelona series are made of Ledgestone™.



Tuscany Sierra with Cophorne® **



Tuscany Sandstone with Cophorne® **
SPECIAL ORDER

UNILOCK ELEMENTS continued

Unilock Elements are available in TUSCANY and BARCELONA SERIES



HEARTH
Hearth with gentle curved front.
1025 lbs



WOOD BOXES
Sold as a set of two and flank either
side of the gas or standard fireplace.
3750 lbs per set



FIREPLACE
Two piece set (base and chimney),
and it comes with stainless fire box.
5620 lbs





GRILL ISLAND
Available with OCS Grill, protective
cover, and stainless double door insert.
3800 lbs



BRICK OVEN
Two piece set (wood box
base, brick oven), and it
comes with metal termination
cap, pipe and cooking utensils.

TUSCANY & BARCELONA PIZZA OVEN




Guarantee: The standard Unilock guarantee applies to the units used to construct Unilock Elements. (See Unilock literature for details.) Third party grills and fireboxes carry their respective manufacturer's warranty and may change without notice.



Note: Unilock reserves the right to change model designs, accessories and colors without notice. Unilock will not be responsible for improper use or handling that results in property damage. Some models may not be exactly as shown. Fireplaces come complete with UL- approved stainless steel fireboxes. Check local building codes and regulations prior to ordering and installing Unilock Elements.

**Units and measurements may not be exactly as shown.

Typical Cross Section for Concrete Pad Installation



Tuscany & Barcelona Fireplace



Guarantee

The standard Unilock guarantee applies to the units used to construct Unilock Elements. (See Unilock literature for details.) Third party grills and fireboxes carry their respective manufacturer's warranty, and may change without notice.

Note: Unilock reserves the right to change model designs, accessories and colors without notice. Unilock will not be responsible for improper use or handling that results in property damage. Some models may not be exactly as shown. Fireplaces come complete with UL- approved stainless steel fireboxes. Check local building codes and regulations prior to ordering and installing Unilock Elements.

FIRE PITS

SUNSET FIRE PIT

Round and Square Fire Pits are available in Brussels Dimensional Stone®.



This fire pit kit uses Brussels Dimensional Stone® (small tapered units).

Round Colors




LIMESTONE



SANDSTONE



SIERRA



Square Colors



DESERT SAND



LIMESTONE




MAHOGANY ASH



SANDSTONE



SIERRA



Stones & Bundling	Stones per Course	Stones per Pallet	Diameter Outside of Stone	Diameter Inside of Stone	Diameter Pit Insert	Lbs/Pallet	Kits/Bundle
Sunset - Pickering Manufacturing/Rivercrest - Georgetown Manufacturing							
Sunset/Brussels Dimensional Stone							
Round Fire Pit	18	54	51"	35"	35"	1150	1
Square Fire Pit	12	36	43"	27"	27"	1150	1
Rivercrest							
Round Fire Pit							

RIVERCREST FIRE PIT



This fire pit kit is built with the Rivercrest Wall.



FIRE PIT GRILL

Firepit grill is included and fits securely into the firepit.

SEALERS, CLEANERS & SANDS

PAVER CLEANERS



POLYBIND™ OIL & GREASE CLEANER

Polybind Oil & Grease Cleaner is effective in removing oil and grease from the surface of concrete pavers and natural stones. Easy to use - dissolves, dislodges and removes oil and grease. No hydrochloric acid in product - washes off with water.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND EFFLORESCENCE CLEANER

Polybind Efflorescence Remover will remove any efflorescence stains trapped in the concrete paver and natural stone pores. It will make the pavers look more clean and vibrant. This efflorescence cleaning is a necessary step before a sealer is applied. The sealer will be able to get a deeper penetration into the now-clean pores.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND RUST CLEANER

Polybind Rust Cleaner is effective in removing rust from the surface of concrete pavers. Contains no muriatic acid.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND RUBBER, PAINT & TAR REMOVER

Polybind Rubber, Paint & Tar Remover is effective in removing rubber, paint and tar from the surface of concrete pavers and natural stone. Easily washes off with water and is easy to use.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND WET LOOK SEALER

Polybind Wet Look Sealer is made from acrylic-based polymers. It penetrates deep into the concrete paver and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND RESEALER

Polybind Resealer for concrete pavers is made from acrylic based polymers. Polybind Resealer will penetrate the formula of the existing sealer and reactivate the molecules to create a rejuvenated seal to protect the paver surface. Thus reducing the penetration of oil and dirt, as well as protecting them from de-icing salt. Easy-to-clean and maintain, solvent-based.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND NATURAL LOOK SEALER

Polybind Deluxe Natural Look Finish, zero gloss, water-based sealer for natural stones is made from fluorochemical polymers. This multi-purpose sealer penetrates deep into the natural stones, concrete pavers, walls, masonry thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND NATURAL STONE SEALER

Polybind Deluxe for Natural Stone is made of silicone based polymers. This sealer penetrates deep into the natural stone thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt. Water-based, zero gloss.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.

SEALERS

SEALERS continued

SEALERS



POLYBIND™ SEAL SATIN LOOK

Polybind Seal Satin Look is made from acrylic-based polymers. It penetrates deep into the concrete paver and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt. Low-gloss matte finish, solvent-based.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND ECO SEAL LOW GLOSS with Color Enhancer

Polybind Eco Seal Low Gloss is 100% pure, high-grade acrylic used to seal concrete pavers, clay pavers and natural stone. It penetrates deep into the pavers and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND ECO SEAL HIGH GLOSS with Color Enhancer

Polybind Eco Seal High Gloss is 100% pure, high-grade acrylic used to seal concrete pavers, clay pavers and natural stone. It penetrates deep into the pavers and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.

ADHESIVES



POLYBIND XP (Xtra Performance) LOW VOC ADHESIVE

10 oz. Tube: (12/Case) (90 cs/skid) 28 oz. Tube: (12/Case)(60 cs/skid)

SPECIFICATIONS - (Exceeds ASTM D3498 and ASTM C557)

One of the strongest polyurethane adhesives on the market, it strongly adheres to concrete pavers, stones, retaining wall, masonry units & bricks. It is especially formulated for overlays, pool copings, steps & wall caps. Polybind Bond Xtra Performance Low VOC Polyurethane Adhesive is designed to provide a permanent bond in 24 hours to the above materials if properly installed. Drying times vary depending on factors such as humidity, porosity, temperature and materials bonded together. VOC compliant / Low odor / Non-shrinking / Fast curing. Environmentally friendly, Safe to use indoors or outdoors.



POLYBIND HIGH STRENGTH LOW VOC ADHESIVE

10 oz. Tube: (12/Case) (90 cs/skid) 28 oz. Tube: (12/Case)(60 cs/skid)

SPECIFICATIONS - (Exceeds ASTM D3498 and ASTM C557)

This is one of the best adhesives on the market and is specially formulated for bonding concrete, natural stones, block, bricks and pavers. It is intended to provide a permanent bond to approved materials and can be used on dry or humid surfaces. Drying times vary depending on factors such as humidity, porosity, temperature and materials bonded together. Low VOC / Works at above freezing temperatures (32°C) / Dry or damp surfaces / High strength and durability.

SANDS



POLYBIND HP SAND

Designed for paver joints up to a maximum of 1 inch.

Polybind HP Sand is a unique mixture of polymer binders and calibrated sand available in Nevada Tan, Oxford Grey & Ivory White. The installation of Polybind Sand is almost identical to using regular paver joint sand, except for the application of water. Once it sets, it becomes very firm and locks between the paver joints. This firm bond maintains pavers securely in place, being equally effective on both horizontal and sloped surfaces.

Packaging:

- 50 lb bag
- 65-85 sq.ft. coverage per bag for narrow joints, larger joints will require more sand
- 56 bags per skid



POLYBIND™ COMPLETE SAND

Designed specifically for drainage and non-drainage base.

Polybind Complete Sand is specifically designed for drainage and non-drainage base systems. It can be used with concrete pavers, wetcast and natural stones. It is recommended for a variety of uses, including pool sides, patios foot paths, driveways, parking spaces, pavement, etc. This complete multi-purpose sand is available in three colors: Nevada Tan and Oxford Grey. It sets above the freezing temperature 32°F and can be used for joints up to a maximum of 1.5 in.

Packaging:

- 50 lb bag
- 56 bags per skid

Coverage:

- 65-85 sq.ft. per bag for narrow joints/larger joints will require more sand



POLYBIND G2 SAND - NO DUST • HAZE FREE • NO BLOWER • ONE WATERING

Designed for paver and natural stone joints up to 2".

PolyBind G2 is made with calibrated sand that is mixed with sophisticated intelligent polymers, which neutralizes haze and dust. The polymeric sand application is now dust free and haze free. No blower is needed and the intelligent polymeric sand requires only one watering. It is recommended for a variety of uses including pool decks, patios, footpaths, driveways, parking spaces, pavements, etc. Available in Nevada and Oxford Grey. It sets above the freezing temperature 32°F and can be used for joints up to a maximum of 2 in.

Packaging:

- 50 lb bag

Coverage:

- 65-85 sq.ft. per bag for narrow joints/larger joints will require more sand



POLYBIND EUROSTONE

Eurostone bond is the first polymeric sand specifically designed for natural stone. It can be used in an application of drainage and non-drainage base systems. It is perfect for stone roads, piazzas, driveways, pathways & stone apron driveways. This complete multi-purpose sand is available in four colors: Beige, Slate Grey, Ivory and Black Diamond. Can be used for stone joints up to a maximum of 1.5" (3.75 cm).

Packaging

- 50 lb bag
- 56 bags per skid

Coverage

- 20-30 sq.ft. coverage per bag for joints 1"-2" wide and stones approximately 2" thick



GATOR AQUA ROCK

RS-AGG032 - 50lb. bag (56 bags/skid) / RS-AGG033 (2200 lb. SuperSak)
50lb. bags (56 bags/skid)

For Permeable Paver Joints Graded ASTM NO.9 Granite Stone

Gator Aqua Rock is manufactured to meet ASTM No.9 requirements for permeable paver joint units. The calibrated gradation obtained from the fractured high-strength granite makes it the ideal product for the bedding course & jointing material to collect surface water run-off and help stabilize interlocking paver surfaces.

Coverage: 20-25 Sq.Ft. = 50 lb bag / 880-1100 Sq.Ft. = 2200 lb bag



POLYBIND DUST

Designed for natural stone joints 1/2" to 4".

Polybind Dust is a unique mixture of polymer binders and calibrated crushed stone available in two colors - Tan & Grey. Once Polybind Dust sets, it becomes very firm and locks between the stone joints. This firm bond maintains the stones securely in place, being equally effective on both horizontal and sloped surfaces.

Packaging:

- 50 lb bag
- 56 bags per skid

- 20-30 sq.ft. coverage per bag for joints 1"-2" wide and stones approximately 2" thick



EASY PRO™

RS-SAND066-1 - Tan / RS-SAND068-1 - Black

Ultimate Paving Stone Joint Compound

Designed for installation in light rain or sun with a surface temperature above 32°F, this pre-mixed epoxy resin product is ideal for residential driveways, patios, pool decks and walkways.

Features: Vacuum packed, pre-mixed and ready to use, eco-friendly (60% renewable products), no haze formulation, for joint widths starting from 1/8" wide 1 1/4" deep.

Colors: Tan, Black

50 lb container - premixed

Coverage: Approximately 50 sq. ft. /container Coverage will vary depending on the type/size of stone used.

STORAGE: Open product good for 30 day when covered with water.

Note: This product is not suitable for use with Il Campo®, Series™, and Unigranite®.

SANDS	FEATURES	SAND RECOMMENDATIONS BY PRODUCT			
		Polybind HP	Polybind Complete Sand	Polysweep Polymeric Sand	Unicare® Easy Pro®
		For joints up to 1/8" May be sealed. Tan color Non-binding sand	For joints up to 1" May be sealed. Available in Tan or Grey Binding sand	For joints up to 4" May be sealed. Available in Tan or Grey Binding sand	For joints up to 1" May be sealed. Available in Tan or Black Binding sand
Copthorne®		✓	✓+	✓*	✓
Courtstone®		✓	✓+	✓	✓
Il Campo®		N/R	N/R	N/R	N/R
Richcliff®		✓	✓	✓*	✓
Rivenstone™		N/R	✓	✓	✓
Series™		N/R	N/R	N/R	N/R
Town Hall™		✓	✓+	✓	✓
Umbriano®		✓	✓+	N/R	N/R
Unigranite®		N/R	N/R	N/R	N/R
Tumbled Pavers		✓	✓	✓	N/R
Standard Pavers		✓	✓	✓	✓

N/R - Not Recommended ✓ - Recommended ✓+ - Recommended with Extra Care (contact your Territory Manager for more information)

✓* - These pavers have a very narrow or slightly angled edge (champfer) limiting sand penetration in the joint and causing possible weak bonding areas. The life cycle performance could be affected.

IMPORTANT NOTICE

1. **DO NOT USE** Polymeric Jointing Sand on the following products:

Series Il Campo Unigranite

If joint stabilization is required, use ordinary jointing sand and apply a stabilizing sealer. Contact your local Unilock office for recommended sealants and application specifics.

2. **EXTRA CARE** must be exercised when using Polymeric Sand on the following products:

Courtstone Copthorne Richcliff Town Hall Umbriano

Polymeric Jointing Sand can be used on these products but the fine polymers and binders in Polymeric Jointing Sand have a natural tendency to adhere to the surface and therefore extra diligence must be taken to pre-clean the surface prior to "wetting the sand in" and squeegee off the surface post application. Failure to do so will result in a "whitish haze" on the surface that is difficult to remove.

3. **IMPORTANT COMPACTION NOTICE:** Always pre-compact the pavers WITHOUT SAND IN THE JOINTS. This will facilitate proper leveling. Polymeric sand can then be swept into the joints. *Always use a compactor with a protective membrane attached to the bottom of the plate.*


Polymeric Jointing Sand, cleaners and sealers, must always be applied by a trained and experienced professional. Contact your local Unilock office for training and the most up-to-date best practices.

NOTICE: Unilock does not accept any responsibility for damage to the surface caused by the improper application and use of polymeric sand, sealers or cleaners. Unilock will not accept responsibility for alternate suppliers of polymeric sand, jointing sand, cleaners and sealers.


SNAPEDGE - ONE-PIECE EDGING THAT DOES IT ALL!

RS-EDGE001


- Only one part required for straight runs or curved installations.
- Built-in connector fastens one piece to the next – convenient 96" size, makes them easy to transport.
- Unique 'Snip and Flex' feature speeds installations of curves and corners without pre-planning.
- The open design allows a root system to grow through SnapEdge, further reinforcing the installation.
- Engineered to provide a strong, easy-to-install edge restraint for concrete/clay pavers.
- Nail hole bosses are full-length cylinders. Hammer blows will not fracture or force nail heads through edging.
- Also available in low profile for use with Rivenstone™, Yorkstone™ and natural stone materials.




1. SnapEdge
2. 10" Spiral Spike
3. Soil
4. Turf
5. Sand Jointed Paver
6. Sand Jetting Course
7. Aggregate Base
8. Compacted Subgrade




TIPS FOR QUICK AND EASY INSTALLATION WITHOUT PRE-PLANNING




Sharp Inside Corner




Gentle Outside Curves




Sharp Outside Corner



Gentle Inside Curves



Proper Wall Installation



Pieces Snap Together

UNILOCK DRIVEGRID™ SYSTEM



UNILOCK DRIVEGRID™ SYSTEM

RS-FAB075

- 120' x 13.1' Roll - 1572 Sq. Ft. & 56 lbs per Roll

BASE/DRAINAGE SYSTEMS

Gator Tile System

Contact Unilock for more information.



Wall Drain Pro

12 unites/case, 63 cases/pallet

Wall Drain Pro is a simpler, more effective wall drain than you've ever used before.

- Easy Installation
- Aesthetically Pleasing
- Integral Component of Wall Construction
- Customizable Height
- Works with Block or Timber Walls

Tan - RS-ACC122

Grey - RS-ACC123

Black - RS-ACC086

ACCESSORY QUICK REFERENCE GUIDE

CLEANERS

RS-CLN050	POLYBIND OIL & GREASE REMOVER
RS-CLN046	POLYBIND EFFLORESCENCE CLEANER - 1 GAL.
RS-CLN049	POLYBIND RUBBER, PAINT & TAR REMOVER - 1 QUART.
RS-CLN051	UNICARE RUST CLEANER - 1 QUART.

WET/SATIN/LOW GLOSS SOLVENT BASED SEALERS

POLYBIND WET LOOK SEALER	
1 GAL.: RS-SEAL143 (4 /CASE)	— 5 GAL.: RS-SEAL144 (51 LBS/PAIL)
POLYBIND RESEALER	
1 GAL.: RS-SEAL155 (4 /CASE)	— 5 GAL.: RS-SEAL156 (51 LBS/PAIL)
POLYBIND ECO SEAL HIGH GLOSS WITH COLOR ENHANCER	
1 GAL.: RS-SEAL145 (4/CASE)	— 5 GAL.: RS-SEAL146 (40LBS/PAIL)
POLYBIND ECO SEAL HIGH GLOSS WITH COLOR ENHANCER	
1 GAL.: RS-SEAL145	— 5 GAL.: RS-SEAL146

WATERBASED SEALERS AND ACCESSORIES

POLYBIND NATURAL LOOK SEALER	
1 GAL.: RS-SEAL139	— 5 GAL.: RS-SEAL140
POLYBIND NATURAL STONE SEALER	
1 GAL.: RS-SEAL177	— 5 GAL.: RS-SEAL182

ADHESIVE & CAULK

RS-ADH035	POLYBIND XP LOW VOC ADHESIVE 10OZ. (12/CASE - 90C./SKID)
RS-ADH033	POLYBIND HIGH STRENGTH LOW VOC ADHESIVE 28OZ. (12/CASE - 60C./SKID)

SANDS

POLYBIND HP SAND 50LB BAGS (56 BAGS/SKID)	
NEVADA TAN: RS-SAND078	— OXFORD GREY: RS-SAND080
POLYBIND COMPLETE SAND - 50LB BAGS (56 BAGS/SKID)	
NEVADA TAN: RS-SAND074	— OXFORD GREY: RS-SAND075 — IVORY WHITE: RS-SAND108
POLYBIND G2 SAND - 50LB BAGS (56 BAGS/SKID)	
GREY: RS-SAND151	— TAN: RS-SAND150
POLYBIND EUROSTONE BOND (56 BAGS/SKID)	
ST. BEIGE: RS-SAND095	— ST. GREY: RS-SAND097 — ST. BLACK: RS-SAND116
POLYBIND DUST - 50LB BAGS (56 BAGS/SKID)	
GREY: RS-SAND073	— TAN: RS-SAND072
EASY PRO JOINT COMPOUND 50LB CONTAINER (36 PAILS/SKID)	
TAN: RS-SAND066-1	— BLACK: RS-SAND068-1

PERMEABLE GRANITE CHIPS - ASTM NO. 9 (2-5mm)

ALLIANCE GATOR AQUA ROCK - GRANITE GREY	
50#: RS-AGG032	

BASE & DRAINAGE SYSTEMS

RS-SAND109	GATOR BASE
RS-ACC087	GATOR SPACER (1/8")
RS-ACC232	GATOR SPACER (1/4")

EDGING & SPIKES

RS-EDGE001	SEK - SNAP EDGE - 8 FT PCS. (24PCS/Bnd 28Bnd/SKID)
RS-EDGE048	10" SPIKES (APPROX. 150/BOX)

UNICARE DRIVEGRID™ SYSTEM

RS-FAB075	13.1' x 120' Roll - 1572 Sq. Ft.
-----------	----------------------------------

BEDDING MATERIALS CHART (APPROXIMATE IMPERIAL TONS)

Bedding Course

Square Feet	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"	12"
50	0.3	0.5	0.8	1.0	1.3	1.5	1.8	2.0	2.3	2.5	2.8	3.0
100	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0
150	0.8	1.5	2.3	3.0	3.8	4.5	5.3	6.0	6.8	7.5	8.3	9.0
200	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0
250	1.3	2.5	3.8	5.0	6.3	7.5	8.8	10.0	11.36	12.5	13.8	15.0
300	1.5	3.0	4.5	6.0	7.5	9.0	10.5	12.0	13.5	15.0	16.5	18.0
350	1.8	3.5	5.3	7.0	8.8	10.5	12.3	14.0	15.8	17.5	19.3	21.0
400	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.0	20.2	22.0	24.0
450	2.3	4.5	6.8	9.8	11.3	13.5	15.8	18.0	20.3	22.5	24.8	27.0
500	2.5	5.0	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0
550	2.8	5.5	8.3	11.0	13.8	16.5	19.3	22.0	24.8	27.5	30.3	33.0
600	3.0	6.0	9.0	12.0	15.0	18.0	21.0	24.0	27.0	30.0	33.0	36.0
650	3.3	6.5	9.8	13.0	16.3	19.5	22.8	26.0	29.3	32.5	35.8	39.0
700	3.5	7.0	10.5	14.0	17.5	21.0	24.5	28.0	31.5	35.0	38.5	42.0
750	3.8	7.5	11.36	15.0	18.8	22.5	26.3	30.0	33.8	37.5	41.3	45.0
800	4.0	8.0	12.0	16.0	20.0	24.0	28.0	32.0	36.0	40.0	44.0	48.0
850	4.3	8.5	12.8	17.0	21.3	25.5	29.8	34.0	38.3	42.5	46.8	51.0
900	4.5	9.0	13.5	18.0	22.5	27.0	31.5	36.0	40.5	45.0	49.5	54.0
950	4.8	9.5	14.3	19.0	23.8	28.5	33.3	38.0	42.8	47.5	52.3	57.0
1000	5.0	10.0	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0

Actual volume may vary due to type of materials, moisture content, and compaction. Calculation charts and formulas are provided as a service by Unilock for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.

BASE DEPTH CHARTS (CUBIC YARDS)

Bedding Course

Square Feet	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"	12"
50	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	1.5	1.7	1.9
100	0.3	0.6	0.9	1.2	1.5	1.9	2.2	2.5	2.8	3.1	3.4	3.7
150	0.5	0.9	1.4	1.9	2.3	2.8	3.2	3.7	4.2	4.6	5.1	5.6
200	0.6	1.2	1.9	2.5	3.1	3.7	4.3	4.9	5.6	6.2	6.8	7.4
250	0.8	1.5	2.3	3.1	3.9	4.6	5.4	6.2	6.9	7.7	8.5	9.3
300	0.9	1.9	2.8	3.7	4.6	5.6	6.5	7.4	8.3	9.3	10.2	11.1
350	1.1	2.2	3.2	4.3	5.4	6.5	7.6	8.6	9.7	10.8	11.9	13.0
400	1.2	2.5	3.7	4.9	6.2	7.4	8.6	9.9	11.1	12.3	13.6	14.8
450	1.4	2.8	4.2	5.6	6.9	8.3	9.7	11.1	12.5	13.9	15.3	16.7
500	1.5	3.1	4.6	6.2	7.7	9.3	10.8	12.3	13.9	15.4	17.0	18.5
550	1.7	3.4	5.1	6.8	8.5	10.2	11.9	13.6	15.3	17.0	18.7	20.4
600	1.9	3.7	5.6	7.4	9.3	11.1	13.0	14.8	16.7	18.5	20.4	22.2
650	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.1	20.1	22.1	24.1
700	2.2	4.3	6.5	8.6	10.8	13.0	15.1	17.3	19.4	21.6	23.8	25.9
750	2.3	4.6	6.9	9.3	11.6	13.9	16.2	18.5	20.8	23.1	25.5	27.8
800	2.5	4.9	7.4	9.9	12.3	14.8	17.3	19.8	22.2	24.7	27.2	29.6
850	2.6	5.2	7.9	10.5	13.1	15.7	18.4	21.0	23.6	26.2	28.9	31.5
900	2.8	5.6	8.3	11.1	13.9	16.7	19.4	22.2	25.0	27.8	30.6	33.3
950	2.9	5.9	8.8	11.7	14.7	17.6	20.5	23.5	26.4	29.3	32.3	35.2
1000	3.1	6.2	9.3	12.3	15.4	18.5	21.6	24.7	27.8	30.9	34.0	37.0

Actual volume may vary due to type of materials, moisture content, and compaction. Calculation charts and formulas are provided as a service by Unilock for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.

IMPORTANT NOTES

UNILOCK PAVER PATTERNS

This Product Data Guide contains an extensive reference to patterns and designs. The purpose of these pattern swatches is to help the designer plan unique and exceptional designs. The percentages of products shown are based on the pattern and not on bundle configurations. In fact, there may be situations in which a pattern has been created with one particular size of stone, but that stone only comes packaged with two other sizes. This means that the designer will have to plan how the other components are used in the overall plan. This is usually accomplished by adding a border or an accent. As a result, overages or shortages may occur in certain patterns. The designer and/or installer of Unilock products accepts all responsibility for design and all associated costs incurred as a result of applying any of Unilock's suggested design patterns in a project. Please plan your project and review your order carefully prior to ordering.

TRANSFERABLE LIFETIME GUARANTEE

Unilock provides a transferable lifetime guarantee on the structural integrity of its paving stone to the original purchaser of the product for residential use. If material installed, using our installation guidelines, proves to be defective, it will be replaced without cost. Color matching cannot be guaranteed, and replacement labor is not included. Proof of purchase is required. Excessive defective material (over the industry accepted normal of 2% for non-tumbled unit pavers) delivered to the purchaser will be replaced free of charge if a written claim is made within 5 days of delivery from the manufacturer. Such claims will not constitute reason for delaying payment. All goods shall be deemed accepted if completely installed. Inspect concrete products prior to opening bundle packaging to ensure that shape and color are as ordered. Unsatisfactory material must be available for inspection by Unilock to entitle the purchaser to any adjustment or credit. Inspect all concrete units during installation and set aside any which are chipped or cracked to use for any cut pieces required. The color of concrete products may vary significantly between production lots. Always install concrete units from several bundles simultaneously to ensure proper distribution of color. Prior to final compaction, inspect installed pavers for good color distribution. Relocate certain pavers, if necessary, to achieve desired color blend.

PRODUCT HANDLING WARNING

Bundle Straps Under Tension - Use extreme caution when removing or handling straps. Always wear gloves, goggles, safety footwear, and protective clothing when removing or handling straps. Failure to do so may result in serious bodily injury or loss of sight. Cut all concrete products only in well ventilated areas. Inhalation of dust is a serious health risk. A "NIOSH" (US) or a "CSA" (CDN) approved respirator, safety goggles, hearing protectors, and gloves must be worn at all times. Always "wet-cut" or "wet grind" concrete products to minimize dust.

Do not stack bundled concrete products higher than 2 bundles high. Contents of the bundle may be unstable and subject to topple when stacked. Always use extreme caution and appropriate equipment when transporting or storing bundled concrete products. Failure to do so may result in serious bodily injury or death. Always obey gross vehicle weight (GVW) loading limitations and regulations.

Hazard Rating: Fire 0, Health 1, Reactivity 0. See MSDS Concrete Masonry (Pavers). Contact Unilock for complete sheet or view safety information at www.unilock.com

Unilock assumes no liability or responsibility for loss or damage, resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label, and on the MSDS sheet.

Umbriano® is a trademark of Metten Stein + Design GmbH & Co KG used under license by Unilock.


Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Measurements throughout this portfolio are nominal.

*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

Not all products shown are available at all Unilock locations. Log on to www.unilock.com for availability.

FINISHES



BRUSHED



COBBLESTONE



WEATHERED




DIMPLED AND WEATHERED




FLAGSTONE




SMOOTH




WASHED



SMOOTH - ZERO BEVEL



SPLIT



TIMEWORN



SPLIT AND WEATHERED



STANDARD

COLOR BLEND DESCRIPTIONS

COLOR NAME	DESCRIPTION	COLOR NAME	DESCRIPTION
Almond Grove	Tan, Buff and Charcoal	Midnight Charcoal	Dark Charcoal
Alpine Fusion	Charcoal, Tan and Natural	Midnight Sky	Charcoal and Black Flake
Autumn Sunset	Brown Flake	Muskoka Granite	Dark Charcoal, Charcoal, and Dark Red
Black Granite	Black Granite and Charcoal	Mountain Mist	Midtone Grey
Burnt Oak	Charcoal and Mid Brown	Nevada	Chamois and Natural
Castano	Dark Brown and Burnt Brown Blend	Nuvola	Dark Charcoal and Light Grey
Cliffside Grey	Charcoal, Buff and Natural	Opal	Light Grey and White
Coastal Slate	Grey and Tan	Pebble Taupe	Tan and Brown
Coffee Creek	Sandstone, Brown and Charcoal	Rustic Red	Red and Charcoal
Conestoga	Brown and Chamois	Sandstone	Buff and Tan
Cremo	Cream and Buff	Sandy Beach	Charcoal, Buff and Tan
Crystal Rose	Light Grey, Rose Quartz and Black Granite	Santa Fe	Buff, Natural and Charcoal
Dawn Mist	Grey and Tan	Savannah	Buff and Tan
Desert Sand	Salmon, Buff and Charcoal	Sierra	Charcoal, Russet and Buff
Executive	Buff and Charcoal	Sierra Fusion	Charcoal, Russet and Buff
Granite	Charcoal and Natural	Steel Grey	Dark Charcoal and Grey
Granite Fusion	Charcoal and Natural	Smoke Shale	Charcoal and dark charcoal
Heritage Brown	Dark Brown and Salmon	Summer Wheat	Cream White with Pale Yellow and Beige Particles
Ice Grey	Grey and White	Sycamore	Brown, Buff and Charcoal
Irish Coast	Natural, Tan and Russet	Sycamore Fusion	Brown, Buff and Charcoal
Java	Buff, Light Brown and Dark Brown	Terra Cotta	Salmon and Charcoal
Limestone	Light Grey, Charcoal and Natural	Winter Marvel	White and Black Flake
Mahogany Ash	Mid Brown and Light Charcoal	Valley Grey	Charcoal, Mid Brown, and Buff

PRODUCT DIRECTORY

PAVERS

Product	Page	Finish	Pedestrian	Residential Vehicular	Commercial Vehicular	Environmental	For Borders & Accents
Artline™	2	S	✓	✓			✓
Beacon Hill™ Flagstone	3	F	✓				✓
Beacon Hill Smooth	3	F	✓				✓
Bristol Valley®	4	S	✓				
Brussels Block®	5	W	✓	✓	✓		✓
Camelot™	5	S	✓	✓	✓		✓
Copthorne®	6	T	✓	✓			✓
Courtstone®	7	C	✓	✓			✓
Dura-Mat™	7	S		✓	✓	✓	
Eco-Optiloc™	8	S	✓	✓	✓	✓	
Eco-Priora™ (Standard)	8	S	✓	✓	✓	✓	
Eco-Priora™ (Il Campo)	9	S	✓	✓	✓	✓	
Hollandstone™/Double Holland™	9	S	✓	✓	✓		✓
Il Campo®	10	B	✓	✓	✓		✓
Mattoni	10	T	✓	✓			✓
Optiloc®	12	S	✓	✓	✓		
Promenade® Plank Paver	12	S/B/WS	✓	✓			✓
Richcliff®	14	F	✓	✓			✓
Rivenstone™	14	F	✓				
Senzo™	15	S	✓	✓	✓		✓
Series™	15	WS	✓	✓	✓		✓
Thornbury™	16	F	✓	✓	✓	✓	
Town Hall®	16	T	✓	✓	✓	✓	✓
Tribeca Cobble	17	C	✓	✓			✓
Turfstone™	17	S		✓	✓	✓	
Umbriano®	18	SZ	✓	✓	✓		✓
Unigranite®	17	SP	✓	✓	✓		✓
Windermere™	19	F	✓	✓			✓
Yorkstone™	19	F	✓				

RETAINING WALLS

Product	Page	Finish	Gardens	Retaining Walls	Steps	Seatwalls	Pillars
Brussels Dimensional Stone®	20	W	✓		✓	✓	✓
DuraHold®	21	S		✓			
DuraHold2®	22	S		✓			
Estate Wall®	23	SP/W	✓	✓	✓	✓	✓
Lineo Dimensional Stone™	24	SZ	✓		✓	✓	✓
Pisa2® & Pisa2® XL	25	SP	✓	✓	✓		✓
Rivercrest® Wall & Pillar Unit	26	F	✓		✓	✓	✓
RomanPisa®	28	SP/W	✓	✓	✓		✓
RomanStack®	29	SP/W	✓				
SienaStone®	30	SP		✓	✓		
SonomaStone®	29	S		✓	✓		
StackStone®	31	SP	✓				
U-Cara™	32	Various	✓	✓	✓	✓	✓

FINISHES: B=Brushed; C=Cobblestone; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; SP=Split; SP/W=Split and Weathered; T=Timeworn; W=Weathered; WS=Washed

This application chart should only be used as a guide. Site conditions, base materials, pattern, and frequency of use may vary the performance of various types and styles of products.

DEICING CHEMICALS

What deicing chemicals does Unilock suggest using?

- **Preferred:** Sodium Chloride (NaCl) for temperatures down to +20°F (-7°C). Sodium Chloride is commonly known as rock salt.
- **Only when necessary:** Calcium Chloride (CaCl₂) can be used for temperature ranges from below +20°F (-7°C) to -2°F (-19°C).

Are there any recommendations for using deicing products?

- Follow the directions listed on the deicing product bag. In addition, practice these simple recommendations:
 - » Use sparingly. Only apply the minimum amount necessary to melt the snow and ice. Over applying the product can still result in damage to concrete.
 - » Sweep and remove any excess deicing chemical after the ice and snow melts.
 - » After the winter season, thoroughly wash the paver surface to remove any excess deicing chemical remaining.

Can other types of deicing products be used?

- We do not recommend using any other types of deicing chemicals. This includes:
 - » Magnesium Chloride (MgCl₂)
 - » Calcium Magnesium Acetate (CMA)
 - » Potassium Chloride (KCl)
 - » Potassium Acetate (KA)
 - » Fertilizers containing Ammonium Nitrate and Ammonium Sulfate

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal grey lines across its entire width, providing a guide for handwriting or typing. The background is a clean, solid white color.



BOSTON
(508) 278-4536

BUFFALO
(716) 822-6074

CHICAGO
(630) 892-9191

CLEVELAND
(330) 927-4000

DETROIT
(248) 437-7037

MILWAUKEE
(262) 742-3890

NEW YORK
(845) 278-6700

ONTARIO
(416) 646-9000

UNILOCK.COM | 1-800-UNILOCK

©2018 Hengestone Holdings, Inc.