

2021 | Product Data



UNILOCK
PAVERS & WALLS

Unilock Quality Products

Unilock makes your landscape dreams come true with the highest quality pavers and walls in the industry. We offer five categories of products that are designed to offer you beauty, longevity and low maintenance. Whatever Unilock product you choose, we stand behind it 100%.

Unilock Technologies

Reala™

Utilizing REALA technology, a multitude of natural stone surfaces, brick and historic cobblestones are cast to create a wide variety of authentic textures with consistent dimensions that are more cost efficient to install.

Ultima™

Only Unilock has the technology in North America to manufacture Ultima Concrete resulting in pavers up to four times stronger than poured concrete. With Ultima, the look you purchase is the look that will last.


ColorFusion™

The look of natural granite is achieved when color and granite particles are randomly dispersed using proprietary ColorFusion technology to achieve a unique mottled surface.




Nothing protects pavers from stains like EasyClean.

- ✓ Pavers are pre-sealed at the factory
- ✓ Enhanced resistance to weathering
- ✓ Reduced dirt absorption
- ✓ Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove



CLASSIC

- > Budget-friendly shapes and styles
- > Unaffected by frost, resistant to de-icing salts and slip resistant
- > Traditional product mix of large and small aggregates consistent from top to bottom



ENDURACOLOR™

- > Two-step manufacturing process: Coarser base aggregates combined with color and wear-resistant surface aggregates
- > Unaffected by frost, resistant to de-icing salts, slip resistant and chlorine pool water resistant



ELEGANCE™

- > Deep, rich colors unique Reala™ textures
- > Ultima™ Concrete provides up to 4x the strength of poured-in-place concrete
- > Unaffected by frost, resistant to de-icing salts, slip resistant and chlorine pool water resistant



STONEMARK™


- > Highly detailed surface texture created with Reala Technology
- > Surface texture and color resembling natural stone but with the durability of a manufactured paver or wall product



PERMEABLE


- > Installed on an aggregate base with extra wide joints to reduce rainwater flow
- > Extensive collection to choose from, just look for the permeable symbol

Table of Contents



PAVERS

Arcana™	6
Artline™	7
Artline™ Umbriano®	7
Artline™ Il Campo®	7
Beacon Hill™ Flagstone	8
Beacon Hill™ Smooth	9
Boulevard™	10
Bristol Valley®	11
Brussels Block®	12
Copthorne®	13
Courtstone®	14
Eco-Optiloc™	15
Eco-Priora™	16
Eco-Promenade®	17
Granito™	18
Hex Paver™	19
Hollandstone™	20
Holland Premier™	21
Il Campo®	22
Mattoni™	23
Natural Stone	24
Natural Stone Coping, Pillar Caps & Steps	25
Porcelain	26-27
Promenade™ Plank Paver	28-29
Richcliff®	30
Series™ 60mm	31
Series™ 70mm	32
Skyline™	33
Thornbury™	34
Town Hall®	35
Tribeca Cobble™	36
Turfstone™	37
Umbriano™	38
Umbriano™ Slabs	39
Westport™	40



RETAINING WALLS

Brussels Dimensional Stone®	41
DuraHold®	42-43
DuraHold2®	44
Estate Wall™	45
Lineo™ Dimensional Stone	46
Mackinaw™	47
Pisa2™	48
Rivercrest® Wall	49-50
SienaEdge™	51
SienaStone™	52
SienaStone™ Smooth	53
U-Cara®	54-56
U-Cara® Modular System	57
U-Cara® Rail System	58

COPING, STEPS, PILLAR CAPS

Architectural Coping	59
Brussels Fullnose™	60
Universal Coping	61
Ledgestone™	62-63




FIRE FEATURES

Sunset Firepit	64
Rivercrest® Firepit	65




ACCESSORIES

Paver Cleaners	72
Natural Stone Cleaners	73
Paver Sealers	73
Natural Stone Sealers	74
Adhesive	74
Sands	75-76



PRODUCT & INSTALLATION INFORMATION

Base Thickness Chart	68
Edge Restraints	76-77
Finishes and Color Blends	81
Gator Base and Fabric	78
Harmony Elements	69-71
Important Information	80
Laying Patterns	66-67
Large Equipment	68
Material Charts	79
Product Directory	82
Unilock DriveGrid™	78
Sand Charts	75-76



Our Quality Commitment

Unilock was the first concrete paver manufacturer in North America to offer a Lifetime Guarantee, and since then we have continued to stand behind it to ensure customers are completely satisfied with our products. With almost 2 billion stones in the ground, that's quite the commitment!

Our products are better and stronger than other brands. In fact, our internal standards of manufacturing in the USA and Canada far exceed industry standards set by ASTM (American Society for Testing and Materials) and CSA (Canadian Standards Association) and other European organizations.



LIFETIME GUARANTEE - RESIDENTIAL

Our Transferable Lifetime Guarantee warranties the structural integrity of Unilock concrete paving stones and retaining wall units when used in residential applications. It covers any structural failure or deterioration of the concrete unit resulting from normal use or from the reasonable application of sodium chloride (common rock salt used for de-icing). StoneMark™ products have the same warranties as Unilock paving stones and retaining walls, but cannot be warranted against damage resulting from de-icing products. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost.

Proof of purchase is required. Customers are encouraged to submit receipts to us as soon as their project is complete, using the Unilock Warranty Registration Form on our website (Unilock.com).

Purchasers need to ensure that the product they purchase is appropriate for their intended application; for example, only certain thicknesses of products are appropriate for driveways. Color matching of the replacement product and/or lost time cannot be guaranteed and labor costs related to installing replacement product is not included. Unilock reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within our warranty parameters, Unilock will replace the defective product.

EXCLUSIONS – Unfortunately, some things are beyond the control of Unilock, and are therefore not covered by this warranty. These include: naturally occurring efflorescence, hazing from polymeric jointing sand, scratching and chipping resulting from snow removal or construction equipment, damage caused by natural or un-natural disasters, or negligence by anyone other than Unilock. The Unilock warranty also does not cover deterioration or damage as a result of poor design or poor installation practices that are contrary to specifications as laid out by ICPI (Interlocking Concrete Pavement Institute) and the NCMA (National Concrete Masonry Association).

For more information please visit www.icpi.org and www.ncma.org. Additionally, please refer to the Maintenance, Color and Installation Advisories.

MAINTENANCE ADVISORY

1. Cleaning and Sealing

As with anything that is outdoors, Unilock products are subject to harsh weather, dust, acid rain, leaf stains, water stains and general wear from foot or vehicular traffic. Therefore, periodic cleaning using environmentally safe detergents designed for cleaning concrete is recommended to maintain a bright, fresh appearance.

To make subsequent cleaning easier and more effective, a concrete sealer can be applied to new or cleaned products to help prevent the penetration of substances that can cause stains.

There are many types of concrete cleaners and sealers on the market. Always read the instructions carefully before using the product to make sure that it will function as expected. Testing first, in a small unobtrusive area, is always a good idea to ensure the results are acceptable. Consult your local hardscape dealer to find the products best suited for your paver or wall installation.

2. Winter Maintenance

Snow removal by way of metal blades on plows or shovels will scratch and chip the surface of pavers, causing permanent damage. To mitigate this risk, metal snow clearing blades must always have a polyurethane or rubber cutting edge attached when plowing pavers.

De-icing Salts: The use of de-icing products on paver surfaces is important for safety and to help mitigate snow accumulation. Most de-icing products

will have some effect on concrete, even if the product label indicates that it is safe on concrete. If you must use a de-icing product, we recommend that you use Sodium Chloride (ordinary rock salt) or Calcium Chloride (for colder climates). Always apply sparingly. The use of de-icing products on StoneMark, wet-cast pavers, slabs or coping may damage the product and therefore is not recommended. Whenever possible use a coarse sand as an anti-slip measure instead of de-icing chemicals.

COLOR ADVISORY

1. Selection

Due to the inherently variable nature of printed materials and digital monitors, Unilock cannot guarantee that products will match the color of printed or online images. Therefore, when making final product selections, decisions should be made based on actual stones which are readily available from Unilock, Authorized Contractors or Authorized Dealers. Most Unilock products are not comprised of a single color, but rather contain blended colors for a more natural appearance. This means that there will be significant color variance from stone to stone, so purchasers should view multiple units together to get a more accurate impression of the overall color.

Note: Unilock Natural Stone variations are outside the control of Unilock. Purchasers of natural stone must be willing to accept this inherent variability.

2. Pre-installation checking

Always check the label to ensure that the Unilock product delivered to your project is the product and color ordered. If there is

a discrepancy, or if the product inside the packaging doesn't appear to be correct, contact your hardscape dealer before installing any pavers or wall units. If the product is installed, it indicates your acceptance of the products as delivered.

3. Blending

If the project requires more than one bundle of product, it's always a good idea to draw product from several bundles when installing as this ensures that any variation between bundles will be seamlessly integrated in the project. When bundles are from different production runs, random selection from multiple bundles is even more important.

4. Efflorescence

Efflorescence is a naturally occurring process that may appear as a white or light grey powder on the surface of concrete, clay or natural stone. It is temporary, and will disappear over time. However, if it is bothersome, an efflorescence cleaner can be used to remove it. There is no way to predict or prevent efflorescence. Because it does not compromise the structural integrity of the product, it is not covered by Unilock product warranties.

INSTALLATION ADVISORY

1. Construction Residue

While a certain amount of dirt on pavers and walls is inevitable during the construction phase, installers are strongly encouraged to clean as they go as construction residue can embed in the surface and become difficult to remove. The slurry produced during wet-saw cutting is particularly stubborn to clean


if allowed to dry on the surface of pavers. Unilock warranties do not cover stains caused by a failure to remove construction residue.

2. Polymeric Haze


Surface hazing caused by polymeric jointing sand is not the responsibility of Unilock. Polymeric jointing sand should only be installed by an experienced and knowledgeable contractor. Any sand that is left on the surface prior to activation will result in a haze that is very difficult and time-consuming to remove. Only the highest quality, brand name polymeric sand that is guaranteed by the manufacturer should be used.

3. Compaction Damage

Both smooth and textured paver surfaces can be scratched by compaction equipment used to 'flatten' a new paver installation. Therefore, metal plate compactors must be fitted with a polyethylene mat to protect the paver surface from becoming scratched, or a superior option is to use a rubber-roller compactor instead. Damage to product surfaces caused by failure to follow these instructions is not covered by Unilock product warranties.



Visit Unilock.com to register for your Transferable Lifetime Guarantee.



CORVARA




LUGANO



MODENA



VIVANTO



X & T Slab Spacers
Bagged Separately

Bundle Type	SINGLE	SINGLE	SINGLE
	CHICAGO	CHICAGO	CHICAGO
Thickness (mm)	50MM	50MM	50MM
Dimension mm	301mm x 606mm x 50mm	453mm x 606mm x 50mm	606mm x 606mm x 50mm
Dimension Imperial	11 7/8" x 23 7/8" x 2"	17 7/8" x 23 7/8" x 2"	23 7/8" x 23 7/8" x 2"



23 7/8 x 23 7/8 x 2"
606 x 606 x 50mm

SQFT PER	Bundle	36.00	54.00	72.00
	Layer	4.00	6.00000	8.00
	Section	-	-	-
	Stone	2.00	3.00	4.00



23 7/8 x 17 7/8 x 2"
606 x 453 x 50mm

PER BUNDLE	Layers	9.00	9.00	9.00
	Sections	-	-	-



11 7/8 x 23 7/8 x 2"
301 x 606 x 50mm

SOLDIER LNFT PER	SqFt	0.49	0.50	0.50
	Section	-	-	-
	Layer	1.98	2.97	3.98
	Bundle	17.78	26.75	35.79

SAILOR LNFT PER	SqFt	0.99	0.66	0.50
	Section	-	-	-
	Layer	3.98	3.98	3.98
	Bundle	35.79	35.79	35.79

UNITS PER	SqFt	0.50	0.33	0.25
	Section	-	-	-
	Bundle	18.00	18.00	18.00

LBS PER	Layer	96	144	192
	Section	-	-	-
	Bundle	864	1,296	1,728

ADVANTAGES



Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required and refundable skid. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Product is not intended for vehicular applications. Please refer to the Polymeric Sand Best Practices on page 75 and Important Notice on page 76. All measurements are nominal. Unilock recommends to install Arcana using T and X Slab spacers. Please contact your sales manager for more information.



BIRCH



GRANITE



MIDNIGHT SKY
UMBRIANO FINISH
SPECIAL ORDER



GRANITE BLEND
IL CAMPO FINISH
SPECIAL ORDER



SIERRA
WHILE SUPPLIES LAST

Bundle Type	RANDOM	UMBRIANO	IL CAMPO
	MICHIGAN	MARENGO	CHICAGO
Thickness (mm)	70MM	70MM	70MM
Dimension mm			
Dimension Imperial			

SQFT PER	Bundle	93.25	93.25	93.25
	Layer	11.66000	11.66000	11.66000
	Section	-	-	-
	Stone	0.49	0.49	0.49

PER BUNDLE	Layers	8.00	8.00	8.00
	Sections	-	-	-


SOLDIER LNFT PER	SqFt	-	-	-
	Section	-	-	-
	Layer	-	-	-
	Bundle	-	-	-

SAILOR LNFT PER	SqFt	-	-	-
	Section	-	-	-
	Layer	-	-	-
	Bundle	-	-	-

UNITS PER	SqFt	2.06	2.06	2.06
	Section	-	-	-
	Bundle	192.00	192.00	192.00

LBS PER	Layer	373	373	370
	Section	-	-	-
	Bundle	2,986	2,985	2,963

7 UNIT RANDOM BUNDLE



ADVANTAGES

UMBRIANO FINISH - EasyClean

Factory sealed to provide integral surface protection from stains

UMBRIANO FINISH - COLORFUSION™

Subtly mottled color finish

IL CAMPO - BRUSHED FINISH

Graphically interesting etched lines

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Product sold in full bundles only and is produced and sold on a required, refundable skid.
Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.



BIRCH



FOSSIL



SIERRA



BAVARIAN
WHILE SUPPLIES LAST

Bundle Type	RANDOM
	MICHIGAN
Thickness (mm)	60MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	94.14
	Layer	10.46000
	Section	-
	Stone	1.31

PER BUNDLE	Layers	9.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	-
	Layer	8.86
	Bundle	79.72

UNITS PER	SqFt	0.76
	Section	-
	Bundle	72.00

LBS PER	Layer	287
	Section	-
	Bundle	2,583

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21¼" x 14⅞" x 2⅜"
540 x 360 x 60mm



SQUARE
14⅞" x 14⅞" x 2⅜"
360 x 360 x 60mm



SMALL RECTANGLE
7⅞" x 14⅞" x 2⅜"
180 x 360 x 60mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only. This product is not intended for vehicular applications. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.



BIRCH

FOSSIL

GRANITE

DARK CHARCOAL
(15 x 7½ only)

OPAL

GRANITE
XL UNIT

OPAL
XL UNIT

Bundle Type	RANDOM	SMALL RECTANGLE	XL UNIT
	MICHIGAN	MICHIGAN	MICHIGAN
Thickness (mm)	60MM	60MM	60MM
Dimension mm		190mm x 380mm x 60mm	570mm x 950mm x 60mm
Dimension Imperial		7 1/2" x 15" x 2 3/8"	22 1/2" x 37 1/2" x 2 3/8"

SQFT PER	Bundle	104.91	104.91	104.91
	Layer	11.66000	11.66000	11.66000
	Section	-	-	-
	Stone	1.46	0.78	5.83

PER BUNDLE	Layers	9.00	9.00	9.00
	Sections	-	-	-

SOLDIER LNFT PER	SqFt	-	0.80	0.32
	Section	-	-	-
	Layer	-	9.35	3.74
	Bundle	-	84.15	33.66

SAILOR LNFT PER	SqFt	0.80	1.60	0.53
	Section	-	-	-
	Layer	9.35	18.70	6.23
	Bundle	84.15	168.31	56.07

UNITS PER	SqFt	0.69	1.29	0.17
	Section	-	-	-
	Bundle	72.00	135.00	18.00

LBS PER	Layer	320	320	320
	Section	-	-	-
	Bundle	2,879	2,879	2,879

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
22½ x 15 x 2⅜"
540 x 360 x 60mm



SQUARE
15 x 15 x 2⅜"
360 x 360 x 60mm



SMALL RECTANGLE
15 x 7½ x 2⅜"
360 x 180 x 60mm

SMALL RECTANGLE SOLD SEPARATELY



SMALL RECTANGLE
15 x 7½ x 2⅜"
380 x 190 x 60mm
Charcoal only

XL UNIT SOLD SEPARATELY



XL UNIT
22½ x 37½ x 2⅜"
570 x 950 x 60mm
Granite & Opal only

ADVANTAGES

PEDESTRIAN FRIENDLY


Not recommended for vehicular use

Notes: Sold in full bundles only. This product is not intended for vehicular applications.

Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.



RIVER



SIERRA



GRANITE

Bundle Type	RANDOM
	MICHIGAN
Thickness (mm)	70MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	93.00
	Layer	11.63000
	Section	-
	Stone	1.45

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	1.03
	Section	-
	Layer	12.00
	Bundle	96.04

UNITS PER	SqFt	0.69
	Section	-
	Bundle	64.00

LBS PER	Layer	372
	Section	-
	Bundle	2,978

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
12 x 24 x 2 3/4"
305 x 610 x 70mm



MEDIUM RECTANGLE
12 x 18 x 2 3/4"
305 x 457 x 70mm




SQUARE
12 x 12 x 2 3/4"
305 x 305 x 70mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only. This product is not intended for vehicular applications. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.



BAVARIAN



FOSSIL **NEW**



STEEL MOUNTAIN

Bundle Type	RANDOM
	MARENGO
Thickness (mm)	60MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	104.60
	Layer	10.46000
	Section	-
	Stone	1.31

PER BUNDLE	Layers	10.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	-
	Layer	8.86
	Bundle	88.58

UNITS PER	SqFt	0.76
	Section	-
	Bundle	80.00

LBS PER	Layer	295
	Section	-
	Bundle	2,946

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21¼" x 14⅞" x 2⅜"
540 x 360 x 60mm



SQUARE
14⅞" x 14⅞" x 2⅜"
360 x 360 x 60mm



SMALL RECTANGLE
7⅞" x 14⅞" x 2⅜"
180 x 360 x 60mm

ADVANTAGES

EASYSOAK™

Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.



COFFEE CREEK



LIMESTONE



DESERT SAND
WHILE SUPPLIES LAST



SANDSTONE



MAHOGANY ASH



DARK CHARCOAL
HALF STONE ONLY

Bundle Type	HALF	STANDARD	XL
	MICHIGAN	MICHIGAN	MICHIGAN
Thickness (mm)	70MM	70MM	70MM
Dimension mm	104mm x 173mm x 70mm	173mm x 208mm x 70mm	208mm x 348mm x 70mm
Dimension Imperial	4 1/8" x 6 7/8" x 2 3/4"	6 7/8" x 8 1/4" x 2 3/4"	8 1/4" x 13 3/4" x 2 3/4"



HALF STONE
4 1/8" x 6 7/8" x 2 3/4"
104 x 173 x 70mm

SQFT PER	Bundle	99.79	94.91	95.70
	Layer	12.47000	11.86000	9.57000
	Section	-	-	-
	Stone	0.20	0.40	0.80



STANDARD STONE
6 7/8" x 8 1/4" x 2 3/4"
173 x 208 x 70mm

PER BUNDLE	Layers	8.00	8.00	10.00
	Sections	-	-	-

SOLDIER LNFT PER	SqFt	1.72	1.44	0.86
	Section	-	-	-
	Layer	21.50	17.03	8.19
	Bundle	172.00	136.22	81.89



XL STONE
8 1/4" x 13 3/4" x 2 3/4"
208 x 348 x 70mm

SAILOR LNFT PER	SqFt	2.95	1.73	1.43
	Section	-	-	-
	Layer	36.79	20.47	13.70
	Bundle	294.30	163.78	137.01

UNITS PER	SqFt	5.05	2.53	1.25
	Section	-	-	-
	Bundle	504.00	240.00	120.00

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

LBS PER	Layer	399	380	306
	Section	-	-	-
	Bundle	3,195	3,039	3,065

Notes: Sold in full bundles only. XL unit can also be used as a coping or step tread. All measurements are nominal. Contact Unilock for more information.



BURGUNDY RED



BURNT CLAY



OLD OAK



BASALT



STEEL BLUE



BURGUNDY RED/
BURNT CLAY/OLD OAK
Sold Separately/
Blended on Site

Bundle Type		SINGLE
		AYR
Thickness (mm)		60MM
Dimension mm		65mm x 200mm x 60mm
Dimension Imperial		2 5/8" x 7 7/8" x 2 3/8"

SQFT PER	Bundle	89.20
	Layer	11.15000
	Section	-
	Stone	0.15

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	1.43
	Section	-
	Layer	15.99
	Bundle	127.95

SAILOR LNFT PER	SqFt	4.41
	Section	-
	Layer	49.21
	Bundle	393.70

UNITS PER	SqFt	6.73
	Section	-
	Bundle	600.00

LBS PER	Layer	294
	Section	-
	Bundle	2,349



STANDARD
2 5/8" x 7 7/8" x 2 3/8"
65 x 200 x 60mm

ADVANTAGES

REALA™

Cast from historic street pavers

ULTIMA™

Up to 4x stronger than
poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. Please refer to the Polymeric Sand Best Practices on page 75. All measurements are nominal. Contact Unilock for more information.



BASALT



BELGIAN BLUE
SPECIAL ORDER



DAWN MIST
SPECIAL ORDER



PEBBLE TAUPE
SPECIAL ORDER



BASALT/ BELGIAN BLUE
Sold Separately/
Blended on Site



DAWN MIST/ PEBBLE TAUPE
Sold Separately/
Blended on Site

Bundle Type	RANDOM
	AYR
Thickness (mm)	60MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	98.30
	Layer	12.29000
	Section	-
	Stone	0.26

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	2.25
	Section	-
	Layer	27.69
	Bundle	221.52

UNITS PER	SqFt	3.91
	Section	-
	Bundle	384.00

LBS PER	Layer	291
	Section	-
	Bundle	2,326

5 UNIT RANDOM BUNDLE



XL RECTANGLE
5 1/8 x 8 3/8 x 2 3/8"
130 x 215 x 60mm



LARGE RECTANGLE
5 1/8 x 7 1/4 x 2 3/8"
130 x 185 x 60mm



RECTANGLE
5 1/8 x 6 1/2 x 2 3/8"
130 x 165 x 60mm



SMALL RECTANGLE
5 1/8 x 5 3/4 x 2 3/8"
130 x 145 x 60mm



SQUARE
5 1/8 x 5 1/8 x 2 3/8"
130 x 130 x 60mm

ADVANTAGES

REALA™

Cast from historic European cobblestones

ULTIMA™

Up to 4x stronger than
poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. Please refer to the Polymeric Sand Best Practices on page 76. All measurements are nominal. Contact Unilock for more information.



NATURAL
SPECIAL ORDER

Bundle Type		SINGLE
		MICHIGAN
Thickness (mm)		80MM
Dimension mm		250mm x 250mm x 80mm
Dimension Imperial		9 7/8" x 9 7/8" x 3 1/8"

SQFT PER	Bundle	63.56
	Layer	9.08000
	Section	-
	Stone	0.50

PER BUNDLE	Layers	7.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	1.98
	Section	-
	Bundle	126.00

LBS PER	Layer	332
	Section	-
	Bundle	2,325



STANDARD
9 7/8" x 9 7/8" x 3 1/8"
250 x 250 x 80mm

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads


Notes: Most standard colors are available by special order only and subject to minimum quantities. Contact your representative for details. This product is optimized for mechanical installation. Sold in full bundles only. All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Contact Unilock for information.




BEECHWOOD
STANDARD FINISH




PREMIER FINISH
SPECIAL ORDER



IL CAMPO® FINISH
SPECIAL ORDER



SERIES™ FINISH
SPECIAL ORDER



UMBRIANO® FINISH
SPECIAL ORDER



STANDARD FINISH
SPECIAL ORDER

Bundle Type		SINGLE - SMOOTH
		MICHIGAN
Thickness (mm)		80MM
Dimension mm		120mm x 240mm x 80mm
Dimension Imperial		4 3/4" x 9 1/2" x 3 1/8"



RECTANGLE
4 3/4" x 9 1/2" x 3 1/8"
120 x 240 x 80mm

SQFT PER	Bundle	75.95
	Layer	10.85000
	Section	-
	Stone	0.31

PER BUNDLE	Layers	7.00
	Sections	-

SOLDIER LNFT PER	SqFt	1.27
	Section	-
	Layer	13.78
	Bundle	96.46

SAILOR LNFT PER	SqFt	2.54
	Section	-
	Layer	27.56
	Bundle	192.91

UNITS PER	SqFt	3.23
	Section	-
	Bundle	245.00

LBS PER	Layer	397
	Section	-
	Bundle	2,778

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through


DRIVE FRIENDLY

Can handle vehicular loads

Notes: * Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.



PREMIER FINISH



IL CAMPO® FINISH



SERIES™ FINISH



UMBRIANO® FINISH



STANDARD FINISH

Bundle Type	SINGLE
	MICHIGAN
Thickness (mm)	100MM
Dimension mm	75mm x 300mm x 100mm
Dimension Imperial	2 7/8" x 11 7/8" x 3 7/8"



2 7/8" x 11 7/8" x 3 7/8"
76 x 300 x 100mm

SQFT PER	Bundle	63.94
	Layer	10.66000
	Section	-
	Stone	0.24

PER BUNDLE	Layers	6.00
	Sections	-

SOLDIER LNFT PER	SqFt	1.02
	Section	-
	Layer	10.83
	Bundle	64.96

SAILOR LNFT PER	SqFt	4.06
	Section	-
	Layer	43.31
	Bundle	259.84

UNITS PER	SqFt	4.13
	Section	-
	Bundle	264.00

LBS PER	Layer	482
	Section	-
	Bundle	2,893

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Weights and square feet may vary depending on plant of manufacture and finish. Custom finish and color options are available. All measurements are nominal. Important: A urethane rubber paver mat must be used to prevent scuffing. Contact Unilock for more information.



NOTTE



SABIA



NOTTE HEX



SABIA HEX

	HEX - SPECIAL ORDER	3 UNIT
Bundle Type	SINGLE	RANDOM
Thickness (mm)	70MM	60MM
Dimension mm	200mm x 200mm x 70mm	
Dimension Imperial	7 7/8" x 7 7/8" x 2 3/4"	

SQFT PER	Bundle	73.92	94.14
	Layer	9.24000	10.46000
	Section	-	-
	Stone	0.39	1.31

PER BUNDLE	Layers	8.00	9.00
	Sections	-	-

SOLDIER LNFT PER	SqFt	-	-
	Section	-	-
	Layer	-	-
	Bundle	-	-

SAILOR LNFT PER	SqFt	-	0.85
	Section	-	-
	Layer	-	8.86
	Bundle	-	79.72

UNITS PER	SqFt	2.60	0.76
	Section	-	-
	Bundle	192.00	72.00

LBS PER	Layer	306	287
	Section	-	-
	Bundle	2,450	2,583

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21 x 14 x 2 3/8"
540 x 360 x 60mm



SQUARE
14 x 14 x 2 3/8"
360 x 360 x 60mm



SMALL RECTANGLE
7 x 14 x 2 3/8"
180 x 360 x 60mm



HEX
8 x 8 x 2 3/4"
200 x 200 x 70mm

ADVANTAGES

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

ARTISTA™

Boldly mottled color finish

DRIVE FRIENDLY

Can handle vehicular loads - Hex only

Notes: **Special Order - Lead time is required, minimum quantities apply.** Sold in full bundles only and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.



DARK CHARCOAL



GRANITE

	8"X8" HEX - ENDURACOLOR
Bundle Type	SINGLE
Thickness (mm)	70MM
Dimension mm	200MM X 200MM X 70MM
Dimension Imperial	7 7/8" X 7 7/8" X 2 3/4"



HEX
8 x 8 x 2¾"
200 x 200 x 70mm

SQFT PER	Bundle	73.92
	Layer	9.24000
	Section	-
	Stone	0.39

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	2.60
	Section	-
	Bundle	192.00

LBS PER	Layer	306
	Section	-
	Bundle	2,450

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.



BEECHWOOD



SANDSTONE



RUSTIC RED



TERRA COTTA

Bundle Type	SINGLE	SINGLE
	MICHIGAN	MICHIGAN
Thickness (mm)	60MM	80MM
Dimension mm	100mm x 200mm x 60mm	100mm x 200mm x 80mm
Dimension Imperial	3 7/8" x 7 7/8" x 2 3/8"	3 7/8" x 7 7/8" x 3 1/8"



STANDARD
3 7/8" x 7 7/8" x 2 3/8"
100 x 200 x 60mm

SQFT PER	Bundle	106.20	82.60
	Layer	11.80000	11.80000
	Section	17.70	13.77
	Stone	0.22	0.22



STANDARD
3 7/8" x 7 7/8" x 3 1/8"
100 x 200 x 80mm
SPECIAL ORDER

PER BUNDLE	Layers	9.00	7.00
	Sections	6.00	6.00

SOLDIER LNFT PER	SqFt	1.50	1.50
	Section	26.57	20.67
	Layer	17.72	17.71
	Bundle	159.45	124.00

80 mm Standard also available
by Special Order. Minimum
quantities may apply.

SAILOR LNFT PER	SqFt	3.00	-
	Section	53.15	-
	Layer	35.43	-
	Bundle	318.90	-

UNITS PER	SqFt	4.58	4.58
	Section	81.00	63.00
	Bundle	486.00	378.00

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only. All measurements are nominal.
Contact Unilock for more information.



CHARLESTON



DARK CHARCOAL



FOSSIL



GRANITE

Bundle Type	SINGLE
	MICHIGAN
Thickness (mm)	60MM
Dimension mm	100mm x 200mm x 60mm
Dimension Imperial	3 7/8" x 7 7/8" x 2 3/8"



STANDARD
3 7/8" x 7 7/8" x 2 3/8"
100 x 200 x 60mm

SQFT PER	Bundle	106.20
	Layer	11.80000
	Section	17.70
	Stone	0.22

PER BUNDLE	Layers	9.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	1.50
	Section	26.57
	Layer	17.72
	Bundle	159.45

SAILOR LNFT PER	SqFt	3.00
	Section	53.15
	Layer	35.43
	Bundle	318.90

UNITS PER	SqFt	4.58
	Section	81.00
	Bundle	486.00

LBS PER	Layer	324
	Section	486
	Bundle	2,914

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.



DARK CHARCOAL

Bundle Type		SINGLE
		PICKERING
Thickness (mm)		70MM
Dimension mm		100mm x 200mm x 70mm
Dimension Imperial		3 7/8" x 7 7/8" x 2 3/4"

SQFT PER	Bundle	94.40
	Layer	11.80000
	Section	15.73
	Stone	0.22

PER BUNDLE	Layers	8.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	1.50
	Section	23.62
	Layer	17.72
	Bundle	141.73

SAILOR LNFT PER	SqFt	3.00
	Section	47.24
	Layer	35.43
	Bundle	283.46

UNITS PER	SqFt	4.58
	Section	72.00
	Bundle	432.00

LBS PER	Layer	377
	Section	502
	Bundle	3,014



STANDARD
3 7/8 x 8 x 2 3/4"
100 x 200 x 70mm

ADVANTAGES

BRUSHED FINISH

Graphically interesting etched lines

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. Please refer to the Important Notice on page 76. All measurements are nominal. Contact Unilock for more information.



COCOA BROWN



DARK CHARCOAL



SABLE BLEND

Bundle Type		SINGLE
		MARENGO
Thickness (mm)		70MM
Dimension mm		60mm x 240mm x 70mm
Dimension Imperial		2 3/8" x 9 1/2" x 2 3/4"

SQFT PER	Bundle	89.28
	Layer	11.16000
	Section	-
	Stone	0.16


PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	1.27
	Section	-
	Layer	14.17
	Bundle	113.39

SAILOR LNFT PER	SqFt	5.08
	Section	-
	Layer	56.69
	Bundle	453.54

UNITS PER	SqFt	6.45
	Section	-
	Bundle	576.00

LBS PER	Layer	357
	Section	-
	Bundle	2,859



STANDARD
2⅜ x 9½ x 2¾"
60 x 240 x 70mm

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Natural Stone



INDIAN COAST
SANDSTONE



STONE CLIFF GREY
SANDSTONE



BLACK RIVER
LIMESTONE

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.



12 x 24 x 7/8"
300 x 600 x 22mm



18 x 24 x 7/8"
450 x 600 x 22mm



24 x 24 x 7/8"
600 x 600 x 22mm



24 x 36 x 7/8"
600 x 900 x 22mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular

Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE
	12 x 24	18 x 24	24 x 24	24 x 36
Thickness (mm)	22MM	22MM	22MM	22MM
Dimension mm	300mm x 600mm x 22mm	450mm x 600mm x 22mm	600mm x 600mm x 22mm	600mm x 900mm x 22mm
Dimension Imperial	11 7/8" x 23 5/8" x 0 7/8"	17 3/4" x 23 5/8" x 0 7/8"	23 5/8" x 23 5/8" x 0 7/8"	23 5/8" x 35 1/2" x 0 7/8"

SQFT PER	Crate	180.00	186.00	160.00	180.00
	Unit	2.00	3.00	4.00	6.00

FCFT PER	Crate	-	-	-	-
	Layer	-	-	-	-
	Unit	-	-	-	-

LNFT PER	Crate	-	-	-	-
	Unit	-	-	-	-

UNITS PER	Crate	90.00	62.00	40.00	30.00
	SqFt	0.50	0.33	0.25	0.17

LBS PER	Unit	24	36	48	72
	Bundle	2,149	2,221	1,914	2,149

Notes: Sold in full crates only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Due to natural oxidation, the Black River Limestone will require sealing to maintain its deep rich color. Unilock recommends a solvent based sealer for natural stone. **Important:** Natural Stone is covered under Unilock's Transferable Lifetime Guarantee. All measurements are nominal. **Product is not intended for vehicular applications.**

Natural Stone Coping, Pillar Caps & Steps



INDIAN COAST
SANDSTONE



STONE CLIFF GREY
SANDSTONE



BLACK RIVER
LIMESTONE



NATURAL EDGE
48 x 12 x 2"
1200 x 300 x 50mm



FULLNOSE EDGE
48 x 12 x 2"
1200 x 300 x 50mm



24" PILLAR CAP
24 x 24 x 2½"
600 x 600 x 64mm
SPECIAL ORDER



NATURAL EDGE STEP
16 x 48 x 6"
400 x 1200 x 150mm
SPECIAL ORDER

Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE
	FULLNOSE EDGE	NATURAL EDGE	24" PILLAR CAP	ROCK FACE STEP
Thickness (mm)	50MM	50MM	64MM	150MM
Dimension mm	1,200mm x 50mm x 300mm	1,200mm x 50mm x 300mm	600mm x 600mm x 64mm	400mm x 1,200mm x 150mm
Dimension Imperial	47 1/4" x 2" x 11 7/8"	47 1/4" x 2" x 11 7/8"	23 5/8" x 23 5/8" x 2 5/8"	15 3/4" x 47 1/4" x 5 7/8"

SQFT PER	Crate	-	-	-	-
	Unit	-	-	-	-

FCFT PER	Crate	-	-	-	32.00
	Layer	-	-	-	-
	Unit	-	-	-	-

LNFT PER	Crate	80.00	80.00	-	24.00
	Unit	-	-	-	-

UNITS PER	Crate	20.00	20.00	14.00	6.00
	SqFt	-	-	-	-

LBS PER	Unit	-	-	186	-
	Bundle	2,116	2,116	2,606	2,526

Notes: Sold in full crates only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Due to natural oxidation, the Black River Limestone will require sealing to maintain its deep rich color. Unilock recommends a solvent based sealer for natural stone. **Important:** Natural Stone is covered under Unilock's Transferable Lifetime Guarantee. All measurements are nominal. **Product is not intended for vehicular applications.**



ARBOR GREY



ARBOR NATURAL



ARBOR BIANCO



LASCALA GREY



LASCALA BEIGE



LASCALA NOCE



Rectangle
15³/₄ x 31¹/₂ x 7⁷/₈"
400 x 800 x 20mm

Bundle Type	SINGLE
	Pressed Edge
Thickness (mm)	20MM
Dimension mm	400mm x 800mm x 20mm
Dimension Imperial	15 3/4" x 31 1/2" x 0 7/8"

SQFT PER	Pallet	268.71
	Box	6.89
	Unit	3.45

PER PALLET	Pallet	39.00
------------	--------	-------

UNITS PER	Pallet	78.00
	Box	2.00

LBS PER	Unit	32
	SqFt	9
	Box	64
	Pallet	2,504

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular

Notes: Sold in full bundles only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. **Important:** Porcelain products are not covered under Unilock's Lifetime Guarantee. Please contact Unilock/your Territory Manager for more information. All measurement are nominal.

Porcelain 24 x 24

SPECIAL ORDER PRODUCT 



GOTHAM BEIGE



GOTHAM GREY



GOTHAM NERO



TRAVSTONE BEIGE
Available in 24x24 & 16x32



TRAVSTONE NOCE
Available in 24x24 & 16x32



Square
23⁵/₈ x 23⁵/₈ x 7¹/₈"
600 x 600 x 20mm

Bundle Type	SINGLE
	Square Pressed Edge
Thickness (mm)	20MM
Dimension mm	600mm x 600mm x 20mm
Dimension Imperial	23 5/8" x 23 5/8" x 0 7/8"

SQFT PER	Pallet	255.75
	Box	7.75
	Unit	3.88

PER PALLET	Pallet	33.00
------------	--------	-------

UNITS PER	Pallet	66.00
	Box	2.00

LBS PER	Unit	36
	SqFt	9
	Box	72
	Pallet	2,360

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES
PEDESTRIAN FRIENDLY
Not recommended for vehicular

Notes: Sold in full bundles only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. **Important:** Porcelain products are not covered under Unilock's Lifetime Guarantee. Please contact Unilock/your Territory Manager for more information. All measurement are nominal.

Promenade™ Plank Paver

SPECIAL ORDER PRODUCT **ENDURACOLOR™**



BLACK GRANITE
SERIES™ FINISH

	4 x 12 Series Exposed	4 x 16 Series Exposed	8 x 24 Series Exposed
Bundle Type	SINGLE	SINGLE	SINGLE
	GEORGETOWN1	GEORGETOWN1	GEORGETOWN1
Thickness (mm)	100MM	100MM	100MM
Dimension mm	100mm x 300mm x 100mm	100mm x 400mm x 100mm	200mm x 600mm x 100mm
Dimension Imperial	3 7/8" x 11 7/8" x 3 7/8"	3 7/8" x 15 3/4" x 3 7/8"	7 7/8" x 23 5/8" x 3 7/8"

SQFT PER	Bundle	58.13	51.67	51.67
	Layer	11.63000	10.33000	10.33000
	Section	-	-	-
	Stone	0.32	0.43	1.29

PER BUNDLE	Layers	5.00	5.00	5.00
	Sections	-	-	-

SOLDIER LNFT PER	SqFt	1.02	0.76	0.51
	Section	-	-	-
	Layer	11.81	7.87	5.25
	Bundle	59.06	39.37	26.25

SAILOR LNFT PER	SqFt	3.05	3.05	1.52
	Section	-	-	-
	Layer	35.43	31.50	15.75
	Bundle	177.17	157.48	78.74

UNITS PER	SqFt	3.10	2.32	0.77
	Section	-	-	-
	Bundle	180.00	120.00	40.00

LBS PER	Layer	532	468	478
	Section	-	-	-
	Bundle	2,659	2,338	2,391



4 x 12 x 4"
100 x 300 x 100mm
SPECIAL ORDER



4 x 16 x 4"
100 x 400 x 100mm
SPECIAL ORDER



8 x 24 x 4"
200 x 600 x 100mm
SPECIAL ORDER

ADVANTAGES

BRUSHED FINISH

Graphically interesting etched lines

BRUSHED FINISH

Granite, Quartz and Marble surface materials

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **Special Order - Lead time is required, minimum quantities apply.** Sold in full bundles only. Weights and square feet may vary depending on plant of manufacture and finish. Custom finish and color options are available. All measurements are nominal. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Contact Unilock for more information.

Promenade™ Plank Paver

SPECIAL ORDER PRODUCT **ENDURACOLOR™**



OPAL BLEND
SMOOTH
4x16 not Special Order



STEEL GREY BLEND
SMOOTH
4x16 not Special Order



DARK CHARCOAL **NEW**
IL CAMPO® FINISH
4x12 & 8x24 only



GRANITE BLEND
IL CAMPO® FINISH
4x12 & 8x24 only



LIGHT GREY **NEW**
IL CAMPO FINISH
4x12 & 8x24 only



8 x 24 x 4"
200 x 600 x 100mm
SPECIAL ORDER



4 x 16 x 4"
100 x 400 x 100mm
SMOOTH ONLY



4 x 12 x 4"
100 x 300 x 100mm
SPECIAL ORDER

	4 x 12 Smooth	4 x 16 Smooth	8 x 24 Smooth	4 x 12 Il Campo	8 x 24 Il Campo
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
	GEORGETOWN1	GEORGETOWN1	GEORGETOWN1	GEORGETOWN1	PICKERING
Thickness (mm)	100MM	100MM	100MM	100MM	100MM
Dimension mm	100mm x 300mm x 100mm	100mm x 400mm x 100mm	200mm x 600mm x 100mm	100mm x 300mm x 100mm	200mm x 600mm x 100mm
Dimension Imperial	3 7/8" x 11 7/8" x 3 7/8"	3 7/8" x 15 3/4" x 3 7/8"	7 7/8" x 23 5/8" x 3 7/8"	3 7/8" X 11 7/8" X 3 7/8"	7 7/8" X 23 5/8" X 3 7/8"

SQFT PER	Bundle	58.13	51.67	51.67	58.13	51.67
	Layer	11.63000	10.33000	10.33000	11.63000	10.33000
	Section	-	-	-	-	-
	Stone	0.32	0.43	1.29	0.32	1.29

PER BUNDLE	Layers	5.00	5.00	5.00	5.00	5.00
	Sections	-	-	-	-	-

SOLDIER LNFT PER	SqFt	1.02	0.76	0.51	1.02	0.51
	Section	-	-	-	-	-
	Layer	11.81	7.87	5.25	11.81	5.25
	Bundle	59.06	39.37	26.25	59.06	26.25

SAILOR LNFT PER	SqFt	3.05	3.05	1.52	3.05	1.52
	Section	-	-	-	-	-
	Layer	35.43	31.50	15.75	35.43	15.75
	Bundle	177.17	157.48	78.74	177.17	78.74

UNITS PER	SqFt	3.10	2.32	0.77	3.10	0.77
	Section	-	-	-	-	-
	Bundle	180.00	120.00	40.00	180.00	40.00

LBS PER	Layer	532	488	478	526	478
	Section	-	-	-	-	-
	Bundle	2,659	2,440	2,391	2,629	2,391



DAWN MIST



PEBBLE TAUPE



SMOKE SHALE



DAWN MIST/ PEBBLE TAUPE
Sold Separately/ Blended on Site

Bundle Type		RANDOM	SINGLE
		AYR	AYR
Thickness (mm)		60MM	60MM
Dimension mm			302mm x 528mm x 60mm
Dimension Imperial			11 7/8" x 20 7/8" x 2 3/8"

SQFT PER	Bundle	90.30	82.39
	Layer	11.29000	10.30000
	Section	-	-
	Stone	0.56	1.72

PER BUNDLE	Layers	8.00	8.00
	Sections	-	-

SOLDIER LNFT PER	SqFt	-	0.58
	Section	-	-
	Layer	-	5.94
	Bundle	-	47.56

SAILOR LNFT PER	SqFt	1.31	1.01
	Section	-	-
	Layer	14.78	10.39
	Bundle	118.22	83.15

UNITS PER	SqFt	1.77	0.58
	Section	-	-
	Bundle	160.00	48.00

LBS PER	Layer	309	301
	Section	-	-
	Bundle	2,472	2,411

3 UNIT RANDOM BUNDLE



RECTANGLE
12 x 9 x 2 3/8"
300 x 226 x 60mm



SQUARE
9 x 9 x 2 3/8"
226 x 226 x 60mm



SMALL RECTANGLE
9 x 6 x 2 3/8"
226 x 150 x 60mm



LARGE RECTANGLE
21 x 12 x 2 3/8"
528 x 302 x 60mm
Sold Separately

ADVANTAGES

REALA™

Cast from natural stone


ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Random Bundle can handle vehicular loads

Notes: **SOLD AS FULL BUNDLES ONLY** on a refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information. Please refer to the Polymeric Sand Best Practices on page 75 and Important Notice on page 76.



COBALT GREY
SPECIAL ORDER



MINERAL ICE GREY
SPECIAL ORDER

Bundle Type	RANDOM
	CHICAGO
Thickness (mm)	60MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	104.60
	Layer	10.46000
	Section	17.43
	Stone	1.31

PER BUNDLE	Layers	10.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	14.76
	Layer	8.86
	Bundle	88.58

UNITS PER	SqFt	0.76
	Section	13.33
	Bundle	80.00

LBS PER	Layer	291
	Section	485
	Bundle	2,913

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
14 1/4 x 21 1/4 x 2 3/8"
360 x 540 x 60mm



SQUARE
14 1/4 x 14 1/4 x 2 3/8"
360 x 360 x 60mm



SMALL RECTANGLE
7 1/8 x 14 1/4 x 2 3/8"
180 x 360 x 60mm

ADVANTAGES

Granite, Quartz and Marble surface materials


PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: **Special Order - Lead time is required, minimum quantities apply.** Product sold in full bundles only. **Important:** A urethane rubber mat must be used to prevent scuffing. Please refer to the Important Notice on page 76.



GOLDEN TAN



ONYX BLACK
STOCK

Bundle Type	SINGLE
	CHICAGO
Thickness (mm)	70MM
Dimension mm	100mm x 200mm x 70mm
Dimension Imperial	3 7/8" x 7 7/8" x 2 3/4"



3 7/8" x 7 7/8" x 2 3/4"
100 x 200 x 70mm

SQFT PER	Bundle	106.20
	Layer	11.80000
	Section	17.70
	Stone	0.22

PER BUNDLE	Layers	9.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	1.50
	Section	26.57
	Layer	17.72
	Bundle	159.45

SAILOR LNFT PER	SqFt	3.00
	Section	53.15
	Layer	35.43
	Bundle	318.90

UNITS PER	SqFt	4.58
	Section	81.00
	Bundle	486.00

LBS PER	Layer	398
	Section	597
	Bundle	3,584

ADVANTAGES

Granite, Quartz and Marble surface materials

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Special Order - Lead time is required, minimum quantities apply. Product sold in full bundles only. Important: A urethane rubber mat must be used to prevent scuffing. Please refer to the Important Notice on page 76.



CHAMOIS



MEDIUM GREY



Pedestal System
Contact your local Unilock Rep for more information.

Bundle Type		SINGLE
		MARENGO
Thickness (mm)		50MM
Dimension mm		606mm x 606mm x 50mm
Dimension Imperial		23 7/8" x 23 7/8" x 2"

SQFT PER	Bundle	80.00
	Layer	8.00000
	Section	-
	Stone	4.00

PER BUNDLE	Layers	10.00
	Sections	-

SOLDIER LNFT PER	SqFt	0.50
	Section	-
	Layer	4.00
	Bundle	40.00

SAILOR LNFT PER	SqFt	0.50
	Section	-
	Layer	4.00
	Bundle	40.00

UNITS PER	SqFt	0.25
	Section	-
	Bundle	20.00

LBS PER	Layer	183
	Section	-
	Bundle	1,833



23⁷/₈ x 23⁷/₈ x 2"
606 x 606 x 50mm

*Perfect for roof decks
and other raised floor
applications.*

ADVANTAGES

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

Notes: **PRODUCT SOLD IN FULL BUNDLES ONLY.** Product is not intended for vehicular applications. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. SKY CH



BAVARIAN
WHILE SUPPLIES LAST



BIRCH



SIERRA

Bundle Type	RANDOM
	MICHIGAN
Thickness (mm)	70MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	88.61
	Layer	11.08000
	Section	-
	Stone	0.92

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-


UNITS PER	SqFt	1.08
	Section	-
	Bundle	96.00

LBS PER	Layer	355
	Section	-
	Bundle	2,837

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
14 1/4 x 21 1/4 x 2 3/4"
350 x 420 x 70mm



MEDIUM RECTANGLE
14 1/4 x 8 1/4 x 2 3/4"
350 x 210 x 70mm



SMALL RECTANGLE
7 1/8 x 14 1/4 x 2 3/4"
173 x 350 x 70mm

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular use

Notes: Sold in full bundles only. Important: A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.



BURGUNDY RED



BURNT CLAY



OLD OAK



BASALT



BURGUNDY RED/
BURNT CLAY/OLD OAK
Sold Separately/
Blended on Site

Bundle Type	SINGLE
	AYR
Thickness (mm)	70MM
Dimension mm	100mm x 250mm x 70mm
Dimension Imperial	3 7/8" x 9 7/8" x 2 3/4"



STANDARD
3 7/8" x 9 7/8" x 2 3/4"
100 x 250 x 70mm

SQFT PER	Bundle	88.41
	Layer	11.05000
	Section	-
	Stone	0.28

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	1.19
	Section	-
	Layer	13.12
	Bundle	104.99

SAILOR LNFT PER	SqFt	2.97
	Section	-
	Layer	32.81
	Bundle	262.47

UNITS PER	SqFt	3.62
	Section	-
	Bundle	320.00

LBS PER	Layer	361
	Section	-
	Bundle	2,888

ADVANTAGES

REALA™

Cast from historic brick

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 75 and Important Notice on page 76. All measurements are nominal. Contact Unilock for more information.



COBALT GREY



PEPPERED GRANITE

Bundle Type	RANDOM
	CHICAGO
Thickness (mm)	70MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	97.53
	Layer	12.19000
	Section	-
	Stone	0.32

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	2.34
	Section	-
	Layer	28.49
	Bundle	227.95

UNITS PER	SqFt	3.12
	Section	-
	Bundle	304.00

LBS PER	Layer	398
	Section	-
	Bundle	3,186

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
5 1/8" x 12" x 2 3/4"
130 x 305 x 70mm



MEDIUM RECTANGLE
5 1/8" x 9" x 2 3/4"
130 x 230 x 70mm



SMALL RECTANGLE
5 1/8" x 7" x 2 3/4"
130 x 175 x 70mm

ADVANTAGES

Granite, Quartz and Marble surface materials

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

NNotes: Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 75 and Important Notice on page 76. All measurements are nominal. Contact Unilock for more information.



NATURAL

Bundle Type	SINGLE
	MICHIGAN
Thickness (mm)	80MM
Dimension mm	400mm x 600mm x 80mm
Dimension Imperial	15 3/4" x 23 5/8" x 3 1/8"



STANDARD
15 3/4" x 23 5/8" x 3 1/8"
400 x 600 x 80mm

SQFT PER	Bundle	80.00
	Layer	10.00000
	Section	-
	Stone	2.50

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	0.40
	Section	-
	Bundle	32.00

LBS PER	Layer	247
	Section	-
	Bundle	1,975

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced. All measurements are nominal. Contact Unilock for more information.



FRENCH GREY



MIDNIGHT SKY



SUMMER WHEAT



WINTER MARVEL

Bundle Type	RANDOM
	GEORGETOWN1
Thickness (mm)	60MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	94.14
	Layer	10.46000
	Section	-
	Stone	1.31

PER BUNDLE	Layers	9.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	-
	Layer	8.86
	Bundle	79.72

UNITS PER	SqFt	0.76
	Section	-
	Bundle	72.00

LBS PER	Layer	287
	Section	-
	Bundle	2,583

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
14 x 21 x 2 3/8"
360 x 540 x 60mm



SQUARE
14 x 14 x 2 3/8"
360 x 360 x 60mm



SMALL RECTANGLE
7 x 14 x 2 3/8"
180 x 360 x 60mm

ADVANTAGES

EASYSOIL™

Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish


PEDESTRIAN FRIENDLY

Not recommended for vehicular use


Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **6cm Random Bundle pavers are not suitable for vehicular applications. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polysand Best Practices on pages 75 and Important Notice on page 76. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Umbriano™ 70mm Slabs

SPECIAL ORDER PRODUCT **ENDURACOLOR™**



FRENCH GREY



MIDNIGHT SKY



SUMMER WHEAT



WINTER MARVEL

ADVANTAGES

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Bundle Type	8 X 16	12 X 24	16 X 16	24 X 24
	GEORGETOWN1	GEORGETOWN1	GEORGETOWN1	GEORGETOWN1
Thickness (mm)	70MM	70MM	70MM	70MM
Dimension mm	200mm x 400mm x 70mm	300mm x 600mm x 70mm	400mm x 400mm x 70mm	600mm x 600mm x 70mm
Dimension Imperial	7 7/8" x 15 3/4" x 2 3/4"	11 7/8" x 23 5/8" x 2 3/4"	15 3/4" x 15 3/4" x 2 3/4"	23 5/8" x 23 5/8" x 2 3/4"

SQFT PER	Bundle	82.67	93.00	82.67	62.00
	Layer	10.33000	11.63000	10.33000	7.75000
	Section	-	-	-	-
	Stone	0.86	1.94	1.72	3.88

PER BUNDLE	Layers	8.00	8.00	8.00	8.00
	Sections	-	-	-	-

SOLDIER LNFT PER	SqFt	0.76	0.51	0.76	0.51
	Section	-	-	-	-
	Layer	7.87	5.91	7.87	3.94
	Bundle	62.99	47.24	62.99	31.50

SAILOR LNFT PER	SqFt	1.52	1.02	0.76	0.51
	Section	-	-	-	-
	Layer	15.75	11.81	7.87	3.94
	Bundle	125.98	94.49	62.99	31.50

UNITS PER	SqFt	1.16	0.52	0.58	0.26
	Section	-	-	-	-
	Bundle	96.00	48.00	48.00	16.00

LBS PER	Layer	343	393	350	258
	Section	-	-	-	-
	Bundle	2,746	3,142	2,797	2,062



BEECHWOOD



GRANITE

Bundle Type	RANDOM
	MICHIGAN
Thickness (mm)	70MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	94.19
	Layer	11.77000
	Section	-
	Stone	0.59

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	1.24
	Section	-
	Layer	14.57
	Bundle	116.56

UNITS PER	SqFt	1.70
	Section	-
	Bundle	160.00

LBS PER	Layer	367
	Section	-
	Bundle	2,937

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
15 x 10 x 2¾"
380 x 254 x 70mm



SQUARE
10 x 10 x 2¾"
254 x 254 x 70mm



RECTANGLE
5 x 10 x 2¾"
127 x 254 x 70mm

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **Sold in full bundles only.** **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.



COFFEE CREEK



DESERT SAND
WHILE SUPPLIES LAST



LIMESTONE



MAHOGANY ASH



SANDSTONE

Bundle Type	Single - Standard	Universal Base Unit
	MICHIGAN	MICHIGAN
Thickness/Height (mm)	100MM	55MM
Dimension mm	300mm x 100mm x 200mm	482mm x 55mm x 355mm
Dimension Imperial	11 7/8" x 3 7/8" x 7 7/8"	19" x 2 1/4" x 14"

FCFT PER	Bundle	32.00	-
	Layer	5.33000	-
	Stone	0.33	-

PER BUNDLE	Layers	6.00	9.00
	Sections	4.00	-

LNFT PER	Bundle	96.00	85.50
	Unit	1.00	1.58

UNITS PER	SqFt	3.00	-
	Section	24.00	-
	Bundle	96.00	54.00

LBS PER	Layer	503	278
	Section	755	-
	Bundle	3,020	2,502



STANDARD
8 x 12 x 4"
200 x 300 x 100mm



UNIVERSAL BASE UNIT
14 x 19 x 2"
355 x 482 x 55mm

ADVANTAGES

ANTIQUED FINISH

Distressed, timeworn finish

COPING OPTIONS

We recommend using LedgeStone, Natural Stone, Universal Coping or Brussels Fullnose.

Notes: Maximum height is 24" (under optimum conditions). *Based on 12" deep wall coverage = 21.4 sqft per bundle. Based on an 8" deep wall coverage = 32 sqft per bundle. All measurements are nominal. Contact Unilock for more information.

SQUARE



Square Fire Pit is no longer sold in kit form. These can be constructed with Brussels Dimensional Standard Corner units + the available Square Fire Pit Insert (insert diameter 38").

ROUND



Round Fire Pit units can also be used to construct tree rings, small curved planters, etc.



NATURAL



STANDARD
72 x 12 x 24"
1830 x 300 x 600mm
SPECIAL ORDER



CORNER 45°
60" x 12" x 24"
1520 x 300 x 600mm
SPECIAL ORDER
(Right Corner Shown)



COPING
72 x 12 x 24"
1830 x 300 x 600mm
SPECIAL ORDER



CLOSED-END COPING
72 x 12 x 24"
1830 x 300 x 600mm
SPECIAL ORDER

	Standard	Corner 45° Right	Corner 45° Left	Coping	Closed-End Coping
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
	GORMLEY	GORMLEY	GORMLEY	GORMLEY	GORMLEY
Thickness (mm)	300MM	300MM	300MM	300MM	300MM
Dimension mm	1,830mm x 300mm x 600mm	1,520mm x 300mm x 600mm	1,520mm x 300mm x 600mm	1,830mm x 300mm x 600mm	1,830mm x 300mm x 600mm
Dimension Imperial	72" x 11 7/8" x 23 5/8"	59 7/8" x 11 7/8" x 23 5/8"	59 7/8" x 11 7/8" x 23 5/8"	72" X 11 7/8" X 23 5/8"	72" X 11 7/8" X 23 5/8"

FCFT PER	Bundle	6.02	7.04	7.04	6.02	6.02
	Layer	6.02000	7.04000	7.04000	6.02000	6.02000
	Stone	6.02	7.04	7.04	6.02	6.02

PER BUNDLE	Layers	1.00	1.00	1.00	1.00	1.00
	Sections	-	-	-	-	-

LNFT PER	Bundle	6.02	-	-	6.00	6.02
	Unit	6.02	-	-	6.00	6.02

UNITS PER	SqFt	0.17	0.14	0.14	0.17	0.17
	Section	-	-	-	-	-
	Bundle	1.00	1.00	1.00	1.00	1.00

LBS PER	Layer	1,680	1,480	1,480	1,560	1,560
	Section	-	-	-	-	-
	Bundle	1,680	1,480	1,480	1,560	1,560

Internal Use Only. DH1 ON

Notes: *Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Closed-end coping units are closed on both ends so that they may be used as left or right units. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.



NATURAL



1/2 COPING
36 x 12 x 24"
915 x 300 x 600mm
SPECIAL ORDER



CORNER 90°
60 X 12 X 24"
1520 x 300 x 600mm
SPECIAL ORDER
(Right Corner Shown)



1/2 STANDARD
36 x 12 x 24"
915 x 300 x 600mm
SPECIAL ORDER

	1/2 Coping	Corner 90° Right	Corner 90° Left	1/2 Standard
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE
	GORMLEY	GORMLEY	GORMLEY	GORMLEY
Thickness (mm)	300MM	300MM	300MM	300MM
Dimension mm	915mm x 300mm x 600mm	1,520mm x 300mm x 600mm	1,520mm x 300mm x 600mm	915mm x 300mm x 600mm
Dimension Imperial	36" x 11 7/8" x 23 5/8"	59 7/8" x 11 7/8" x 23 5/8"	59 7/8" x 11 7/8" x 23 5/8"	36" X 11 7/8" X 23 5/8"

FCFT PER	Bundle	2.95	7.04	7.04	3.00
	Layer	2.95000	7.04000	7.04000	3.00000
	Stone	2.95	7.04	7.04	3.00

PER BUNDLE	Layers	1.00	1.00	1.00	1.00
	Sections	-	-	-	-

LNFT PER	Bundle	3.00	-	-	3.00
	Unit	3.00	-	-	3.00

UNITS PER	SqFt	0.34	0.14	0.14	0.33
	Section	-	-	-	-
	Bundle	1.00	1.00	1.00	1.00

LBS PER	Layer	780	1,320	1,320	800
	Section	-	-	-	-
	Bundle	780	1,320	1,320	800

Internal Use Only. DH1 ON

Notes: *Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Closed-end coping units are closed on both ends so that they may be used as left or right units. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.



NATURAL



STANDARD
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER



COPING
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER



CLOSED END COPING
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER



TIE-BACK
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER



CORNER 90°
36" x 12" x 14"
900 x 300 x 360mm
SPECIAL ORDER
(Right Corner Shown)

	Standard	Coping	Closed-End Coping	Tie-Back	Corner 90° Left & Right
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
	GORMLEY	GORMLEY	GORMLEY	GORMLEY	GORMLEY
Thickness (mm)	300MM	300MM	300MM	300MM	300MM
Dimension mm	1,830mm x 300mm x 360mm	1,830mm x 300mm x 360mm	1,830mm x 300mm x 360mm	360mm x 300mm x 1,830mm	900mm x 300mm x 360mm
Dimension Imperial	72" x 11 7/8" x 14 1/4"	72" x 11 7/8" x 14 1/4"	72" x 11 7/8" x 14 1/4"	14 1/4" X 11 7/8" X 72"	35 1/2" x 11 7/8" x 14 1/4"

FCFT PER	Bundle	24.10	24.08	24.08	4.68	16.67
	Layer	6.02000	6.02000	6.02000	1.17000	4.17000
	Stone	6.02	6.02	6.02	1.17	4.17

PER BUNDLE	Layers	4.00	4.00	4.00	4.00	4.00
	Sections	-	-	-	-	-

LNFT PER	Bundle	24.10	24.10	24.10	-	-
	Unit	6.02	6.02	6.02	-	-

UNITS PER	SqFt	0.17	0.17	0.17	0.85	0.24
	Section	-	-	-	-	-
	Bundle	4.00	4.00	4.00	4.00	4.00

LBS PER	Layer	938	884	884	938	460
	Section	-	-	-	-	-
	Bundle	3,752	3,536	3,536	3,752	1,840

Notes: *Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Closed-end coping units are closed on both ends so that they may be used as left or right units. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.



GRANITE BLEND



SANDSTONE



SIERRA

	Random Wall	Corner	Coping
Bundle Type	RANDOM	SINGLE	SINGLE
	CHICAGO	CHICAGO	CHICAGO
Thickness (mm)	150MM	150MM	75MM
Dimension mm		320mm x 150mm x 230mm	320mm x 75mm x 300mm
Dimension Imperial		12 5/8" x 5 7/8" x 9"	12 5/8" x 3" x 11 7/8"

FCFT PER	Bundle	31.25	20.83	18.74
	Layer	6.25000	4.17000	2.34000
	Stone	0.52	0.52	0.26

PER BUNDLE	Layers	5.00	5.00	8.00
	Sections	4.00	4.00	3.00

LNFT PER	Bundle	62.30	41.60	66.00
	Unit	1.04	1.04	0.92

UNITS PER	SqFt	1.92	1.92	3.84
	Section	15.00	10.00	24.00
	Bundle	60.00	40.00	72.00

LBS PER	Layer	585	436	299
	Section	732	545	797
	Bundle	2,926	2,179	2,392

3 UNIT RANDOM BUNDLE



LARGE
9 x 16 x 6"
230 x 380 x 150mm



MEDIUM
9 x 12 x 6"
230 x 320 x 150mm



SMALL
8 x 9 x 6"
200 x 230 x 150mm



CORNER
9 x 12½ x 6"
230 x 320 x 150mm



COPING
12 x 12½ (9½) x 3"
300 x 320 (240) x 75mm

Notes: 6" random wall bundles have convertible large units that can be used for corners or ending seat walls. End caps not sold separately. LedgeStone™, Brussels Block™ XL or Brussels Fullnose™ complement as a possible coping. All measurements are nominal. Contact Unilock for more information.



MAHOGANY ASH
WHILE QUANTITIES LAST



MIDNIGHT CHARCOAL



LIMESTONE



SANDSTONE

	Random Wall	Pillar / Corner
Bundle Type	RANDOM	SINGLE
	MICHIGAN	MICHIGAN
Thickness (mm)	100MM	100MM
Dimension mm		400mm x 100mm x 200mm
Dimension Imperial		15 3/4" x 3 7/8" x 7 7/8"

FCFT PER	Bundle	29.92	48.24
	Layer	9.97000	16.08000
	Stone	0.50	0.67

PER BUNDLE	Layers	3.00	3.00
	Sections	3.00	3.00

LNFT PER	Bundle	89.06	96.00
	Unit	1.48	1.33


UNITS PER	SqFt	2.01	1.49
	Section	20.00	24.00
	Bundle	60.00	72.00

LBS PER	Layer	881	936
	Section	881	936
	Bundle	2,643	2,808

4 UNIT RANDOM BUNDLE



8 x 24 x 4"
200 x 600 x 100mm



8 x 20 x 4"
200 x 500 x 100mm



8 x 16 x 4"
200 x 400 x 100mm



8 x 12 x 4"
200 x 300 x 100mm



CORNER / PILLAR
8 x 16 x 4"
200 x 400 x 100mm

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Spacing strips are shipped with random wall bundles to create even spacing between units. LedgeStone® or Unilock Natural Stone complement as possible coping options. All measurements are nominal. Contact Unilock for more information.



COASTAL SLATE



GRINDSTONE

	Random Wall	Corner Double Split
Bundle Type	RANDOM	SINGLE
	GEORGETOWN1	GEORGETOWN1
Thickness (mm)	140MM	140MM
Dimension mm		440mm x 140mm x 230mm
Dimension Imperial		17 3/8" x 5 5/8" x 9"

FCFT PER	Bundle	17.00	24.21
	Layer	5.67	8.07
	Stone	0.71	2.02


PER BUNDLE	Layers	3.00	3.00
	Sections	-	-

LNFT PER	Bundle	37.00	-
	Unit	1.54	-

UNITS PER	SqFt	1.41	0.50
	Section	-	-
	Bundle	24.00	12.00

LBS PER	Layer	663	610
	Section	-	-
	Bundle	1,990	1,831

3 UNIT RANDOM BUNDLE	
	LARGE WEDGE 5½ x 28½ (25½) x 9" 140 x 720 (650) x 230mm
	MEDIUM WEDGE 5½ x 20 (17) x 9" 140 x 510 (430) x 230mm
	SMALL WEDGE 5½ x 11½ (8½) x 9" 140 x 290 (220) x 230mm

	CORNER/PILLAR UNIT 5½ X 17½ X 9" 140 X 440 X 230mm (12 rights + 12 lefts per bundle)
--	---

ADVANTAGES

REALA

Cast from natural stone

COPING OPTIONS

Does not require coping Natural Stone can be used

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. While coping is optional with Mackinaw wall, if you are looking for coping, Ledgerstone™ or Unilock Natural Stone complement it well. All measurements are nominal. Contact Unilock for more information..



BEECHWOOD



CHARCOAL



GRANITE



RUSTIC RED
WHILE SUPPLIES LAST



SANDSTONE



ST. CLAIR

	Tapered Split	Corner Dbl Split	Coping
Bundle Type	SINGLE	SINGLE	SINGLE
	MICHIGAN	MICHIGAN	MICHIGAN
Thickness (mm)	150MM	150MM	75MM
Dimension mm	200mm x 150mm x 300mm	300mm x 150mm x 200mm	300mm x 75mm x 300mm
Dimension Imperial	7 7/8" x 5 7/8" x 11 7/8"	11 7/8" x 5 7/8" x 7 7/8"	11 7/8" x 3" x 11 7/8"

FCFT PER	Bundle	20.00	20.17	20.34
	Layer	6.67000	6.72000	2.91000
	Stone	0.67	1.68	0.48

PER BUNDLE	Layers	3.00	3.00	7.00
	Sections	2.00	4.00	2.00

LNFT PER	Bundle	40.00	-	82.95
	Unit	1.33	-	1.97

UNITS PER	SqFt	1.50	0.59	2.06
	Section	15.00	3.00	21.00
	Bundle	30.00	12.00	42.00

LBS PER	Layer	860	440	393
	Section	1,290	330	1,375
	Bundle	2,580	1,320	2,750



TAPERED
8 x 12 x 6"
200 x 300 x 150mm



CORNER
8 x 12 x 6"
200 x 300 x 150mm

(12 rights + 12 lefts per bundle)



PISA COPING
12 x 12 x 3"
300 x 300 x 75mm

Notes: Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Tapered units will allow for a minimum 5ft. outside radius. To achieve this radius, you must use stones of the same taper on one layer, and stones of the opposite taper on the next layer. Higher walls can be achieved using geogrid reinforcement. 12" Product sold at factory in full bundle quantities. Ask your dealer about purchasing lesser quantities as necessary. Unilock through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you with this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.



COASTAL SLATE



BUFF

ADVANTAGES

REALA™

Cast from natural stone



JUMPER CORNER UNIT
12 x 9-10 x 4 1/2"
300 x 230-250 x 114mm
SPECIAL ORDER



2013
WINNER

4 UNIT RANDOM BUNDLE



STANDARD UNIT 1
8 x 9-10 x 2 1/4"
200 x 230-250 x 57mm



STANDARD UNIT 2
12 x 9-10 x 2 1/4"
300 x 230-250 x 57mm



STANDARD UNIT 3
12 x 9-10 x 2 1/4"
300 x 230-250 x 57mm



STANDARD UNIT 4
17 x 9-10 x 2 1/4"
425 x 230-250 x 57mm

2 UNIT CORNER BUNDLE



LONG CORNER UNIT
17 1/2 x 9-10 x 2 1/4"
450 x 230-250 x 57mm



SHORT CORNER UNIT
14 1/2 x 9-10 x 2 1/4"
375 x 230-250 x 57mm

4 UNIT JUMPER BUNDLE



JUMPER UNIT 1
8 x 9-10 x 4 1/2"
200 x 230-250 x 114mm



JUMPER UNIT 2
12 x 9-10 x 4 1/2"
300 x 230-250 x 114mm



JUMPER UNIT 3
12 x 9-10 x 4 1/2"
300 x 230-250 x 114mm



JUMPER UNIT 4
17 x 9-10 x 4 1/2"
425 x 230-250 x 114mm



PILLAR UNIT
20 x 20 x 4 1/2"
500 x 500 x 114mm



PILLAR UNIT
Pillar cap sold
separately

	Corner Jumper	4-Unit Random Bundle	2-Unit Corner Bundle	4-Unit Random Jumper	Pillar Unit
Bundle Type	SINGLE	RANDOM	RANDOM	RANDOM	SINGLE
	GEORGETOWN1	AYR	AYR	GEORGETOWN1	GEORGETOWN1
Thickness (mm)	114MM	57MM	57MM	114MM	114MM
Dimension mm	310mm x 114mm x 250mm				500mm x 114mm x 500mm
Dimension Imperial	12 1/4" x 4 1/2" x 9 7/8"				19 3/4" x 4 1/2" x 19 3/4"

FCFT PER	Bundle	21.60	24.30	16.21	24.30	-
	Layer	5.40000	3.04000	4.05000	6.08000	-
	Stone	0.68	0.19	0.41	0.38	-


PER BUNDLE	Layers	4.00	8.00	4.00	4.00	4.00
	Sections	-	-	-	-	-

LNFT PER	Bundle	-	130.69	-	65.34	-
	Unit	-	1.02	-	1.02	-

UNITS PER	SqFt	1.48	5.27	2.47	2.63	-
	Section	-	-	-	-	-
	Bundle	32.00	128.00	40.00	64.00	8.00


LBS PER	Layer	320	252	293	680	234
	Section	-	-	-	-	-
	Bundle	1,280	2,015	1,173	2,720	934

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Rivercrest is recommended for walls under 2ft. Ideal for straight or curved walls, seat walls, pillars, tree rings, planters, firepits and grill islands. Integrated connectors require no pins or clips. Minimum radius using equal amounts of each unit is 1.25m / 4.1ft. Using only unit 1 & 3 a 1.055m / 3.5ft radius can be achieved. For more information, please consult the Rivercrest installation booklet. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal. Contact Unilock for more information. Unilock recommends using LedgeStone™ or Natural Stone coping for a complete and refined look.



Starting a Wall


Course 1



Long Corner Unit 4


Cluster Set 1 - 70%/30%

Course 2




Short Corner Unit 2

Straight Wall - Align A-A / B-B



Curved Wall - Align A-B / B-A



Cluster Set 1 - 70% / 30%

Utilizing the following Cluster Sets will create a wall with a 70% Standard to 30% Jumper ratio, and will use all Standard blocks equally throughout the wall. This will produce a wall with lots of jumpers, and short spans in between. Remember to match side A/A or B/B for straight walls and A/B or B/A for curved walls.




Cluster Set 2 - 60% / 40%

Utilizing the following Cluster Sets will create a wall with a 60% Standard to 40% Jumper ratio, and will use all Standard blocks equally throughout the wall. This will produce a wall with lots of jumpers, and short spans in between. Remember to match side A/A or B/B for straight walls and A/B or B/A for curved walls.



Constructing the Wall

Construct the wall by using a Cluster then Jumper, Cluster, Jumper, Etc., alternating the order of the Cluster Set. It is important make sure you utilize all the Clusters evenly throughout the wall to reduce waste. Add an extra Jumper block between clusters every so often to help randomize the wall.





GRANITE

SIERRA

		STANDARD / CORNER	Coping Split
Bundle Type		SINGLE	SINGLE
Thickness (mm)		180MM	180MM
Dimension mm		1,000mm x 180mm x 290mm	1,000mm x 180mm x 290mm
Dimension Imperial		39 3/8" x 7" x 11 1/2"	39 3/8" x 7" x 11 1/2"
FCFT PER	Bundle	23.25	23.25
	Layer	7.75000	7.75000
	Stone	1.94	1.94
PER BUNDLE	Layers	3.00	3.00
	Sections	3.00	-
LNFT PER	Bundle	39.37	39.37
	Unit	3.28	3.28
UNITS PER	SqFt	0.52	0.52
	Section	4.00	-
	Bundle	12.00	12.00
LBS PER	Layer	1,029	1,029
	Section	1,029	-
	Bundle	3,086	3,086



STANDARD / CORNER

11½ x 39 x 7"

290 x 1000 x 180mm



COPING

11½ x 39 x 7"

290 x 1000 x 180mm

Internal Use Only. SSE OH

Notes: ***Special Order - Lead time is required, minimum quantities apply. SOLD IN FULL BUNDLES ONLY and is produced and sold on a required, refundable skid.** Coping units can be used to construct steps. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal. Contact Unilock for more information.



BROWN**



NATURAL



STANDARD 925
36½ x 48 x 7¼"
925 x 1200 x 185mm
SPECIAL ORDER



STANDARD 500
20 x 48 x 7¼"
500 x 1200 x 185mm
SPECIAL ORDER



CORNER 45° (left & right)
20 x 43⅓ x 7¼"
500 x 1100 x 185mm
SPECIAL ORDER



CORNER 90° (left & right)
20 x 43⅓ x 7¼"
500 x 1100 x 185mm
SPECIAL ORDER



CLOSED-END COPING
20 x 48 x 7¼"
500 x 1200 x 185mm



STANDARD COPING
20 x 48 x 7¼"
500 x 1200 x 185mm
SPECIAL ORDER

	Corner 90	Corner 45	Standard 500	Standard 925	Closed-End & Split Coping
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
	GORMLEY	GORMLEY	GORMLEY	GORMLEY	GORMLEY
Thickness (mm)	185MM	185MM	185MM	185MM	185MM
Dimension mm	1,100mm x 185mm x 500mm	1,100mm x 185mm x 500mm	1,200mm x 185mm x 500mm	1,200mm x 185mm x 925mm	1,200mm x 185mm x 500mm
Dimension Imperial	43 3/8" x 7 3/8" x 19 3/4"	43 3/8" x 7 3/8" x 19 3/4"	47 1/4" x 7 3/8" x 19 3/4"	47 1/4" x 7 3/8" x 36 1/2"	47 1/4" x 7 3/8" x 19 3/4"

FCFT PER	Bundle	19.11	-	14.43	7.21	14.43
	Layer	6.37000	-	4.81000	2.40000	4.81000
	Stone	3.19	-	2.41	2.40	2.41

PER BUNDLE	Layers	3.00	3.00	3.00	3.00	3.00
	Sections	-	-	3.00	-	3.00

LNFT PER	Bundle	-	-	24.00	12.00	23.70
	Unit	-	-	4.00	4.00	3.95

UNITS PER	SqFt	0.31	-	0.42	0.42	0.42
	Section	-	-	2.00	-	2.00
	Bundle	6.00	6.00	6.00	3.00	6.00

LBS PER	Layer	1,140	1,050	1,140	1,140	1,140
	Section	-	-	1,140	-	1,140
	Bundle	3,420	3,150	3,420	3,420	3,420

Notes: * Special Order - Lead time is required, minimum quantities apply. **48" Closed-End Coping is available as a Stock Item in Brown and Natural Only. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Closed-End Coping units can be used to construct steps. Closed-End Coping Corner units available (special order, lead time required). Wall, Corner and Coping units are available in Natural color only (special order, lead time required). Custom Colors available (minimums apply). All measurements are nominal. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you with preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge from www.unilock.com.



LIGHT GREY

MIDNIGHT CHARCOAL

TAN

	48" Step
Bundle Type	SINGLE
	GORMLEY
Thickness (mm)	180MM
Dimension mm	1,200mm x 180mm x 500mm
Dimension Imperial	47 1/4" x 7" x 19 3/4"

FCFT PER	Bundle	13.95
	Layer	4.65000
	Stone	2.33

PER BUNDLE	Layers	3.00
	Sections	-

LNFT PER	Bundle	24.00
	Unit	4.00

UNITS PER	SqFt	0.43
	Section	-
	Bundle	6.00

LBS PER	Layer	1,081
	Section	-
	Bundle	3,242



48" STEP
47¼ x 7 x 20"
1200 x 180 x 500mm

Notes: Special Order - Lead time is required, minimum quantities apply.
All measurements are nominal. Contact Unilock for more information.



PITCHED FINISH



FOSSIL



GRANITE



NATURAL



SIERRA

SMOOTH FINISH



FOSSIL 3" Panel Available Now



GRANITE




NATURAL



SIERRA

SMOOTH FINISH



DARK CHARCOAL **NEW**

SERIES™ FINISH SPECIAL ORDER



ONYX BLACK 3" Panel Only

UMBRIANO® FINISH SPECIAL ORDER



FRENCH GREY



MIDNIGHT SKY




SUMMER WHEAT



WINTER MARVEL




1/2 Running Bond




1/2 Running Bond with Linear Accents



1/2 Running Bond with Random Accents



1/2 Running Bond with Paver Accents



Mixed Bond



1/3 Running Bond



Stacked Bond



Stacked Bond with Accents



U-Cara Fascia Panels can be placed anywhere along the patented SureTrack™ Backer Block, allowing for pattern, color and texture combinations that are impossible to achieve with other systems. The design possibilities are endless for single or double sided vertical landscape features and retaining walls.



2019
red dot WINNER



**SURE TRACK
STANDARD BACKER**
6 x 8 x 6"
150 x 200 x 150mm



**SURE TRACK
LARGE BACKER**
6 x 7 x 12"
150 x 175 x 300mm



**SURE TRACK
CORNER INSERT**
L = 2"
50mm
40 per package

RECOMMENDED BASE UNIT



UNIVERSAL BASE UNIT
14 x 19 x 2"
355 x 482 x 55mm

ADVANTAGES

**UMBRIANO® FINISH
COLORFUSION™**
Subtly mottled color finish

SERIES™ FINISH
Granite, Quartz and Marble
surface materials

	Standard Backer	Large Backer	Sure Track Corner Insert	Universal Base Unit
Bundle Type	SINGLE	SINGLE	SINGLE (40 PER PACKAGE)	SINGLE
	MICHIGAN	MICHIGAN		MICHIGAN
Thickness/Height (mm)	150MM	150MM		55MM
Dimension mm	200mm x 150mm x 150mm	175mm x 150mm x 300mm		482mm x 55mm x 355mm
Dimension Imperial	7 7/8" x 5 7/8" x 5 7/8"	6 7/8" x 5 7/8" x 11 7/8"		19" x 2 1/4" x 14"

FCFT PER	Bundle	33.91	15.82	-	-
	Layer	11.30000	3.96000	-	-
	Stone	0.32	0.28	-	-

PER BUNDLE	Layers	3.00	4.00	-	9.00
	Sections	-	-	-	-

LNFT PER	Bundle	69.99	-	-	85.50
	Unit	0.67	-	-	1.58

UNITS PER	SqFt	3.10	3.54	-	-
	Section	-	-	-	-
	Bundle	105.00	56.00	-	54.00

LBS PER	Layer	812	503	-	278
	Section	-	-	-	-
	Bundle	2,437	2,012	-	2,502

Notes: Sold in full bundles. Produced and sold on a required refundable skids. Sure Track Large Backer Units when used as corners in a pillar application, can achieve 42 FFt/bundle or .757 FFt/unit.



3" FASCIA PANEL
3 x 9¼ x 2⅜"
75 x 233 x 60mm
SERIES & SMOOTH
FOSSIL ONLY



STANDARD FASCIA
PANEL
6 x 18½ x 2⅜"
150 x 466 x 60mm
PITCHED & SMOOTH

CORNER BUNDLE



STANDARD FASCIA
HALF PANEL
6 x 9¼ x 2⅜"
150 x 233 x 60mm
PITCHED & SMOOTH



CLOSED-END FASCIA
PANEL
6 x 21 x 2⅜"
150 x 540 x 60mm
PITCHED & SMOOTH

	3" Panel Smooth	3" Panel Series
Bundle Type	SINGLE	SINGLE
	MICHIGAN	CHICAGO
Thickness/Height (mm)	75MM	75MM
Dimension mm	233mm x 75mm x 60mm	233mm x 75mm x 60mm
Dimension Imperial	9 1/4" x 3" x 2 3/8"	9 1/4" x 3" x 2 3/8"

FCFT PER	Bundle	63.20	63.20
	Layer	10.53	10.53
	Stone	0.19	0.19

PER BUNDLE	Layers	6.00	6.00
	Sections	-	-

LNFT PER	Bundle	-	-
	Unit	-	-

UNITS PER	SqFt	5.32	5.32
	Section	-	-
	Bundle	336.00	336.00

LBS PER	Layer	242	250
	Section	-	-
	Bundle	1,453	1,501

	Standard Fascia Smooth	Standard Fascia Umbriano	Standard Fascia Pitched	Standard Closed-End Smooth	Standard Closed-End Umbriano	Standard Closed-End Pitched
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
	MICHIGAN	GEORGETOWN1	MICHIGAN	MICHIGAN	GEORGETOWN1	MICHIGAN
Thickness/Height (mm)	150MM	150MM	150MM	150MM	150MM	150MM
Dimension mm	466mm x 150mm x 60mm	466mm x 150mm x 60mm	466mm x 150mm x 60mm			
Dimension Imperial	18 3/8" x 5 7/8" x 2 3/8"	18 3/8" x 5 7/8" x 2 3/8"	18 3/8" x 5 7/8" x 2 3/8"			

FCFT PER	Bundle	61.52	61.49	61.52	54.18	54.18	54.18
	Layer	10.25	10.25	10.25	9.03	9.03	9.03
	Stone	0.73	0.73	0.73	1.29	1.29	1.29

PER BUNDLE	Layers	6.00	6.00	6.00	6.00	6.00	6.00
	Sections	-	-	-	-	-	-

LNFT PER	Bundle	129.50	-	129.50	89.94	107.94	107.94
	Unit	1.54	-	1.54	2.14	2.57	2.57


UNITS PER	SqFt	1.37	1.37	1.37	0.78	0.78	0.78
	Section	-	-	-	-	-	-
	Bundle	84.00	84.00	84.00	42.00	42.00	42.00

LBS PER	Layer	252	252	291	207	213	236
	Section	-	-	-	-	-	-
	Bundle	1,513	1,513	1,745	1,240	1,275	1,415


Notes: Sold in full bundles. Produced and sold on a required refundable skids. Sure Track Large Backer Units when used as corners in a pillar application, can achieve 42 FFT/bundle or .757 FFT/unit.

U-Cara® Modular System

The U-Cara Modular System offers a variety of aluminum frames that can be mixed and matched to construct vertical features like grill islands. Speak to your contractor to select a design and a U-Cara fascia panel finish to suit your project.



With the U-Cara Modular System you can build Grill Islands, Bars, Back splashes and Fire Tables.



NO.	MODEL	DESCRIPTION
UCARA000001	URS	UCARA 8" RAIL 10/PACK
UCARA000003	URS	ALIGNMENT BARS 39" (10/PACK)
UCARA001000	UL-GC	UNIVERSAL GRILL CABINET
UCARA002000	UL-BC	BASE CABINET
UCARA003000	UL-CC	CORNER CABINET 27.5" x 27.5"
UCARA003001	UL-CCOS	CORNER CABINET 27.5" x 36.5" OS
UCARA003002	UL-CCBP	CORNER CABINET PANEL
UCARA004000	UL-ECK	END CLAD KIT 27.5"
UCARA004001	UL-ECKOS	END CLAD KIT 36.5" OS
UCARA005000	UL-BS	BACKSPLASH-GRILL/BASE UNIT
UCARA005001	UL-BSCC	BACKSPLASH CORNER CABINET
UCARA005002	UL-BSCCOS	BACKSPLASH CORNER CABINET OS
UCARA006000	UL-DD	STAINLESS DOUBLE ACCESS DOORS 27"



LOOKING FOR MORE INFORMATION?
Visit Unilock.com to download the U-Cara Modular System Brochure.



U-Cara® Rail System



The U-Cara Wall Mount System allows you to put the finishing touches on your project by cladding existing structures like unsightly exposed foundation areas or concrete steps with U-Cara fascia panels.



U-CARA ALIGNMENT BAR:
39" LENGTH - SOLD IN PACKS OF 10 PIECES

U-CARA ALIGNMENT RAILS:
8' LENGTH - SOLD IN PACKS OF 10 PIECES




Architectural Coping & Pillar Cap

NEW

SPECIAL ORDER PRODUCT

ENDURACOLOR™



		Architectural Pillar Cap	Architectural Coping
Bundle Type		SINGLE	SINGLE
Thickness (mm)		76MM	60MM
Dimension mm		711mm x 76mm x 711mm	609mm x 60mm x 355mm
Dimension Imperial		28" x 3" x 28"	24" x 2 3/8" x 14"
SQFT PER	Bundle	-	-
	Unit	-	-
FCFT PER	Bundle	-	-
	Layer	-	-
	Unit	-	-
LNFT PER	Bundle	-	42.00
	Unit	-	2.00
UNITS PER	Bundle	6.00	21.00
	SqFt	-	-
LBS PER	Unit	183	68
	Bundle	1,098	1,428



ARCHITECTURAL PILLAR CAP
28 x 28 x 3"
711 x 711 x 76mm



ARCHITECTURAL COPING
14 x 24 x 2 3/8"
355 x 609 x 60mm

Notes: **SOLD IN FULL PALLETS ONLY** and is shipped on a required, refundable skid. All measurements are nominal. Contact Unilock for more information.



	Fullnose
Bundle Type	SINGLE
	MICHIGAN
Thickness (mm)	70MM
Dimension mm	150mm x 300mm x 70mm
Dimension Imperial	5 7/8" x 11 7/8" x 2 3/4"

FCFT PER	Bundle	-
	Layer	-
	Stone	-

PER BUNDLE	Layers	8.00
	Sections	4.00

LNFT PER	Bundle	96.00
	Unit	0.50

UNITS PER	SqFt	-
	Section	48.00
	Bundle	192.00

LBS PER	Layer	364
	Section	728
	Bundle	2,913



BRUSSELS FULLNOSE

6 x 12 x 2 3/4"

150 x 300 x 70mm



BRUSSELS DIMENSIONAL COPING

12 x 12 x 3"

305 x 305 x 76mm

WHILE SUPPLIES LAST

Notes: Units can be adhered to pool edge using Unilock Concrete Adhesive, or with mortar. Always observe proper construction techniques when adhering pavers to a surface. Consult your local pool contractors for installation specifics.



CHARCOAL



NATURAL



TAN

	UNIVERSAL COPING
Bundle Type	SINGLE
	MICHIGAN
Thickness (mm)	70MM
Dimension mm	482mm x 70mm x 355mm
Dimension Imperial	19" x 2 3/4" x 14"



UNIVERSAL COPING
19 x 14 x 2 3/4"
482 x 355 x 70mm

FCFT PER	Bundle	17.44
	Layer	2.18000
	Stone	0.36

PER BUNDLE	Layers	8.00
	Sections	-

LNFT PER	Bundle	75.90
	Unit	1.58

UNITS PER	SqFt	2.75
	Section	-
	Bundle	48.00

LBS PER	Layer	358
	Section	-
	Bundle	2,864

Notes: All measurements are nominal. Contact Unilock for more information.



BUFF



GREY

ADVANTAGES

REALA™

Cast from natural stone

	Fullnose	Coping	Closed-end	Large Coping	Large Closed-end
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
	CHICAGO	CHICAGO	CHICAGO	CHICAGO	CHICAGO
Thickness (mm)	60MM	70MM	70MM	70MM	70MM
Dimension mm	610mm x 60mm x 305mm	610mm x 70mm x 305mm	610mm x 70mm x 305mm	762mm x 70mm x 343mm	762mm x 70mm x 343mm
Dimension Imperial	24" x 2 3/8" x 12"	24" x 2 3/4" x 12"	24" x 2 3/4" x 12"	30" X 2 3/4" X 13 1/2"	30" X 2 3/4" X 13 1/2"

FCFT PER	Bundle	5.12	5.52	5.52	6.87	6.87
	Layer	0.39000	1.38000	1.38000	1.72000	1.72000
	Stone	0.39	0.46	0.46	0.57	0.57

PER BUNDLE	Layers	13.00	4.00	4.00	4.00	4.00
	Sections	-	-	-	-	-

LNFT PER	Bundle	26.00	24.00	24.00	30.00	30.00
	Unit	2.00	2.00	2.00	2.50	2.50

UNITS PER	SqFt	2.54	2.18	2.18	1.75	1.75
	Section	-	-	-	-	-
	Bundle	13.00	12.00	12.00	12.00	12.00

LBS PER	Layer	56	193	199	282	279
	Section	-	-	-	-	-
	Bundle	723	772	796	1,128	1,116

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Coping is rock faced on the front and the back; Closed-end coping and steps are rock faced on three sides. All measurements are nominal. Contact Unilock for more information.

PILLAR CAPS



24" PILLAR CAP
24 x 24 x 4"
610 x 610 x 100mm



LINEO PILLAR CAP
29 x 29 x 4"
740 x 740 x 100mm

STANDARD COPING



COPING UNIT
12 x 24 x 2 3/4"
305 x 610 x 70mm



CLOSED-END COPING
12 x 24 x 2 3/4"
305 x 610 x 70mm

FULLNOSE COPING



FULLNOSE COPING
12 x 24 x 2 3/8"
305 x 610 x 60mm

LARGE COPING




30" LARGE COPING UNIT
13 1/2 x 30 x 2 3/4"
343 x 762 x 70mm



30" LARGE CLOSED-END COPING
13 1/2 x 30 x 2 3/4"
343 x 762 x 70mm

STEPS



48" STEP
24 x 48 x 5 7/8"
610 x 1220 x 150mm

	24" Pillar Cap	29" Pillar Cap	48" Step
Bundle Type	SINGLE	SINGLE	SINGLE
	CHICAGO	GEORGETOWN1	GEORGETOWN1
Thickness (mm)	100MM	100MM	150mm
Dimension mm	610mm x 100mm x 610mm	740mm x 100mm x 740mm	1,220mm x 150mm x 610mm
Dimension Imperial	24" x 3 7/8" x 24"	29 1/8" x 3 7/8" x 29 1/8"	48" x 5 7/8" x 24"

FCFT PER	Bundle	3.28	-	5.91
	Layer	0.66000	-	1.97000
	Stone	0.66	-	1.97

PER BUNDLE	Layers	5.00	5.00	3.00
	Sections	-	-	-

LNFT PER	Bundle	10.04	-	12.00
	Unit	2.01	-	4.00

UNITS PER	SqFt	1.52	-	0.51
	Section	-	-	-
	Bundle	5.00	5.00	3.00

LBS PER	Layer	159	302	574
	Section	-	-	-
	Bundle	795	1,510	1,721

Sunset Fire Pit Kit



This fire pit kit uses Brussels Dimensional Stone® (small tapered units).



COFFEE CREEK



DESERT SAND
While Quantities Last



LIMESTONE



MAHOGANY ASH



SANDSTONE

SQUARE



Square Fire Pit no longer sold in kit form. These can be constructed with Brussels Dimensional Standard Corner units + the available Square Fire Pit Insert (insert diameter 38").

ROUND



Round Fire Pit units can also be used to construct tree rings, small curved planters, etc.

Bundle Type	ROUND
Height (mm)	300MM
Dimension mm	1,300mm x 1,300mm x 300mm
Dimension Imperial	51 1/4" x 51 1/4" x 11 7/8"

DIAMETER (INCH)	Outside	52.00
	Inside	36.00
	Insert	34.00

	Layer per Unit	3.00
	Unit per Layer	18.00
	Unit Per Pallet	60.00

	Lbs per Pallet	1,125
--	----------------	-------

Notes: All measurements are nominal.

FIRE PIT WARNING

Wood-burning fire pits must be lined with a proper metal insert or refractory (fire-rated) brick to protect the concrete components from extreme exposure to heat. Extreme heat on a concrete surface may affect the structural integrity of the concrete and can be dangerous. The floor of the fire pit should always be constructed using refractory brick or a sand bed. For your safety, always use a spark screen over the fire.

FIRE PIT INSERTS SOLD SEPARATELY

Rivercrest® Fire Pit Kit

STONEMARK™



This fire pit kit is built with the Rivercrest Wall.



COASTAL SLATE
RS-CON063



BUFF
RS-CON061



NOTE: Grill grate and insert are included.

FIRE PIT GRILL

Fire pit grill is included and fits securely into the fire pit.

Bundle Type		ROUND W/GRILL & INSERT	RIVERCREST FIRE PIT COPING
			(IMAGE N/A)
Thickness (mm)		405MM	57MM
Dimension mm		0mm x 1,370mm x 405mm	280mm x 560mm x 57mm
Dimension Imperial		0" x 53 7/8" x 15 7/8"	10.9" x 21.8" x 2.2"

DIAMETER (INCH)	Outside	54.00	-
	Inside	36.00	-
	Insert	34.50	-

	Layer per Unit	3.00	-
	Unit per Layer	4.00	8
	Unit Per Pallet	12.00	8

	Lbs per Pallet	1,512	337.6
--	----------------	-------	-------


Notes: All measurements are nominal.

FIRE PIT WARNING

Wood-burning fire pits must be lined with a proper metal insert or refractory (fire-rated) brick to protect the concrete components from extreme exposure to heat. Extreme heat on a concrete surface may affect the structural integrity of the concrete and can be dangerous. The floor of the fire pit should always be constructed using refractory brick or a sand bed. For your safety, always use a spark screen over the fire.


Laying Patterns

ARTLINE™




ARTLINE™ RANDOM - 100% Random Bundle

BRUSSELS BLOCK®




BRUSSELS BLOCK™ Y - 57% XL, 29% Standard, 14% Half




BRUSSELS BLOCK™ Z - 67% XL, 20% Standard, 13% Half

COURTSTONE®




Courtstone® A - 100% Random Bundle

COPTHORNE®




Copthorne® A - 100% Standard




Copthorne® B - 100% Standard

HOLLANDSTONE™ & HOLLAND PREMIER™




HOLLANDSTONE™/HOLLAND PREMIER™ D - 100% Standard

MATTONI™




MATTONI® A - 100% Standard




MATTONI® B - 100% Standard


BEACON HILL™



BEACON HILL™ RANDOM A - 40% Large Rectangle, 40% Square, 20% Small Rectangle




BEACON HILL™ RANDOM B - 40% Large Rectangle, 40% Square, 20% Small Rectangle




BEACON HILL™ G - 50% Random Bundle, 50% XL Unit

BRISTOL VALLEY®




BRISTOL VALLEY™ RANDOM A - 40% Large Rectangle, 20% Small Rectangle, 40% Square




BRISTOL VALLEY™ RANDOM B - 40% Large Rectangle, 20% Small Rectangle, 40% Square

NATURAL STONE




NATURAL STONE E - 57% 24 x 36", 19% 24 x 24", 14% 18 x 24" 10 12 x 24




NATURAL STONE D - 43% 18 x 24", 57% 12 x 24"

GRANITO™




GRANITO™ RANDOM A - 40% Large Rectangle, 20% Small Rectangle, 40% Square




GRANITO™ RANDOM B - 40% Large Rectangle, 20% Small Rectangle, 40% Square

Laying Patterns


RICHCLIFF®




RICHCLIFF® A - 53% 12 x 9", 20% 9 x 9",
27% 6 x 9"



RICHCLIFF® B - 53% 12 x 9", 20% 9 x 9",
27% 6 x 9"




RICHCLIFF® E - 45% Random Bundle,
55% Large Rectangle




RICHCLIFF® F - 45% Random Bundle,
55% Large Rectangle

PROMENADE™ PLANK




PROMENADE™ PLANK PAVER G - 20% 4 x 12", 40%
4 x 16", 8% 8 x 24"

TOWN HALL®




TOWN HALL® A - 100% Standard




TOWN HALL® B - 100% Standard


BOULEVARD™



BOULEVARD® A - 100% Random




BOULEVARD® B - 100% Random




BOULEVARD® C - 100% Random

THORNBURY™




THORNBURY® A - 49% Large Rectangle, 34%
Medium Rectangle, 17% Small Rectangle




THORNBURY® C - 49% Large Rectangle, 34%
Medium Rectangle, 17% Small Rectangle

UMBRIANO™




UMBRIANO® RANDOM A - 40% Large Rectangle,
40% Square, 20% Small Rectangle




UMBRIANO® RANDOM B - 40% Large Rectangle,
40% Square, 20% Small Rectangle

TRIBECA COBBLE™



TRIBECA COBBLE® - 100% Random Bundle

WESTPORT



WESTPORT® Random - 34% Large Rectangle,
40% Square, 26% Rectangle

Base Thickness Chart (General)

APPLICATION	GRAVEL BASE	BEDDING COURSE	BACKFILL WIDTH (WALLS ONLY)
PATIOS, WALKWAYS, POOL DECKS	4" - 6" (10cm - 15cm)	1" (2.5cm)	
DRIVEWAYS	8" - 12" (20cm - 30cm)	1" (2.5cm)	
STEPS, PLANTERS, RAISED PATIOS	6" (15cm)	0 - 1/8" (0cm - .3cm)	8" - 12" (20cm - 30cm)
RETAINING WALLS UNDER 18" (45cm)	6" (15cm)	0 - 1/8" (0cm - .3cm)	12" (30cm)
RETAINING WALLS OVER 18" (45cm)	6" (15cm)	0 - 1/8" (0cm - .3cm)	16" (50cm)

Soil condition - In areas with poor soil conditions, (e.g., heavy clay, disturbed soils) increase the depth of the base to provide more stability. Where poor soil conditions exist, it may be advisable to contract an engineer when constructing a retaining wall in excess of 24" in height.

Area = (Length) x (Width)

Area of a Circle = $3.14 \times (\text{Radius}) \times (\text{Radius})$

Area of a Half Circle = $1.57 \times (\text{Radius}) \times (\text{Radius})$

Area of a Quarter Circle = $.78 \times (\text{Radius}) \times (\text{Radius})$

Area of a Triangle = $(1/2 \text{ Base}) \times (\text{Height})$

Perimeter of a Circle = $6.28 \times (\text{Radius})$

Perimeter of a Half Circle = $3.14 \times (\text{Radius})$

Perimeter of a Quarter Circle = $1.57 \times (\text{Radius})$

Metric Equivalents

1 inch = 2.5400 centimeters

1 foot = 0.3048 meter

1 yard = 0.9144 meter

1 sq. foot = 929.030 sq. centimeters

1 sq. meter = 1.196 sq. yards

27 cu feet = 1 cu. yard

1 centimeter = 0.3937 inch

1 meter = 39.3701 inches

Large Equipment



- Install up to 700 sq. ft. per hour!
- Access tight or narrow areas
- Eliminate the need for a forklift on site
- Reduce labor costs
- Reduce shoulder, hand & knee pain and injury
- Improve your bottom line

Contact your local rep for details.

VPR 700 Paver Roller

- Centrifugal Force: 3,147 lbs
- Machine Weight: 386 lbs
- Base Plate Width: 26"
- Engine: Honda GX160 Four-Stroke



VPR 450 Paver Roller

- Centrifugal Force: 1,798 lbs
- Machine Weight: 238 lbs
- Base Plate Width: 16.5"
- Engine: Honda GX160 Four-Stroke



U-LEVEL™

- Easy to use
- Accurate readings
- Low maintenance
- Works in difficult locations
- Large working area

A PRECISION TOOL NO
HARDSCAPER SHOULD BE WITHOUT



Unilock Elements

SPECIAL ORDER PRODUCT

Tuscany Collection SPECIAL ORDER



TUSCANY FIREPLACE
Sandstone with Copthorne® (3 Color Blend)



TUSCANY FIREPLACE
Sierra with Copthorne® (3 Color Blend)

WEIGHTS

Tuscany Collection

Fireplace Top — 2925 lbs
Fireplace Bottom — 4225 lbs
Wood Boxes — 4005 lbs
Arched Hearth — 1170 lbs

Barcelona Collection SPECIAL ORDER



BARCELONA FIREPLACE
Sierra with Umbriano® (Summer Wheat)

WEIGHTS:

Barcelona Collection

Fireplace Top — 2725 lbs
Fireplace Bottom — 4170 lbs
Wood Boxes — 4200 lbs
Arched Hearth — 1200 lbs



TUSCANY / BARCELONA BRICK OVEN
SPECIAL ORDER
Two-piece set (wood box base & brick oven), comes with metal termination cap, pipe and cooking utensils.



TUSCANY / BARCELONA GRILL ISLAND
SPECIAL ORDER
Available with OCS Grill, protective cover and stainless steel double door insert.

*Note: Items shown are Tuscany units. Please contact Unilock for more information on special order items.
Units and measurements may not be exactly as shown.*



Bella Fireplace

The Bella pre-built fireplace is constructed from Rivercrest® Wall (page 30).

Available in Coastal Slate color only.
Please call for availability.

WEIGHTS

Bella

Fireplace Top — 1,685 lbs

Fireplace Bottom — 3,155 lbs

Grill Island — 3,420 lbs




Bella Grill Island

The Bella pre-built grill island is constructed from Rivercrest® Wall (page 30).



Available in Coastal Slate color only.

NOTE: Bella products are sold as shown. There is no ability to customize.

TYPICAL CROSS SECTION FOR CONCRETE PAD INSTALLATION



TUSCANY & BARCELONA FIREPLACE



GUARANTEE

The standard Unilock guarantee applies to the units used to construct Unilock Elements. (See Unilock literature for details.) Third party grills and fireboxes carry their respective manufacturer's warranty, and may change without notice.

Note: Unilock reserves the right to change model designs, accessories and colors without notice. Unilock will not be responsible for improper use or handling that results in property damage. Some models may not be exactly as shown. Fireplaces come complete with UL- approved stainless steel fireboxes. Check local building codes and regulations prior to ordering and installing Unilock Elements.

Paver Cleaners



POLYBIND™ SHAMPOO

CLN047 (1 Gallon)

Polybind Shampoo removes ground-in dirt from the surface of concrete pavers and natural stones. It will make pavers, patio slabs, walls and natural stones look clean and vibrant. Using Polybind Shampoo before sealer application will assure you of a deeper penetration into the cleaned surface. No muriatic acid in product – washes off with water.

Packaging • 1 & 5 gallon available • Box of 4 x 1 US gallon (24-1 gal boxes & 48-5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND OIL & GREASE CLEANER SPECIAL ORDER

CLN050

Polybind Oil & Grease Cleaner is effective in removing oil and grease from the surface of concrete pavers and natural stones. Easy to use – dissolves, dislodges and removes oil and grease. No hydrochloric acid in product – washes off with water.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND EFFLORESCENCE CLEANER

CLN045 (1 Gallon) & CLN046 (5 Gallon)

Polybind Efflorescence Remover will remove any efflorescence stains trapped in the concrete paver and natural stone pores. It will make the pavers look more clean and vibrant. This efflorescence cleaning is a necessary step before a sealer is applied. The sealer will be able to get a deeper penetration into the now-clean pores.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gal boxes & 48-5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND RUST CLEANER

CLN051

Polybind Rust Cleaner is effective in removing rust from the surface of concrete pavers. Contains no muriatic acid.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND RUBBER, PAINT & TAR REMOVER

CLN049

Polybind Rubber, Paint & Tar Remover is effective in removing rubber, paint and tar from the surface of concrete pavers and natural stone. Easily washes off with water and is easy to use.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND SEALER STRIPPER

CLN068 (1 gallon) & CLN069 (5 gallon)

Polybind Sealer Stripper is extremely effective for removing either water-based or solvent-based sealers from concrete pavers or stone. It is environmentally responsible (water-based), yet it removes multiple layers in a single application. It is a paste which is easily applied with a brush or roller.

Packaging • 1 & 5 gallon (Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

Natural Stone Cleaners



UNICARE BUILDERASE CLEANER

RS-CLN085 (1L) / RS-CLN086 (5L)

Removal of:

- Cement Staining
- Efflorescence
- Iron Oxide (Rust)
- Cement mortar
- Grout

Note: Never use hydrochloric or sulphuric acid based products. **ONLY FOR ACID RESISTANT STONE.**

Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



UNICARE POWERASE CLEANER

RS-CLN073 (1L) (while supplies last) / RS-CLN090 (5L)

Removal of:

- Oil & Grease
- Food Stains
- General Dirt & Mud
- Light cement contamination (on acid sensitive surfaces)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



UNICARE BIORASE CLEANER

RS-CLN074 (1L) / RS-CLN089 (5L)

Removal of:

- Black spot algae
- Green algae
- Plant stains from leaves, wood, trees, berries & flowers
- Organic staining from bark & compost
- Colored stains from food spillages, tea, coffee and wine

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

Sealers



POLYBIND™ WET LOOK SEALER SB

SEAL143 (1 gallon) & SEAL144 (5 gallon)

Polybind Wet Look Sealer is made from acrylic-based polymers. It penetrates deep into the concrete paver and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24-1 gal boxes & 48-5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND ECO SEAL ZERO GLOSS WB

SEAL149 (1 gallon) & SEAL150 (5 gallon)

Polybind Eco Seal Zero Gloss is 100% pure, high-grade acrylic used to seal concrete pavers, clay pavers and natural stone. It penetrates deep into the pavers and natural stone pores, thus reducing oil and dirt penetration as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND ECO SEAL HIGH GLOSS SEALER + COLOR ENHANCER WB

SEAL185 (1 gallon) & SEAL186 (5 gallon)

Polybind Eco Seal High Gloss is 100% pure, high-grade acrylic used to seal concrete pavers, clay pavers and natural stone. It penetrates deep into the pavers and natural stone pores, thus reducing oil and dirt penetration as well as protecting them from the corrosion of de-icing salt. It provides a high-gloss finish as well as vibrant color enhancement.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND ECO SEAL LOW GLOSS SEALER + COLOR ENHANCER WB

SEAL178 (1 gallon) & SEAL179 (5 gallon)

Polybind Eco Low Gloss Sealer + Color Enhancer is 100% pure high-grade acrylic for concrete pavers. It penetrates deep into the concrete paver pores, reducing oil and dirt penetration as well as corrosion from de-icing salt.

Packaging • 1 & 5 gallon available • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND RESEALER SB

SEAL155 (1 gallon) & SEAL156 (5 gallon)

Polybind Resealer penetrates the existing sealer and reactivates it to create rejuvenated protection of the paver surface, thus reducing oil and dirt penetration as well as protecting it from the corrosion of de-icing salt.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

Natural Stone Sealers



UNICARE PATIO SEAL POROUS SEALER (formerly Unicare Natural Stone NatMatt Sealer)

RS-SEAL217 (1L) / RS-SEAL218 (5L)

For Porous Stones

- No change of color
- No surface coating, sheen or shine at all
- Riven Sandstone & Smooth Sandstone

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



UNICARE PATIO SEAL POROUS PLUS SEALER (formerly Unicare Natural Stone NatColorEnhance Sealer)

RS-SEAL219 (1L) / RS-SEAL194 (5L)

Color Enhancement For Porous Stones

- No surface coating, sheen or shine
- Breathable
- Lasts several years
- Easy to apply

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

Adhesive



POLYBIND XTRA PERFORMANCE (XP) POLYURETHANE ADHESIVE

ADH035 (10 oz) & ADH038 (28 oz)

10 oz. Tube = 20' at 1/4" bead (12/case, 90 cases/pallet) & 28 oz. Tube = 52' at 1/4" bead (12/case, 90 cases/pallet)

Polybind XP Adhesive is formulated for fast cure time, extra bond strength and durability. Applications include concrete pavers and walls, overlays, pool copings, steps and wall caps, wetcast and natural stones. It can be applied above 32° and on either dry or damp surfaces. Drying times vary depending on factors such as humidity, porosity, temperature and materials bonded together.

Sands



POLYBIND G2 COMPLETE SAND

SAND152 (Tan), SAND153 (Gray), SAND154 (Black), SAND155 (Ivory - Special Order in Full Skid Quantities Only)

Designed for paver joints up to a maximum of 4 inches. Drainage & Non-Drainage Applications (Overlays).

No Dust – No Haze – No Blower – One Watering. G2 Complete Sand is the cleanest, fastest and easiest polymeric sand installed in the industry. It can be used with concrete pavers, wetcast and natural stones, and is recommended for use in patios, pool decks, walkways, driveways, parking spaces, etc.

Packaging: • 50 lb bag • 56 bags per skid • 65-85 sq.ft. coverage per bag for narrow joints; larger joints will require more sand



SUREBOND JOINTING SAND

SAND001-1(Tan) & SAND140(Gray)

This jointing sand will properly complete the interlocking of the segmental pavers because it is clean, angular and meets ASTM-C144 specifications. This type of sand is more stable in the paver joints and has the optimal gradation to ensure long term performance of the pavement system. Recommended for joints up to 3/4". Washed, screened & dried

Packaging: • 50 lb bag - 56 bags per skid



EUROSTONE BOND

RS-SAND097 - SLATE GREY

50lb. bag (56 bags/skid)

For Driveway Aprons Application & Cobblestone Joints up to 3.5cm / 1"

Eurostone Bond is the first polymeric sand specifically designed for drainage and non-drainage base systems. It can be used with natural stones and cobblestone. Recommended for a variety of uses, including streets, plazas (pedestrian and vehicular traffic) paths, sloping areas, around pools, etc. This complete multi-purpose sand is available in 3 colors: Beige, Slate Grey and Diamond Black. It sets above the freezing temperature (0°C / 32°F) and can be used for joints up to a maximum of 3.5 cm/ 1".



PERMA EDGE PAVER EDGING SAND

EDGE074

5 Gallon, 75 lb container

- Mix with water to use - 1 gallon water to 1 container product
- Ideal for patios, pool decks and walkways
- Better suited to open-graded aggregates, Perma Edge will outlast and out-perform traditional paver edging. It is quicker and easier to use, cutting installation time by 75%. Projects can be compacted and fine-graded immediately after installation.
- Coverage per container: about 20 lin ft on clear or permeable base/25 lin ft on crushed gravel base.

Sands	Polybind Complete G2 Sand
PAVERS \ FEATURES	For joints up to 4". May be sealed. Available in Tan, Gray or Black. Binding sand.
Copthorne®	✓
Courtstone®	✓
Il Campo®	N/R
Richcliff®	✓
Series™	N/R
Thornbury™	✓
Town Hall®	✓
Tribeca Cobble™	N/R
Umbriano®	✓
Natural Stone	✓
Tumbled Pavers	✓
Standard Pavers	✓

N/R - Not Recommended

ü- Recommended

✓ * - These pavers have a very narrow or slightly angled edge (chamfer) limiting sand penetration in the joint and causing possible weak bonding areas. The life cycle performance could be affected.

SUGGESTED POLYMERIC SAND COVERAGE BY PRODUCT

Product	Coverage per Bag
Anchorlock	70-75 sf
Artline	60-65 sf
Beacon Hill	50-60 sf
Boulevard	55-60 sf
Bristol Valley	55-60 sf
Brussels Block	80-85 sf
Copthorne	50-60 sf
Courtstone	30-40 sf
Granito	50-60 sf
Hex Paver	50-60 sf
Hollandstone	70-75 sf
Holland Premier	70-75 sf
Mattoni	30 sf
Promenade	20 sf
Richcliff	45-50 sf
Series	60-65 sf
Thornbury	40-45 sf
Town Hall	40-45 sf
Tribeca Cobble	40-45 sf
Umbriano 6cm Random	55-60 sf
Umbriano 7cm	60-65 sf
Westport	40-45 sf

Installation practices may affect the amount of sand used per product.
Review IMPORTANT NOTICE on following page.

Sands (continued)

IMPORTANT NOTICE

1. **DO NOT USE** Polymeric Jointing Sand on the following products:

Series™

Il Campo®

Tribeca Cobble™

If joint stabilization is required, use ordinary jointing sand and apply a stabilizing sealer. Contact your local Unilock office for recommended sealants and application specifics.

2. **EXTRA CARE** must be exercised when using Polymeric Sand on the following products:

Courtstone®

Copthorne®

Richcliff®

Town Hall®

Umbriano®

Polymeric Jointing Sand can be used on these products but the fine polymers and binders in Polymeric Jointing Sand have a natural tendency to adhere to the surface and therefore extra diligence must be taken to pre-clean the surface prior to “wetting the sand in” and squeegee off the surface post application. Failure to do so will result in a “whitish haze” on the surface that is difficult to remove.

3. **IMPORTANT COMPACTION NOTICE:** Always pre-compact the pavers WITHOUT SAND IN THE JOINTS. This will facilitate proper leveling. Polymeric Sand can then be swept into the joints. Always use a compactor with a protective membrane attached to the bottom of the plate.

Polymeric Jointing Sand, cleaners and sealers, must always be applied by a trained and experienced professional. Contact your local Unilock office for training and the most up-to-date best practices.


NOTICE: Unilock does not accept any responsibility for damage to the surface caused by the improper application and use of polymeric sand, sealers or cleaners. Unilock will not accept responsibility for alternate suppliers of polymeric sand, jointing sand, cleaners and sealers.

Edge Restraints

SnapEdge - One-Piece Edging That Does It All!

EDGE001

- Only one part required for straight runs or curved installations
- Built-in connector fastens one piece to the next – convenient 96" size, makes them easy to transport
- Unique 'Snip and Flex' feature speeds installations of curves and corners without pre-planning
- The open design allows a root system to grow through SnapEdge, further reinforcing the installation
- Engineered to provide a strong, easy-to-install edge restraint for concrete/clay pavers
- Nail hole bosses are full-length cylinders. Hammer blows will not fracture or force nail heads through edging



PRODUCT INFORMATION:

8' (96") length pcs.

Sidewall: 1 7/8"

Pieces per Pallet: 672 (5,376 ln. ft.)

Pieces per Bundle: 24 (192 ln. ft.)

Bundles per Pallet: 28

Pallet Weight: 1395 lbs.

Pallet Size: 98" l x 48" w x 50" h

Edge Restraints (contiuned)

Polybind Edge Edging

EDGE056 - Rigid / EDGE061 - Tile Edge

- Rigid has Twist & Lock connection system
- Rigid can be changed to a partial Flex by cutting the bridge support
- Tile Edge provides stability and strong lateral support for all porcelain tile installations



RIGID EDGE



TILE EDGE

PRODUCT INFORMATION:

RIGID:

8' (96") length pcs.

Sidewall: 1 3/4"

Pieces per Bundle: 24 (192 ln. ft.)

Pieces per Pallet: 672 (5376 ln. ft.)

TILE:


8' (96") length pcs.

Sidewall: 5/8"


Pieces per Bundle: 24 (192 ln. ft.)

Pieces per Pallet: 384 (3072 ln. ft.)


TIPS FOR QUICK AND EASY INSTALLATION WITHOUT PRE-PLANNING




Sharp Inside Corner




Sharp Outside Corner




Proper Wall Installation



Gentle Outside Curves



Gentle Inside Curves



Pieces Snap Together

Drainage, Separation and Reinforcement



UNILOCK DRIVEGRID™ SYSTEM

FAB075

- 120' x 13' Roll - 1,572 sq. ft./56 lbs per roll



GATOR GRID 30-30

Gator Grid 30-30, a biaxial geogrid, provides strength, longevity, excellent stress transfer and prevents failure to the internal structure of landing areas, retaining walls and steep slopes. It has a high molecular weight as well as high-tenacity polyester yards which are woven in tension and finished with a PVC coating.

Packaging & Unilock SKU • 4' x 50' - FAB070 / 6' x 50' - FAB071 / 6' x 150' - FAB072



GATOR FABRIC NON-WOVEN 3.5

Gator Fabric Non-Woven 3.5 geotextile is ideal for drainage, filtration and will allow water flow in a paver or retaining wall application. It is designed for soil separation for added stability, has high strength and is dimensionally stable.

Packaging & Unilock SKU • 4' x 100' - FAB038 / 6' x 100' - FAB040



GATOR FABRIC WOVEN 5

Gator Fabric Woven 5 is a woven geotextile made from polypropylene yarns and can achieve higher tensile strength at low elongation. It is an excellent heavy-loading geotextile, ideal for driveways, alleyways, pathways and retaining walls.

Packaging & Unilock SKU • 4' x 100' - FAB049 / 6.25' x 300' - FAB052



GATOR FABRIC POLYSPUN 20

Gator Fabric Polyspun 8 geotextile is specially formulated to resist deterioration in garden and landscape applications. It creates a barrier to reduce weed growth and allows water, fertilizer and air to pass through.

Packaging & Unilock SKU • 6' x 100' • FAB058

Gator Base



FEATURES: For Pedestrian use only. Replaces concrete foundations and is used to replace 6" of crushed stone. The interlocking panels distribute all dynamic and static loads to a very wide area, practically eliminating any pressure on the ground.

GATOR Base is a unique evolution in base technology. Evacuates water through channels along a 1 slope.

Manufactured using lightweight high-density polypropylene. Environmentally friendly and 100% recyclable.

Extremely durable, will not degrade in the ground. Designed with LOCK-N-GO tongue and groove system. Packaging: 10 units per pack, 12 packs per box, 120 units per pallet SAND109

Bedding Materials Chart (Approximate Imperial Tons)

Square Feet	Bedding Course											
	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"	12"
50	0.3	0.5	0.8	1.0	1.3	1.5	1.8	2.0	2.3	2.5	2.8	3.0
100	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0
150	0.8	1.5	2.3	3.0	3.8	4.5	5.3	6.0	6.8	7.5	8.3	9.0
200	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0
250	1.3	2.5	3.8	5.0	6.3	7.5	8.8	10.0	11.36	12.5	13.8	15.0
300	1.5	3.0	4.5	6.0	7.5	9.0	10.5	12.0	13.5	15.0	16.5	18.0
350	1.8	3.5	5.3	7.0	8.8	10.5	12.3	14.0	15.8	17.5	19.3	21.0
400	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.0	20.2	22.0	24.0
450	2.3	4.5	6.8	9.8	11.3	13.5	15.8	18.0	20.3	22.5	24.8	27.0
500	2.5	5.0	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0
550	2.8	5.5	8.3	11.0	13.8	16.5	19.3	22.0	24.8	27.5	30.3	33.0
600	3.0	6.0	9.0	12.0	15.0	18.0	21.0	24.0	27.0	30.0	33.0	36.0
650	3.3	6.5	9.8	13.0	16.3	19.5	22.8	26.0	29.3	32.5	35.8	39.0
700	3.5	7.0	10.5	14.0	17.5	21.0	24.5	28.0	31.5	35.0	38.5	42.0
750	3.8	7.5	11.36	15.0	18.8	22.5	26.3	30.0	33.8	37.5	41.3	45.0
800	4.0	8.0	12.0	16.0	20.0	24.0	28.0	32.0	36.0	40.0	44.0	48.0
850	4.3	8.5	12.8	17.0	21.3	25.5	29.8	34.0	38.3	42.5	46.8	51.0
900	4.5	9.0	13.5	18.0	22.5	27.0	31.5	36.0	40.5	45.0	49.5	54.0
950	4.8	9.5	14.3	19.0	23.8	28.5	33.3	38.0	42.8	47.5	52.3	57.0
1000	5.0	10.0	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0

Base Depth Charts (Cubic Yards)

Square Feet	Bedding Course											
	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"	12"
50	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	1.5	1.7	1.9
100	0.3	0.6	0.9	1.2	1.5	1.9	2.2	2.5	2.8	3.1	3.4	3.7
150	0.5	0.9	1.4	1.9	2.3	2.8	3.2	3.7	4.2	4.6	5.1	5.6
200	0.6	1.2	1.9	2.5	3.1	3.7	4.3	4.9	5.6	6.2	6.8	7.4
250	0.8	1.5	2.3	3.1	3.9	4.6	5.4	6.2	6.9	7.7	8.5	9.3
300	0.9	1.9	2.8	3.7	4.6	5.6	6.5	7.4	8.3	9.3	10.2	11.1
350	1.1	2.2	3.2	4.3	5.4	6.5	7.6	8.6	9.7	10.8	11.9	13.0
400	1.2	2.5	3.7	4.9	6.2	7.4	8.6	9.9	11.1	12.3	13.6	14.8
450	1.4	2.8	4.2	5.6	6.9	8.3	9.7	11.1	12.5	13.9	15.3	16.7
500	1.5	3.1	4.6	6.2	7.7	9.3	10.8	12.3	13.9	15.4	17.0	18.5
550	1.7	3.4	5.1	6.8	8.5	10.2	11.9	13.6	15.3	17.0	18.7	20.4
600	1.9	3.7	5.6	7.4	9.3	11.1	13.0	14.8	16.7	18.5	20.4	22.2
650	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.1	20.1	22.1	24.1
700	2.2	4.3	6.5	8.6	10.8	13.0	15.1	17.3	19.4	21.6	23.8	25.9
750	2.3	4.6	6.9	9.3	11.6	13.9	16.2	18.5	20.8	23.1	25.5	27.8
800	2.5	4.9	7.4	9.9	12.3	14.8	17.3	19.8	22.2	24.7	27.2	29.6
850	2.6	5.2	7.9	10.5	13.1	15.7	18.4	21.0	23.6	26.2	28.9	31.5
900	2.8	5.6	8.3	11.1	13.9	16.7	19.4	22.2	25.0	27.8	30.6	33.3
950	2.9	5.9	8.8	11.7	14.7	17.6	20.5	23.5	26.4	29.3	32.3	35.2
1000	3.1	6.2	9.3	12.3	15.4	18.5	21.6	24.7	27.8	30.9	34.0	37.0

Actual volume may vary due to type of materials, moisture content, and compaction. Calculation charts and formulas are provided as a service by Unilock for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.

Important Notes

UNILOCK PAVER PATTERNS

This Product Data Guide contains an extensive reference to patterns and designs. The purpose of these pattern swatches is to help the designer plan unique and exceptional designs. The percentages of products shown are based on the pattern and not on bundle configurations. In fact, there may be situations in which a pattern has been created with one particular size of stone, but that stone only comes packaged with two other sizes. This means that the designer will have to plan how the other components are used in the overall plan. This is usually accomplished by adding a border or an accent. As a result, overages or shortages may occur in certain patterns. The designer and/or installer of Unilock products accepts all responsibility for design and all associated costs incurred as a result of applying any of Unilock's suggested design patterns in a project. Please plan your project and review your order carefully prior to ordering.

TRANSFERABLE LIFETIME GUARANTEE

Unilock provides a Transferable Lifetime Guarantee* on the structural integrity of our paving stones, slabs and retaining wall units to the original purchaser of the product for residential use. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Color matching cannot be guaranteed and replacement labor is not included. Proof of purchase is required.

Excessive defective material (over the industry accepted normal of 2% for non-tumbled unit pavers) delivered to the purchaser will be replaced free of charge if a written claim is made within 5 days of delivery from the manufacturer. Such claims will not constitute reason for delaying payment. All goods shall be deemed accepted if completely installed. Inspect concrete products prior to opening bundle packaging to ensure that shape and color are as ordered. Unsatisfactory material must be available for inspection by Unilock to entitle the purchaser to any adjustment or credit. Inspect all concrete units during installation and set aside any which are chipped or cracked to use for any cut pieces required. The color of concrete products may vary significantly between production lots. Always install concrete units from several bundles simultaneously to ensure proper distribution of color. Prior to final compaction, inspect installed pavers for good color distribution. Relocate certain pavers, if necessary, to achieve desired color blend.

*Transferable Lifetime Guarantee: Register your project within 60 days of your dated proof of purchase to ensure your Unilock Guarantee is fully transferable! Simply go online at unilock.com and follow instructions. Once processed, you will receive an original Transferable Warranty Certificate for your records.

PRODUCT HANDLING WARNING

Bundle Straps Under Tension - Use extreme caution when removing or handling straps. Always wear gloves, goggles, safety footwear, and protective clothing when removing or handling straps. Failure to do so may result in serious bodily injury or loss of sight.

Cut all concrete products only in well ventilated areas. Inhalation of dust is a serious health risk. A "NIOSH" (US) or a "CSA" (CDN) approved respirator, safety goggles, hearing protectors, and gloves must be worn at all times. Always "wet-cut" or "wet grind" concrete products to minimize dust.

Do not stack bundled concrete products higher than 2 bundles high. Contents of the bundle may be unstable and subject to topple when stacked. Always use extreme caution and appropriate equipment when transporting or storing bundled concrete products. Failure to do so may result in serious bodily injury or death. Always obey gross vehicle weight (GVW) loading limitations and regulations.

Hazard Rating: Fire 0, Health 1, Reactivity 0. See MSDS Concrete Masonry (Pavers). Contact Unilock for complete sheet or view safety information at Unilock.com.

Unilock assumes no liability or responsibility for loss or damage, resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label, and on the MSDS sheet.

Trademark & Legal Information

Umbriano™ is a trademark of Metten Stein + Design GmbH & Co KG used under license by Unilock.


Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Measurements throughout this portfolio are nominal.

*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

Not all products shown are available at all Unilock locations. Log on to www.unilock.com for availability.

Finishes



BRUSHED




COBBLESTONE



WEATHERED



DIMPLED AND WEATHERED




FLAGSTONE




SMOOTH



WASHED



SMOOTH - ZERO BEVEL



SPLIT



TIMEWORN



SPLIT AND WEATHERED



STANDARD

Color Blend Descriptions

COLOR NAME	DESCRIPTION
Basalt	Blueish-Black
Bavarian	Brown, Cream and Charcoal
Beechwood	Tan and Charcoal
Belgian Blue	Blueish-Gray
Birch	Dark Brown, Light Brown and Cream
Black Granite	Black Granite and Charcoal
Burgundy Red	Plum with Red
Burnt Clay	Brown with Red
Charleston	Plum, Charcoal and Sand
Cocoa Brown	Solid Dark Brown
Coastal Slate	Grey and Tan
Coffee Creek	Sandstone, Brown and Charcoal
Copper Ridge	Red, Natural, Brown
Corvara	Light Grey/Beige
Dark Charcoal	Dark Charcoal
Dawn Mist	Grey and Tan
Desert Sand	Salmon, Buff and Charcoal
Fossil	Light & Dark Grey, Chamois and White Accents
French Grey	Light Grey with White Flake
Granite	Natural and Charcoal
Grindstone	Buff and Grey
Limestone	Light Gray and Charcoal
Lugano	Solid Beige/Tan

COLOR NAME	DESCRIPTION
Mahogany Ash	Mid Brown and Light Charcoal
Midnight Sky	Charcoal and Black Flake
Modena	White Concrete with Black Flecks
Natural Blend	Light Grey and Medium Grey
Nevada	Chamois and Natural
Notte	Mid Charcoal, White and Light Natural
Old Oak	Rust with Red
Opal Blend	Light Grey and White
Pebble Taupe	Tan with Light Brown
Rustic Red	Red and Charcoal
Sabia	Brown, Black and Light Natural
Sable Blend	Cream Tan Brown
Sandstone	Buff and Tan
Sierra	Charcoal, Russet and Buff
St. Clair	Salmon and Brown
Steel Grey Blend	Dark Charcoal & Grey
Steel Blue	Pale Charcoal
Steel Mountain	Natural and Charcoal
Summer Wheat	Cream White with Pale Yellow & Beige Particles
Terra Cotta	Salmon and Charcoal
Vivanto	Dark Grey and Charcoal
Winter Marvel	White and Black Flake

Colors shown in this brochure should be used only as a guide. Colors should always be chosen from actual samples.

Product Directory

UNIT PAVERS

Product	Page	Finish	Pedestrian	Residential Vehicular	Commercial Vehicular	Environmental	For Borders & Accents
Arcana™	6	S	✓				
Artline™	7	S	✓				
Beacon Hill™ Flagstone	8	F	✓				
Beacon Hill™ Smooth	9	SM	✓				
Boulevard™	10	F	✓				
Bristol Valley®	11	S	✓				
Brussels Block®	12	W	✓	✓			✓
Cophthorne®	13	T	✓	✓			✓
Courtstone®	14	C	✓	✓			✓
Eco-Optiloc™	15	S	✓	✓	✓	✓	
Eco-Priora™	16	B	✓	✓	✓	✓	
Eco-Promenade™	17	S	✓	✓	✓	✓	
Granito™ Random	18	S	✓				
Granito™ Hex	18	S	✓	✓			
Hex Paver	18	S	✓	✓			
Holland Premier®	20	S	✓	✓			✓
Hollandstone™	19	S	✓	✓	✓		✓
Il Campo®	21	B	✓	✓	✓		✓
Mattoni™	22	T	✓	✓	✓		✓
Natural Stone	23-24	SM	✓				
Porcelain	26-27	SM	✓				
Promenade® Paver	28-29	S	✓	✓	✓		✓
Richcliff®	30	F	✓	✓			✓
Series™	31-32	WS	✓	✓	✓		✓
Skyline™	33	S	✓				
Thornbury™	34	F	✓	✓		✓	
Town Hall®	35	T	✓	✓	✓	✓	✓
Tribeca Cobble	36	C	✓	✓			✓
Turfstone™	37	S		✓		✓	
Umbriano™	38-39	SZ	✓	✓	✓		✓
Westport™	40	F	✓	✓			✓

RETAINING WALLS

Product	Page	Finish	Gardens	Retaining Walls	Steps	Seatwalls	Pillars
Brussels Dimensional System™	41	W	✓	✓	✓	✓	✓
DuraHold2®	42-43	S		✓			
DuraHold®	44	S		✓			
Estate Wall™	45	SP/W	✓	✓	✓	✓	✓
Lineo™ Dimensional Stone	46	SZ	✓	✓			
Mackinaw™	47						
Pisa2™	48	SP	✓	✓	✓	✓	✓
Rivercrest® Wall	49-50	F	✓		✓	✓	✓
SienaEdge®	51	SP	✓	✓	✓	✓	
SienaStone®	52	SP		✓	✓		
SienaStone® Smooth	53	SP		✓	✓		
U-Cara®	54-58		✓	✓		✓	✓

Finishes: B=Brushed; C=Cobblestone; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; SP=Split; SP/W=Split and Weathered; T=Timeworn; W=Weathered; WS=Washed

This application chart should only be used as a guide. Site conditions, base materials, pattern and frequency of use may vary the performance of various types and styles of products.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



BOSTON
(508) 278-4536

CHICAGO
(630) 892-9191

MILWAUKEE
(262) 742-3890

KANSAS
(913) 417-7985

MICHIGAN
(248) 437-7037

NEW YORK
(845) 278-6700

MID-ATLANTIC
(202) 798-2060

ONTARIO
(416) 646-9000

CINCINNATI/KY/TN
(513) 202-0219

**OHIO/WESTERN PA/
WNY&CNY**
(330) 927-4000

UNILOCK.COM | 1-800-UNILOCK

©2021 Hengestone Holdings, Inc.